



7428 Rockville Road, Indianapolis, IN 46214

May 30, 2014

Mr. Juan Thomas
United States Environmental Protection Agency Region 5
RCRA Enforcement and Compliance Assurance Branch, DE-9J
77 West Jackson Boulevard
Chicago, IL 60604

**Re: Implemented Corrective Measures – Groundwater Recovery and Treatment System
Semi-Annual Post Closure Monitoring Report**
Former Amphenol Facility #IND 044 587 848
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Thomas:

This Implemented Corrective Measures – Groundwater Recovery and Treatment System (ICM-GRTS) Report is submitted on behalf of the “Performing Respondent”, Amphenol Corporation and the “Owner Respondent”, Franklin Power Products, Incorporated. This report summarizes the “Work Efforts” completed during the first semi-annual period (October 18, 2013 through April 28, 2014) of the calendar year 2014. The “Work Efforts” were conducted pursuant to Section VIII of the Administrative Order on Consent for Corrective Measures Implementation (CMI) for the above referenced site and in accordance with the approved Post Closure Monitoring Work Plan submitted to the USEPA in March 2000.

The “Work Efforts” performed at the site included:

- Operations and Maintenance of the Groundwater Recovery and Treatment System
- Groundwater Elevation Monitoring
- Quarterly Sampling and Analysis of the Groundwater Recovery and Treatment System
- Semi-Annual Groundwater Sampling and Analysis

Groundwater Recovery and Treatment System – Operations and Maintenance

The Implemented Corrective Measure (ICM) at the site is a groundwater pump and treat system consisting of 5 recovery wells (RW-1 through RW-5). Recovery wells RW-1, RW-2, and RW-3 have 5 foot screened intervals at depths of approximately 15 to 20 ft BGS and 2 foot sumps. Recovery well RW-4 has a 10 foot screened interval at a depth of approximately 13 to 23 ft BGS and a 4-foot sump. An additional recovery well (RW-5) was installed in June 2010 and activated in July 2010 in conjunction with supplemental bioremediation activities completed at the site. Recovery well RW-5 has a 10 foot screened interval at a depth of approximately 14 to 24 feet BGS and a 2-foot sump. Electric submersible pumps are used to pump groundwater from the recovery wells to an air stripper where volatile organic compounds (VOCs) are volatilized and exhausted to the atmosphere. Groundwater effluent from the air stripper is discharged to the City of Franklin municipal sanitary sewer system. In addition to VOC removal, the ICM is designed to lower the potentiometric groundwater surface to below the level of the existing storm sewer invert.

To ensure proper performance of the groundwater recovery and treatment system, IWM Consulting Group, LLC (IWM) personnel conducted routine operation and maintenance (O&M) inspections. Bi-weekly O&M duties include measurement of influent flow rates, measurement of groundwater elevations of the recovery wells, routine inspections and necessary repairs of influent and effluent lines, and air stripper maintenance. On a monthly basis, depth to groundwater is recorded in monitoring wells IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-24, MW-26, MW-27, MW-28, MW-29, MW-30, and recovery wells RW-1 through RW-5. The air stripper trays and effluent discharge line are inspected and cleaned as necessary during monthly O&M activities. Also, influent sediment filters are replaced monthly. Quarterly O&M activities include complete disassembly and cleaning of the air stripper trays and sump. The sequestering agent system is also maintained on a quarterly basis. The air stripper blower lubrication and integrity is inspected on a quarterly basis. All recovery well pumps are also removed and cleaned on a quarterly basis. Monthly O&M reports are attached in **Appendix A**.

During this reporting period (October 18, 2013 through April 28, 2014), approximately 6,936,961 gallons of groundwater were recovered, treated, and discharged. The combined average influent flow rate for the period was 25.1 gpm. To date, approximately 194,149,789 gallons have been recovered. Groundwater recovery rates to date are provided in **Table 1**.

Overall the groundwater recovery and treatment system was very reliable and was operational during the majority of this reporting period. However, the following operational issues were encountered:

IWM personnel mobilized to the site on January 13, 2014 to complete monthly and bi-weekly system operation and maintenance activities. Recovery well RW-3 was not discharging upon arrival at the site due to a fault in the pump. IWM personnel initially evaluated the RW-3 pump by measuring the amperage at the remediation building and it was determined that the pump was operating at normal amperage despite no discharge from the pump. Subsequently, IWM personnel determined that the RW-3 pump would need to be pulled from the recovery well for further evaluation the following day. The groundwater recovery and treatment system was operational, with the exception of recovery well RW-3, upon arrival and departure from the site on January 13, 2014.

IWM personnel mobilized to the site on January 14, 2014 to complete the evaluation and repairs on recovery well RW-3. The pump was pulled and the floats rewired during the evaluation. The pump itself was found to be inoperable and was replaced. After the pump in recovery well RW-3 was replaced, the recovery well was reactivated and operational upon departure from the site on January 14, 2014.

IWM personnel mobilized to the site on March 7, 2014 to complete monthly and biweekly operation and maintenance activities. The groundwater recovery and treatment system was not operational upon arrival and the cause was determined to be a power outage that occurred during late February 2014. Due to a malfunction, the Chatterbox telemetry system did not inform IWM Consulting of the system shutdown. The influent line for recovery well RW-5 was also discovered to be frozen but undamaged at the well vault and was cleared before restarting the system. The groundwater recovery and treatment system was completely operational upon departure from the site on March 7, 2014.

IWM personnel mobilized to the site on April 11, 2014 to complete semi-annual groundwater sampling activities. An evaluation of the Chatterbox telemetry system was conducted while in contact with the manufacturer (Raco) in order to assess the cause of the lack of a telephone alarm when the system shut down due to a power outage that occurred in March 2014. The Chatterbox telemetry system was tested after the evaluation and appeared to be operating properly. Although the system was completely operational during and after the evaluation, the Chatterbox telemetry system began sending false alarm telephone calls upon



departure from the site every four to eight minutes indicating the system was down. IWM personnel returned to the site for additional evaluation and troubleshooting of the Chatterbox telemetry system. After the additional evaluation it was determined that the Chatterbox would need to be sent in for repairs and reprogramming. The Chatterbox telemetry system was removed from the system building and shipped to Raco for repairs. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 11, 2014.

IWM personnel mobilized to the site on Saturday, April 26, 2014 to install the repaired and reprogrammed Chatterbox telemetry system. The Chatterbox telemetry appeared to be operating properly after installation and testing. Although the system was completely operational during and after the installation and setup, the Chatterbox telemetry system again began sending false alarm telephone calls upon departure from the site. The Chatterbox telemetry system was deactivated until the following Monday (April 28) in order to contact Raco for additional evaluation. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 26, 2014.

IWM personnel mobilized to the site on Monday, April 28, 2014 to evaluate and troubleshoot the Chatterbox telemetry system with the assistance of Raco. The most likely cause of the false alarm telephone calls from the Chatterbox telemetry system appears to be fluctuations in the electrical system of the system building which causes the telemetry system to inadvertently believe that the system is shut down. An electrician will be contracted to evaluate and repair (if necessary) the electrical system of the system building to enable the Chatterbox telemetry system to operate properly. The Chatterbox telemetry system was deactivated prior to departure from the site. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 28, 2014.

Groundwater Level Measurements

IWM personnel gauged select monitoring wells (IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-23, MW-24, MW-26, MW-27, MW-28, MW-29, and MW-30) at the site on a monthly basis using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. For this semi-annual reporting period, depth to water in the monitoring wells ranged from 6.19 feet below top of casing (TOC) in MW-9 to 18.90 feet below TOC in MW-22. During this reporting period, neither LNAPL nor DNAPL were detected within the monitoring and recovery well network at the site. Additionally, the water table has raised an average of approximately 1.99 feet from October 2013 to April 2014. The groundwater elevation data indicates that the groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume. **Figure 1** is a site plan illustrating pertinent site features and well locations. A groundwater elevation contour map based on the most recent gauging event (April 4, 2014) is provided as **Figure 2**. Historic groundwater elevation data and groundwater contour maps for this reporting period are provided in each monthly O&M report included in **Appendix A**. Groundwater elevations during this semi-annual reporting period are provided in **Table 2**.

Quarterly Treatment System Sampling and Analysis

On November 13, 2013, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260B.

Laboratory analytical results from the November 13, 2013 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1-dichloroethane was detected in the groundwater sample obtained from recovery wells RW-2 and RW-3. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

On February 19, 2014, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace for VOC analysis by SW-846 Method 8260B.

Laboratory analytical results from the February 19, 2014 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery wells RW-2 and RW-3. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

The analytical reports for the quarterly system sampling events are included in **Appendix B**. A summary of quarterly system sampling results is included in **Table 3**.

Semi-Annual Groundwater Sampling and Analysis

On April 11, 2014, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace for VOC analysis using US EPA SW 846 Method 8260B. Groundwater sampling logs are provided in **Appendix C**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-22 (830.1 µg/L total VOCs) located 30 feet northwest of recovery well RW-3 and monitoring well MW-12R (638.5 µg/L total VOCs) located adjacent to recovery well RW-2. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration. The concentrations of dissolved VOCs in monitoring wells MW-12/12R and MW-22 decreased substantially following installation of the groundwater recovery and treatment system in 1996. Overall, total VOC concentrations in these wells have been relatively stable during operation of the treatment system from 2000 to 2014.

1,1-Dichloroethane was detected in monitoring wells IT-2 and MW-12R. Trichloroethene was detected in monitoring wells IT-2, MW-12R, MW-22, and MW-28. Cis-1,2-dichloroethene was detected in monitoring wells IT-2, MW-12R, and MW-22. 1,1,1-Trichloroethane was detected in monitoring wells IT-2, MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-22, and MW-28.

Both monitoring wells IT-2 and IT-3 are located down-gradient from the site. Overall, total dissolved VOC concentrations in monitoring wells IT-2 and IT-3 have decreased over time during operation of the groundwater recovery and treatment system. Total dissolved VOC concentrations in monitoring wells MW-12R and MW-30 have decreased since the startup of the remedial system in 1996. Total dissolved VOC concentrations decreased substantially in monitoring wells MW-22 and MW-28 during the initial startup of the recovery system in 1996 and have been decreasing during operation of the groundwater recovery and treatment system from 2000 to 2014. Tetrachloroethene and trichloroethene concentrations were reduced significantly (47% and 37%, respectively) in monitoring well MW-22 as part of a three month enhanced bioremediation pilot study conducted in early 2007. During the implementation of the full scale enhanced bioremediation activities (July 2010 through March 2011), tetrachloroethene concentrations decreased 22% in monitoring well MW-22. Post full scale enhanced bioremediation activities, tetrachloroethene concentrations have decreased an additional 48% in monitoring well MW-22.

The dissolved VOC concentrations observed in monitoring well MW-12R initially (October 2010) increased immediately after implementation of the full scale enhanced bioremediation. The reason for the increased dissolved VOC concentrations is because several combination groundwater and microbe injection points (IN-4, IN-5, IN-6, and IN-7) were installed immediately hydraulically up-gradient from this well and the injection points were able to “flush” the VOC impacted saturated soil, thus increasing the dissolved VOC concentrations while simultaneously decreasing the adsorbed VOC concentrations. Furthermore, the dissolved VOCs were drawn to and recovered by hydraulically down-gradient recovery wells RW-2 (adjacent to MW-12R) and RW-5 (approximately 45 feet west of MW-12R). Since monitoring well MW-12R is located between these two recovery wells, this explains why the dissolved VOC concentrations increased immediately after start-up of the full scale enhanced bioremediation activities. It should be noted that the dissolved VOCs displayed a decrease in concentrations during the April 2011 groundwater sampling event. During the October 2011 event, a substantial rebound of dissolved VOC concentrations was observed. Dissolved VOC concentrations in monitoring well MW-12R decreased approximately 78.5% from the October 2011 sampling event to the April 2014 sampling event.

No VOCs were detected in the groundwater samples obtained from monitoring wells IT-3, MW-20, and MW-29.

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Laboratory data sheets are provided in **Appendix D**. A summary of groundwater analytical results is included in **Table 4**.

Conclusions

Based on the data collected during this semi-annual post closure monitoring period, the following conclusions can be asserted:

1. The groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume.
2. The cone of influence developed by the on-site recovery wells extends beyond the downgradient site property boundary.
3. The average combined influent rate for the groundwater recovery system is approximately 25.1 gpm.



4. The highest dissolved PCE concentrations were detected near the suspected release area where the sanitary sewer crosses the existing storm sewer.
5. The highest VOC concentrations were detected in the groundwater samples obtained from monitoring wells MW-22 and MW-12R, located in the vicinity of recovery wells RW-3 and RW-2, respectively. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentrations.
6. Following activation of the groundwater recovery and treatment system, total dissolved VOC concentrations decreased substantially. Since initial startup of the remedial system, total VOC concentrations have displayed decreasing trends in monitoring wells IT-2, IT-3, MW-12/12R, MW-22, MW-28, and MW-30.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111.

Sincerely,

IWM CONSULTING GROUP, LLC



Christopher R. Newell, LPG
Project Geologist





Bradley E. Gentry, LPG
Vice-President/Brownfield Coordinator

Attachments

cc: Mr. Samuel Waldo, Amphenol Corporation

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER



Scale 1":100 ft.

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWP# 111291-01
DWG. NO. 111291S1

FIGURE 1
SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA





LEGEND

- MONITORING WELL
- RECOVERY WELL

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

722.00 POTENTIAL METRIC SURFACE
(CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWP# 111291-01
DWG. NO. 111291S1

FIGURE 2
GROUNDWATER
ELEVATION MAP
(04/04/14)

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA



TABLES

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	445,555	428,463	536,852	-	-	1,410,870
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	1,949,120	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	2,835,673	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	2,835,673	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	2,842,124	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Table 1 (Cont.)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Table 1 (Cont.)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Table 1 (Cont.)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Table 1 (Cont.)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Table 1 (Cont.)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Table 1 (Cont.)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Table 1 (Cont.)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46

NR-Not Recorded

NG-Not Gauged

Table 4

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
IT-2	2/1/1986	NA	15	NR	1.5	90	88	NR	NR	ND	ND	ND	195
	5/1/1986	NA	10	NR	7.5	64	93	NR	NR	ND	ND	ND	175
	8/1/1986	NA	11	NR	38	120	120	NR	NR	ND	ND	ND	289
	11/1/1986	NA	34	NR	55	39	130	NR	NR	ND	ND	ND	258
	3/5/1992	NA	41	78	ND	25	18	NR	NR	ND	ND	ND	162
	7/27/1992	NA	17	30	ND	28	39	NR	NR	ND	ND	ND	114
	2/16/1993	NA	18	51	5J	29	29	NR	NR	ND	ND	ND	127
	10/9/1996	NA	18	79	17	9	18	NR	NR	ND	ND	ND	141
	9/29/2000	12.40	16	87	ND	ND	14	ND	ND	ND	ND	ND	117
	4/2/2001	13.12	11	56	ND	26	60	ND	ND	ND	ND	ND	153
	10/19/2001	12.53	14	70	ND	10	20	ND	ND	ND	ND	ND	114
	4/16/2002	11.65	ND	24	ND	ND	10	ND	ND	ND	ND	ND	34
	10/17/2002	13.13	8.8	46	ND	ND	14	ND	ND	ND	ND	ND	69
	4/30/2003	12.75	ND	31	ND	8.8	21	ND	ND	ND	ND	ND	61
	10/3/2003	12.23	8.8	50	ND	ND	11	ND	ND	ND	ND	ND	70
	4/2/2004	12.47	ND	43	ND	ND	15	ND	ND	ND	ND	ND	58
	10/4/2004	12.61	9.4	60	6.1	12	36	ND	ND	ND	ND	ND	124
	4/1/2005	12.46	6.3	29	ND	5.4	18	ND	ND	ND	ND	ND	59
	10/14/2005	12.38	8	52	ND	ND	9	ND	ND	ND	ND	ND	69
	4/27/2006	11.75	ND	25.5	ND	4.98	14.6	ND	ND	ND	ND	ND	45.1
	10/13/2006	12.47	ND	36.6	ND	ND	13.6	ND	ND	ND	ND	ND	50.2
	4/17/2007	11.96	ND	13.1	ND	ND	8.9	ND	ND	ND	ND	ND	22
	10/12/2007	13.38	8.4	42.7	ND	ND	8.2	ND	ND	ND	ND	ND	59.3
	4/4/2008	11.13	ND	19.1	ND	ND	10.7	ND	ND	ND	ND	ND	29.8
	10/10/2008	12.78	ND	18	ND	ND	5.5	ND	ND	ND	ND	ND	23.5
	4/9/2009	12.22	ND	17.3	ND	6.2	10.1	ND	ND	ND	ND	ND	33.6
	10/9/2009	12.29	ND	11.4	ND	ND	10.3	ND	ND	ND	ND	ND	21.7
	4/8/2010	12.19	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	5.4
	10/7/2010	14.04	6.3	29.7	ND	ND	15.6	ND	ND	ND	ND	ND	51.6
	4/14/2011	11.93	ND	15.4	ND	ND	10.8	ND	ND	ND	ND	ND	26.2
	10/5/2011	13.30	6.5	30.4	ND	5.7	18.7	ND	ND	ND	ND	ND	61.3
	4/6/2012	12.31	ND	18.3	ND	ND	8.5	ND	ND	ND	ND	ND	26.8
	10/5/2012	13.56	ND	33.3	ND	5.6	31.7	ND	ND	ND	ND	ND	70.6
	4/5/2013	12.58	8	27.6	ND	5.5	26.7	ND	ND	ND	ND	ND	67.8
	10/1/2013	13.95	10	35.2	ND	6.5	22.2	ND	ND	ND	ND	ND	73.9
	4/11/2014	11.79	5	15	ND	6.5	36.8	ND	ND	ND	ND	ND	63.3

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
IT-3	2/1/1986	NA	13	NR	290	190	67	NR	NR	ND	ND	ND	560
	5/1/1986	NA	10	NR	NA	200	27	NR	NR	ND	ND	ND	237
	8/1/1986	NA	7.5	NR	24	150	50	NR	NR	ND	ND	ND	232
	11/1/1986	NA	7.9	NR	16	160	72	NR	NR	ND	ND	ND	256
	3/5/1992	NA	4J	ND	ND	83	34	NR	NR	ND	ND	ND	117
	7/27/1992	NA	4J	ND	8	67	22	NR	NR	ND	ND	ND	97
	2/16/1993	NA	5J	ND	ND	71	29	NR	NR	ND	ND	ND	100
	10/9/1996	NA	5	ND	ND	49	58	NR	NR	ND	ND	ND	112
	9/29/2000	10.74	ND	ND	ND	23	17	ND	ND	ND	ND	ND	40
	4/2/2001	11.30	ND	ND	ND	14	14	ND	ND	ND	ND	ND	28
	10/19/2001	10.78	ND	ND	ND	23	16	ND	ND	ND	ND	ND	39
	4/16/2002	10.72	ND	ND	ND	22	11	ND	ND	ND	ND	ND	33
	10/17/2002	11.25	ND	ND	ND	18	16	ND	ND	ND	ND	ND	34
	4/30/2003	11.21	ND	ND	ND	19	11	ND	ND	ND	ND	ND	30
	10/3/2003	10.91	ND	ND	ND	17	9.5	ND	ND	ND	ND	ND	27
	4/2/2004	10.97	ND	ND	ND	12	6	ND	ND	ND	ND	ND	18
	10/4/2004	11.03	ND	ND	5.3	11	5.8	ND	ND	ND	ND	ND	22
	4/1/2005	10.94	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1
	10/14/2005	10.91	ND	ND	ND	7	ND	ND	ND	ND	ND	ND	7.0
	4/27/2006	10.75	ND	ND	ND	12.9	ND	ND	ND	ND	ND	ND	12.9
	10/13/2006	10.95	ND	ND	ND	11.1	5.78	ND	ND	ND	ND	ND	16.9
	4/17/2007	10.83	ND	ND	ND	12.4	7.6	ND	ND	ND	ND	5.7	25.7
	10/12/2007	11.35	ND	ND	ND	12.9	10.2	ND	ND	ND	ND	ND	23.1
	4/4/2008	10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	10/10/2008	11.04	ND	ND	ND	19.9	18.7	ND	ND	ND	ND	ND	38.6
	4/9/2009	10.86	ND	ND	ND	11.4	16.3	ND	ND	ND	ND	ND	27.7
	10/9/2009	10.77	ND	ND	ND	18.9	25.7	ND	ND	ND	ND	ND	44.6
	4/8/2010	10.75	ND	ND	ND	5.6	17.8	ND	ND	ND	ND	ND	23.4
	10/7/2010	11.33	ND	ND	ND	21.6	32.5	ND	ND	ND	ND	ND	54.1
	4/14/2011	10.52	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	6.5
	10/5/2011	11.07	ND	ND	ND	10.4	13.3	ND	ND	ND	ND	ND	23.7
	4/6/2012	10.73	ND	ND	ND	ND	7.2	ND	ND	ND	ND	ND	7.2
	10/5/2012	11.24	ND	ND	ND	6.6	7	ND	ND	ND	ND	ND	13.6
	4/5/2013	10.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	11.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	10.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-12	2/1/1986	NA	360	NR	17,000	19,000	7,400	NR	NR	ND	ND	ND	43,760
	5/1/1986	NA	280	NR	34,000	25,000	5,400	NR	NR	ND	ND	ND	64,680
	8/1/1986	NA	310	NR	18,000	9,600	6,100	NR	NR	ND	ND	ND	34,010
	11/1/1986	NA	440	NR	26,000	24,000	9,100	NR	NR	ND	ND	ND	59,540
	10/9/1996	NA	26	ND	2,000	910	1,200	NR	NR	ND	ND	ND	4,136
	9/29/2000	16.56	11	ND	860	290	880	ND	ND	ND	ND	ND	2,041
	4/2/2001	17.31	9.3	ND	650	170	760	ND	ND	ND	ND	ND	1,589
	10/19/2001	16.67	14	ND	320	240	690	ND	ND	ND	ND	ND	1,264
	4/16/2002	15.86	12	ND	1,300	580	2,600	25	30	ND	ND	ND	4,547
	10/17/2002	17.36	18	ND	1,100	390	980	ND	ND	ND	ND	ND	2,488
	4/30/2003	16.92	12	ND	650	310	900	22	ND	ND	ND	ND	1,894
	10/3/2003	16.32	9.8	ND	550	190	810	ND	ND	ND	ND	ND	1,560
	4/2/2004	16.67	ND	ND	450	170	780	ND	ND	ND	ND	ND	1,400
	10/4/2004	16.72	14	ND	520	300	890	ND	ND	ND	ND	ND	1,724
	4/1/2005	16.67	7	ND	570	180	810	ND	ND	ND	ND	ND	1,567
	10/14/2005	16.53	10	ND	540	171	508	ND	ND	ND	ND	ND	1,229
	4/27/2006	15.83	59.6	ND	873	582	635	ND	ND	6.25	14.7	ND	2,170.55
	10/13/2006	16.56	ND	ND	788	502	574	ND	ND	ND	9.74	ND	1,873.74
	4/17/2007	15.16	7.5	ND	1,020	162	635	ND	ND	ND	ND	ND	1,824.5
	10/12/2007	17.47	22.8	124	1,380	360	571	ND	53.1	ND	ND	ND	2,510.9
MW-12R	4/4/2008	15.41	28.9	11.4	1,590	331	698	ND	ND	ND	ND	ND	2,659.3
	10/10/2008	16.85	ND	ND	352	90	320	ND	ND	ND	ND	ND	762
	4/9/2009	16.38	5.8	ND	444	100	208	ND	ND	ND	ND	ND	757.8
	10/9/2009	16.41	9.3	ND	552	152	288	ND	ND	ND	ND	ND	1,001.3
	4/8/2010	16.32	ND	ND	331	63.3	182	ND	ND	ND	ND	ND	576.3
	10/7/2010	18.41	21.6	703	1,040	222	580	ND	ND	ND	ND	ND	2,566.6
	4/14/2011	16.34	ND	46.1	477	68.9	289	ND	ND	ND	ND	ND	881
	10/5/2011	17.63	ND	159	2,470	67.2	272	ND	ND	ND	ND	ND	2,968.2
	4/6/2012	16.74	ND	81.4	884	56.3	234	ND	ND	ND	ND	ND	1,255.7
	10/5/2012	17.95	ND	23	687	45.6	135	ND	ND	ND	ND	ND	890.6
	4/5/2013	16.09	5.3	154	665	56.9	170	ND	ND	ND	ND	ND	1,051.2
	10/1/2013	18.22	ND	10.1	392	39.2	66	ND	ND	ND	ND	ND	507.3
	4/11/2014	16.21	5	47.1	458	49	79.4	ND	ND	ND	ND	ND	638.5

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-20	3/5/1992	NA	ND	ND	ND	ND	ND	NR	NR	ND	ND	ND	ND
	9/29/2000	8.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2001	11.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/19/2001	9.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	8.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	11.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	9.72	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	5
	10/3/2003	9.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	11.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/2005	9.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	10.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	9.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	10.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	9.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	12.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	7.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	10.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	8.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	11.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	8.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	10.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	11.10	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	5
	4/5/2013	9.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	11.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Duplicate		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	8.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-22	10/9/1996	NA	ND	ND	5,600	ND	1,000	NR	NR	ND	ND	ND	6,600
	9/29/2000	16.98	ND	ND	3,300	41	230	ND	ND	ND	ND	ND	3,571
	4/2/2001	17.88	14	ND	4,400	37	220	ND	ND	ND	ND	ND	4,671
	10/19/2001	17.29	ND	ND	2,000	53	290	120	ND	ND	ND	ND	2,463
	4/16/2002	16.51	ND	ND	4,100	34	400	110	ND	ND	ND	ND	4,644
	10/17/2002	18.08	ND	ND	2,600	26	250	ND	ND	ND	ND	ND	2,876
	4/30/2003	17.32	ND	ND	3,500	31	570	ND	ND	ND	ND	ND	4,101
	Duplicate		ND	ND	3,200	30	580	ND	ND	ND	ND	ND	3,810
	10/3/2003	17.01	ND	ND	3,100	27	230	ND	ND	ND	ND	ND	3,357
	Duplicate		ND	ND	3,200	27	220 J	ND	ND	ND	ND	ND	3,227
	4/2/2004	17.03	ND	ND	ND	15	140	ND	ND	ND	ND	ND	155
	Duplicate		ND	ND	ND	18	140	ND	ND	ND	ND	ND	158
	10/4/2004	17.52	ND	ND	2,400	18	190	ND	ND	ND	ND	ND	2,608
	Duplicate		ND	ND	2,400	19	200	ND	ND	ND	ND	ND	2,619
	4/1/2005	17.07	ND	ND	1,900	20	170	ND	ND	ND	ND	ND	2,090
	Duplicate		ND	ND	1,900	19	160	ND	ND	ND	ND	ND	2,079
	10/14/2005	17.16	ND	ND	1,720	15	136	ND	ND	ND	ND	ND	1,871
	Duplicate		ND	ND	1,730	15	141	ND	ND	ND	ND	ND	1,886
	4/27/2006	16.65	ND	ND	2,710	24.7	159	ND	ND	ND	ND	ND	2,894
	Duplicate		ND	ND	2,600	23.9	147	ND	ND	ND	ND	ND	2,770.9
	10/13/2006	17.56	ND	ND	1,830	20	146	ND	ND	ND	ND	ND	1,996
	Duplicate		ND	ND	1,880	19	151	ND	ND	ND	ND	ND	2,050.0
	4/17/2007	16.80	ND	8.5	1,320	6.8	68.2	ND	ND	ND	ND	ND	1,403.5
	Duplicate		ND	8.3	1,420	7.4	71.1	ND	ND	ND	ND	ND	1,506.8
	10/12/2007	18.62	ND	58.3	1,190	10	51.4	ND	ND	ND	ND	ND	1,309.7
	Duplicate		ND	68.3	1,160	10.9	58.8	ND	ND	ND	ND	ND	1,298.0
	4/4/2008	16.07	ND	ND	1,030	14	99.4	ND	ND	ND	ND	ND	1,143.4
	Duplicate		ND	ND	1,280	13.5	98.4	ND	ND	ND	ND	ND	1,391.9
	10/10/2008	17.87	ND	ND	1,210	13.2	106	ND	ND	ND	ND	ND	1,329.2
	Duplicate		ND	ND	1,170	11.9	95.1	ND	ND	ND	ND	ND	1,277.0
	4/9/2009	17.23	ND	ND	1,230	17.5	87.9	ND	ND	ND	ND	ND	1,335.4
	Duplicate		ND	ND	1,300	17.7	90.4	ND	ND	ND	ND	ND	1,408.1
	10/9/2009	17.36	ND	ND	1,600	13.4	96.1	ND	ND	ND	ND	ND	1,709.5
	Duplicate		ND	ND	1,610	13.2	97	ND	ND	ND	ND	ND	1,720.2
	4/8/2010	17.14	ND	ND	1,380	10.1	61.8	ND	ND	ND	ND	ND	1,451.9
	Duplicate		ND	ND	1,660	10.6	64.5	ND	ND	ND	ND	ND	1,735.1
	10/7/2010	18.64	ND	428	797	10.6	84.3	ND	ND	ND	ND	ND	1,319.9
	Duplicate		ND	403	746	10.3	83.1	ND	ND	ND	ND	ND	1,242.4
	4/14/2011	16.63	ND	487	1,070	ND	35.3	ND	ND	ND	ND	ND	1,592.3
	Duplicate		ND	473	1,030	ND	34.1	ND	ND	ND	ND	ND	1,537.1
	10/5/2011	18.06	ND	136	1,150	ND	58.5	ND	ND	ND	ND	ND	1,344.5
	Duplicate		ND	131	1,100	ND	54.8	ND	ND	ND	ND	ND	1,285.8
	4/6/2012	17.06	ND	87.8	656	7.7	95.9	ND	ND	ND	ND	ND	847.4
	Duplicate		ND	74.7	468	8.7	82.3	ND	ND	ND	ND	ND	633.7
	10/5/2012	18.52	ND	69.3	710	10.2	111	ND	ND	ND	ND	ND	900.5
	Duplicate		ND	65.4	722	9.9	108	ND	ND	ND	ND	ND	905.3
	4/5/2013	17.29	ND	27	745	10.1	107	ND	ND	ND	ND	ND	889.1
	Duplicate		ND	71.2	1,000	14	176	ND	ND	ND	ND	ND	1,261.2
	10/1/2013	18.71	ND	32.8	638	8.5	96.5	ND	ND	ND	ND	ND	775.8
	4/11/2014	16.66	ND	11.7	744	9.2	65.2	ND	ND	ND	ND	ND	830.1
	Duplicate		ND	50.8	901	14.7	154	ND	ND	ND	ND	ND	1,120.5

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-28	2/17/1993	NA	ND	ND	318	415	230	NR	52	ND	ND	ND	1,015
	10/9/1996	NA	ND	ND	54	36	38	NR	NR	ND	ND	ND	128
	9/29/2000	16.92	ND	ND	51	49	44	ND	ND	ND	ND	ND	144
	4/2/2001	17.97	ND	ND	30	49	42	ND	ND	ND	ND	ND	121
	10/19/2001	17.22	ND	ND	30	37	37	ND	ND	ND	ND	ND	104
	4/16/2002	16.37	ND	ND	26	43	29	ND	ND	ND	ND	ND	98
	10/17/2002	18.35	ND	ND	27	41	34	ND	ND	ND	ND	ND	102
	4/30/2003	17.33	ND	ND	40	36	35	ND	ND	ND	ND	ND	111
	10/3/2003	17.05	ND	ND	46	35	36	ND	ND	ND	ND	ND	117
	4/2/2004	16.96	ND	ND	32	27	27	ND	ND	ND	ND	ND	86
	10/4/2004	17.81	ND	ND	33	41	48	ND	ND	ND	ND	ND	122
	4/1/2005	17.05	ND	ND	30	37	35	ND	ND	ND	ND	ND	102
	10/14/2005	17.26	ND	ND	29	25	36	ND	ND	ND	ND	ND	90
	4/27/2006	16.39	ND	ND	19.1	17.1	20.2	ND	ND	ND	ND	ND	56.4
	10/13/2006	17.42	ND	ND	23.2	41.5	47	ND	ND	ND	ND	ND	111.7
	4/17/2007	16.67	ND	ND	25.6	24	27.1	ND	ND	ND	ND	ND	76.7
	10/12/2007	18.61	ND	ND	30.2	39.4	26.1	ND	5.8	ND	ND	ND	101.5
	4/4/2008	15.67	ND	ND	34.4	23.1	25.7	ND	ND	ND	ND	ND	83.2
	10/10/2008	17.71	ND	ND	30.5	29	34.7	ND	ND	ND	ND	ND	94.2
	4/9/2009	16.87	ND	ND	33.7	21.9	25.6	ND	ND	ND	ND	ND	81.2
	10/9/2009	17.11	ND	ND	34.9	22.1	30.1	ND	ND	ND	ND	ND	87.1
	4/8/2010	16.82	ND	ND	29.7	15.1	18.8	ND	ND	ND	ND	ND	63.6
	10/7/2010	18.57	ND	ND	23.8	21.9	21.2	ND	ND	ND	ND	ND	66.9
	4/14/2011	16.18	ND	ND	18.9	9.5	11.4	ND	ND	ND	ND	ND	39.8
	10/5/2011	17.93	ND	ND	29.4	14.7	19.3	ND	ND	ND	ND	ND	63.4
	4/6/2012	16.66	ND	ND	29.9	9.1	13.9	ND	ND	ND	ND	ND	52.9
	10/5/2012	18.35	ND	ND	32.7	13.4	13.9	ND	ND	ND	ND	ND	60.0
	4/5/2013	16.99	ND	ND	29.1	11.3	17.1	ND	ND	ND	ND	ND	57.5
	10/1/2013	18.57	ND	ND	19	11.6	8.8	ND	ND	ND	ND	ND	39.4
	4/11/2014	16.13	ND	ND	29.5	10.7	10.8	ND	ND	ND	ND	ND	51.0

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-29	9/29/2000	16.71	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	11
	4/2/2001	17.75	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	5
	10/19/2001	17.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	16.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	18.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	16.02	ND	ND	8.8	ND	ND	ND	ND	ND	ND	ND	9
	10/3/2003	16.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	17.84	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	6.7
	4/1/2005	16.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	17.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	16.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	17.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	15.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	17.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	16.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	16.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	16.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	17.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	18.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/5/2013	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	18.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-30	9/29/2000	15.76	ND	ND	ND	36	70	ND	ND	ND	ND	ND	106
	4/2/2001	16.18	ND	ND	ND	31	50	ND	ND	ND	ND	ND	81
	10/19/2001	13.78	ND	ND	ND	37	48	ND	ND	ND	ND	ND	85
	4/16/2002	15.26	ND	ND	ND	39	37	ND	ND	ND	ND	ND	76
	10/17/2002	16.00	ND	ND	ND	29	42	ND	ND	ND	ND	ND	71
	4/30/2003	9.72*	ND	ND	ND	32	35	ND	ND	ND	ND	ND	67
	10/3/2003	15.63	ND	ND	ND	25	26	ND	ND	ND	ND	ND	51
	4/2/2004	15.75	ND	ND	ND	20	19	ND	ND	ND	ND	ND	39
	10/4/2004	15.51	ND	ND	6.3	26	27	ND	ND	ND	ND	ND	59
	4/1/2005	15.46	ND	ND	ND	31	28	ND	ND	ND	ND	ND	59
	10/14/2005	15.45	ND	ND	ND	22	33	ND	ND	ND	ND	ND	55
	4/27/2006	14.90	ND	ND	ND	12.2	16.8	ND	ND	ND	ND	ND	29
	10/13/2006	15.45	ND	ND	ND	33.3	30.5	ND	ND	ND	ND	ND	64
	4/17/2007	15.34	ND	ND	ND	14.1	14.7	ND	ND	ND	ND	ND	28.8
	10/12/2007	16.06	ND	ND	ND	39.6	27.6	ND	5.7	ND	ND	ND	72.9
	4/4/2008	14.57	ND	ND	ND	15.9	15.2	ND	ND	ND	ND	ND	31.1
	10/10/2008	15.92	ND	ND	ND	18.2	12.7	ND	ND	ND	ND	ND	30.9
	4/9/2009	15.66	ND	ND	ND	15.6	9.9	ND	ND	ND	ND	ND	25.5
	10/9/2009	15.67	ND	ND	ND	15.2	7.9	ND	ND	ND	ND	ND	23.1
	4/8/2010	15.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	16.12	ND	ND	ND	24.3	10.1	ND	ND	ND	ND	ND	34.4
	4/14/2011	15.17	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.7
	10/5/2011	15.87	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/6/2012	15.31	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	6.6
	10/5/2012	15.94	ND	ND	ND	15.4	5	ND	ND	ND	ND	ND	20.4
	4/5/2013	15.45	ND	ND	ND	10.9	ND	ND	ND	ND	ND	ND	10.9
	10/1/2013	15.95	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/11/2014	14.96	ND	ND	ND	8.8	ND	ND	ND	ND	ND	ND	8.8

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

APPENDIX A

Monthly O&M Reports



7428 Rockville Road, Indianapolis, IN 46214

December 10, 2013

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED
CORRECTIVE MEASURE**
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the October 18 through November 27, 2013 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On November 1, 2013, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 10.44 feet below top of casing (TOC) in MW-9 to 18.63 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the November 1, 2013 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From October 18 through November 27, 2013, approximately 1,457,190 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 188,670,018 gallons. The average influent groundwater recovery rate from October 18 through November 27, 2013 was approximately 25.3 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on November 1, 2013 to complete quarterly, monthly, and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 1, 2013.

IWM personnel mobilized to the site on November 13, 2013 to complete biweekly system operation and maintenance activities and obtain quarterly system samples. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 13, 2013.

IWM personnel mobilized to the site on November 27, 2013 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 27, 2013.

Quarterly Treatment System Sampling

On November 13, 2013, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260B.

Laboratory analytical results from the November 13, 2013 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1-dichloroethane was detected in the groundwater sample obtained from recovery wells RW-2 and RW-3. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of December 2013. Site visits are scheduled for the weeks beginning December 9 and December 23, 2013. The information from these site inspections will be included in the December 2013 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC



Christopher Newell, LPG
Project Geologist






Bradley E. Gentry, LPG
Vice-President

Attachments

cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES





LEGEND

- MONITORING WELL
- RECOVERY WELL

PROPERTY LINE (APPROXIMATE)

STORM SEWER

SANITARY SEWER

O/H POWER

POTENTIAL SURFACE
(CONTOUR INTERVAL = 0.5 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWP# 111291-01
DWG. NO. 111291S1

FIGURE 2
GROUNDWATER
ELEVATION MAP
(11/01/13)

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA



TABLES

Table 1
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															Total VOC's
		1,1-Dichloro-ethane	1,2-Dichloro-ethane	1,1-Dichloro-ethene	cis-1,2-Dichloro-ethene	trans-1,2-Dichloro-ethene	Tetrachloro-ethene	1,1,1-Trichloro-ethane	1,2,3-Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	
RW-1	5/3/1995	33	ND	ND ⁽¹⁾	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS ⁽²⁾	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	398
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	ND	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	ND	140.1
	4/25/2008	ND	ND	ND	ND	ND	ND	50	ND	22.2	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	50	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31
	5/22/2012	ND	ND	ND	ND	ND	ND	15.9	ND	32.8	ND	ND	ND	ND	ND	ND	48.7
	8/24/2012	ND	ND	ND	93.6	ND	286	37.7	ND	156	ND	ND	ND	ND	ND	ND	573.3
	11/16/2012	ND	ND	ND	28.3	ND	109	28.7	ND	74.7	ND	ND	ND	ND	ND	ND	240.7
	2/25/2013	ND	ND	ND	ND	ND	ND	12.2	ND	25.0	ND	ND	ND	ND	ND	ND	37.2
	5/30/2013	ND	ND	ND	ND	ND	ND	12.6	ND	26.3	ND	ND	ND	ND	ND	ND	38.9
	8/23/2013	ND	ND	ND	ND	ND	10.9	14.6	ND	30.9	ND	ND	ND	ND	ND	ND	56.4
	11/13/2013	ND	ND	ND	5.9	ND	9.2	16.5	ND	24.8	ND	ND	ND	ND	ND	ND	56.4

Notes:

Results in micrograms per liter (ug/l).

(1) ND - Not Detected - analyte not detected above laboratory method detection limit.

(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.

E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes														Carbon Tetrachloride	Total VOC's
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane		
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	922.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4
	5/22/2012	9.5	ND	ND	252	ND	330	84.9	ND	231	ND	ND	ND	ND	ND	ND	907.4
	8/24/2012	ND	ND	ND	21	ND	77.1	44.1	ND	47.7	ND	ND	ND	ND	ND	ND	189.9
	11/16/2012	ND	ND	ND	24.7	ND	98.0	37.9	ND	47.7	ND	ND	ND	ND	ND	ND	208.3
	2/25/2013	ND	ND	ND	80.6	ND	154.0	41.5	ND	93.3	ND	ND	ND	ND	ND	ND	369.4
	5/30/2013	5.1	ND	ND	14.6	ND	206.0	72.4	ND	125.0	ND	ND	ND	ND	ND	ND	423.1
	8/23/2013	9.3	ND	ND	ND	ND	195.0	76.4	ND	148.0	ND	ND	ND	ND	ND	ND	428.7
	11/13/2013	5.7	ND	ND	ND	ND	118.0	70.0	ND	87.2	ND	ND	ND	ND	ND	ND	280.9

Notes:

Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes														Carbon Tetrachloride	Total VOC's
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane		
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7
	5/22/2012	5.5	ND	ND	44	ND	122	71	ND	58.7	ND	ND	ND	ND	ND	ND	301.2
	8/24/2012	6.3	ND	ND	77.5	ND	143	75.8	ND	74.6	ND	ND	ND	ND	ND	ND	377.2
	11/16/2012	5.9	ND	ND	80.5	ND	154	66.6	ND	68.4	ND	ND	ND	ND	ND	ND	375.4
	2/25/2013	ND	ND	ND	47	ND	110	53.3	ND	66.1	ND	ND	ND	ND	ND	ND	276.4
	5/30/2013	ND	ND	ND	21.5	ND	99	48.8	ND	40.2	ND	ND	ND	ND	ND	ND	209.0
	8/23/2013	5.3	ND	ND	25.9	ND	135	48.8	ND	53.3	ND	ND	ND	ND	ND	ND	268.3
	11/13/2013	5.5	ND	ND	31.6	ND	157	52.0	ND	51.8	ND	ND	ND	ND	ND	ND	297.9

Notes:

Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes														Carbon Tetrachloride	Total VOC's
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane		
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
	5/22/2012	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4
	8/24/2012	ND	ND	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.8
	11/16/2012	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/25/2013	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	5/30/2013	ND	ND	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.7
	8/23/2013	ND	ND	ND	ND	ND	9.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.6
	11/13/2013	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878
	5/22/2012	ND	ND	ND	127	ND	549	46.8	ND	288	ND	ND	ND	ND	ND	ND	1,010.8
	8/24/2012	5.1	ND	ND	254	ND	585	68.1	ND	351	ND	ND	ND	ND	ND	ND	1,263.2
	11/16/2012	ND	ND	ND	172	ND	534	68.0	ND	279	ND	ND	ND	ND	ND	ND	1,053.0
	2/25/2013	ND	ND	ND	29.3	ND	122	27.8	ND	72.1	ND	ND	ND	ND	ND	ND	251.2
	5/30/2013	ND	ND	ND	128.0	ND	614	38.7	ND	242.0	ND	ND	ND	ND	ND	ND	1,022.7
	8/23/2013	ND	ND	ND	194.0	ND	580	39.9	ND	305.0	ND	ND	ND	ND	ND	ND	1,118.9
	11/13/2013	ND	ND	ND	148.0	ND	570	42.7	ND	265.0	ND	ND	ND	ND	ND	ND	1,025.7

Notes:

Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															Methyl-tert- butyl-ether	Methyl-Ethyl- Ketone	1,1,2-Trichloro- ethane	Carbon Tetrachloride	Total VOC's
		1,1 -Dichloro- ethane	1,2 -Dichloro- ethane	1,1 -Dichloro- ethene	cis-1,2 -Dichloro- ethene	trans-1,2 - Dichloro-ethene	Tetrachloro- ethene	1,1,1 -Trichloro- ethane	1,2,3 -Trichloro- benzene	Trichloro- ethene	Trichloro- fluoromethane	Naphthalene									
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	ND	14			
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	ND	221			
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	ND	270			
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	ND	179			
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	ND	35			
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	ND	59			
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	ND	63			
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	ND	47			
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	31			
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	ND	21			
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	ND	ND	ND	0			
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	ND	142			
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	ND	163			
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	ND	127			
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	7/3/2008	ND	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7			
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	5.7	ND	ND	ND	5.7			
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0			
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0			
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0			
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9			
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0			
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0			
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0			
5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0				
11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	ND	81.9				
12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	ND	94.1				
12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
5/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
8/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
11/16/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
8/23/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				
11/13/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0				

Notes:

Results in micrograms per liter (ug/l).

* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.

** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14

NR-Not Recorded

NG-Not Gauged

ATTACHMENT B
Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	445,555	428,463	536,852	-	-	1,410,870
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	1,949,120	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	2,835,673	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	2,835,673	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	2,842,124	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings


Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 11-1-13
 IWM Personnel: R. Mier, D White
 Arrival Time: 9:15
 Departure Time: 1:50
 Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1582328.0 RW-2 20639652.0 RW-3 38045155.0 RW-4 62830711.0 RW-5 14387026.0
 Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 10.00 RW-5 9.00
 Pump Running Amps RW-1 4.3 RW-2 3.1 RW-3 4.1 RW-4 4.1 RW-5 4.2
 Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 56 Degrees F Turn Heat up

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
 Please circle appropriate controller(s) below:

Manholes

NO

YES Repaired

Lines

NO

YES Repaired

Stripper

NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: Y RW-1 Y RW-2 Y RW-3 Y RW-4 Y RW-5
 Stripper Trays and Tubes Checked: Y
 Stripper Trays and Tubes Cleaned: Y
 Monitoring/Recovery Wells Gauged: Y
 Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 11-13-13

IWM Personnel: Mier

Arrival Time: 11:40

Departure Time: _____

Alarm Response Visit: YES ☒ NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1592058.0 RW-2 20653814.0 RW-3 38190905.0 RW-4 62987871.0 RW-5 14542658.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.25 RW-4 10.00 RW-5 9.25

Pump Running Amps RW-1 3.1 RW-2 3.1 RW-3 3.3 RW-4 4.1 RW-5 3.5

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 58 Degrees F

System Operation Upon Arrival: ☒ YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

Lines

Stripper

☒ NO
☒ NO
☒ NO

YES Repaired

YES Repaired

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 11/27/13

IWM Personnel: Dewey White

Arrival Time: 11:00

Departure Time: _____

Alarm Response Visit: YES ☒ NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1601580 RW-2 20469220 RW-3 38270660 RW-4 63169850 RW-5 14719866

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.1 RW-4 9.2 RW-5 9.2

Pump Running Amps RW-1 4.40 RW-2 3.12 RW-3 4.34 RW-4 4.04 RW-5 3.91

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: clear

Building Temperature: 55 Degrees F

System Operation Upon Arrival: ☒ YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

☒ NO

YES Repaired _____

Lines

☒ NO

YES Repaired _____

Stripper

☒ NO

YES Repaired _____

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments: _____

ATTACHMENT D

System Sample Laboratory Analytical Report

November 27, 2013

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 5089826

Dear Mr. Newell:

Enclosed are the analytical results for sample(s) received by the laboratory on November 13, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Amphenol

Pace Project No.: 5089826

Indiana Certification IDs

7726 Moller Road, Indianapolis, IN 46268

Illinois Certification #: 200074

Indiana Certification #: C-49-06

Kansas Certification #: E-10247

Kentucky Certification #: 0042

Louisiana/NELAC Certification #: 04076

Ohio VAP Certification #: 101170-0

Pennsylvania Certification #: 68-04991

West Virginia Certification #: 330

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: Amphenol

Pace Project No.: 5089826

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5089826001	RW-1	Water	11/13/13 12:16	11/13/13 15:12
5089826002	RW-2	Water	11/13/13 12:23	11/13/13 15:12
5089826003	RW-3	Water	11/13/13 12:28	11/13/13 15:12
5089826004	RW-4	Water	11/13/13 12:36	11/13/13 15:12
5089826005	RW-5	Water	11/13/13 12:44	11/13/13 15:12
5089826006	EFFLUENT	Water	11/13/13 12:10	11/13/13 15:12

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Amphenol

Pace Project No.: 5089826

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5089826001	RW-1	EPA 8260	DAE	72
5089826002	RW-2	EPA 8260	DAE	72
5089826003	RW-3	EPA 8260	DAE	72
5089826004	RW-4	EPA 8260	DAE	72
5089826005	RW-5	EPA 8260	DAE	72
5089826006	EFFLUENT	EPA 8260	DAE	72

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-1		Lab ID: 5089826001	Collected: 11/13/13 12:16	Received: 11/13/13 15:12	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND	ug/L	100	1		11/23/13 09:23	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/23/13 09:23	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/23/13 09:23	107-13-1	
Benzene	ND	ug/L	5.0	1		11/23/13 09:23	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/23/13 09:23	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/23/13 09:23	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/23/13 09:23	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/23/13 09:23	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/23/13 09:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/23/13 09:23	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/23/13 09:23	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/23/13 09:23	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/23/13 09:23	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/23/13 09:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/23/13 09:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/23/13 09:23	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/23/13 09:23	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/23/13 09:23	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/23/13 09:23	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/23/13 09:23	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/23/13 09:23	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/23/13 09:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/23/13 09:23	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/23/13 09:23	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:23	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/23/13 09:23	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/23/13 09:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/23/13 09:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/23/13 09:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/23/13 09:23	75-35-4	
cis-1,2-Dichloroethene	5.9	ug/L	5.0	1		11/23/13 09:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/23/13 09:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/23/13 09:23	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/23/13 09:23	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/23/13 09:23	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/23/13 09:23	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/23/13 09:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/23/13 09:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/23/13 09:23	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/23/13 09:23	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/23/13 09:23	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/23/13 09:23	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/23/13 09:23	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/23/13 09:23	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/23/13 09:23	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-1		Lab ID: 5089826001	Collected: 11/13/13 12:16	Received: 11/13/13 15:12	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		11/23/13 09:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/23/13 09:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/23/13 09:23	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/23/13 09:23	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/23/13 09:23	103-65-1	
Styrene	ND	ug/L	5.0	1		11/23/13 09:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/23/13 09:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/23/13 09:23	79-34-5	
Tetrachloroethene	9.2	ug/L	5.0	1		11/23/13 09:23	127-18-4	
Toluene	ND	ug/L	5.0	1		11/23/13 09:23	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:23	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:23	120-82-1	
1,1,1-Trichloroethane	16.5	ug/L	5.0	1		11/23/13 09:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/23/13 09:23	79-00-5	
Trichloroethene	24.8	ug/L	5.0	1		11/23/13 09:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/23/13 09:23	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/23/13 09:23	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/23/13 09:23	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/23/13 09:23	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/23/13 09:23	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/23/13 09:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/23/13 09:23	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	79-116	1		11/23/13 09:23	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	80-114	1		11/23/13 09:23	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		11/23/13 09:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-2		Lab ID: 5089826002		Collected: 11/13/13 12:23		Received: 11/13/13 15:12		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/23/13 09:56	67-64-1		
Acrolein	ND	ug/L	50.0	1		11/23/13 09:56	107-02-8		
Acrylonitrile	ND	ug/L	100	1		11/23/13 09:56	107-13-1		
Benzene	ND	ug/L	5.0	1		11/23/13 09:56	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		11/23/13 09:56	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		11/23/13 09:56	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		11/23/13 09:56	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/23/13 09:56	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/23/13 09:56	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/23/13 09:56	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		11/23/13 09:56	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		11/23/13 09:56	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		11/23/13 09:56	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		11/23/13 09:56	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/23/13 09:56	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/23/13 09:56	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/23/13 09:56	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/23/13 09:56	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/23/13 09:56	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		11/23/13 09:56	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		11/23/13 09:56	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		11/23/13 09:56	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/23/13 09:56	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		11/23/13 09:56	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:56	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:56	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:56	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/23/13 09:56	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/23/13 09:56	75-71-8		
1,1-Dichloroethane	5.7	ug/L	5.0	1		11/23/13 09:56	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/23/13 09:56	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		11/23/13 09:56	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/23/13 09:56	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/23/13 09:56	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/23/13 09:56	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		11/23/13 09:56	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		11/23/13 09:56	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		11/23/13 09:56	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/23/13 09:56	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/23/13 09:56	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/23/13 09:56	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		11/23/13 09:56	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/23/13 09:56	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		11/23/13 09:56	591-78-6		
Iodomethane	ND	ug/L	10.0	1		11/23/13 09:56	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/23/13 09:56	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		11/23/13 09:56	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-2		Lab ID: 5089826002	Collected: 11/13/13 12:23	Received: 11/13/13 15:12	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		11/23/13 09:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/23/13 09:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/23/13 09:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/23/13 09:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/23/13 09:56	103-65-1	
Styrene	ND	ug/L	5.0	1		11/23/13 09:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/23/13 09:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/23/13 09:56	79-34-5	
Tetrachloroethene	118	ug/L	5.0	1		11/23/13 09:56	127-18-4	
Toluene	ND	ug/L	5.0	1		11/23/13 09:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/23/13 09:56	120-82-1	
1,1,1-Trichloroethane	70.0	ug/L	5.0	1		11/23/13 09:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/23/13 09:56	79-00-5	
Trichloroethene	87.2	ug/L	5.0	1		11/23/13 09:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/23/13 09:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/23/13 09:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/23/13 09:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/23/13 09:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/23/13 09:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/23/13 09:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/23/13 09:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		11/23/13 09:56	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	80-114	1		11/23/13 09:56	460-00-4	
Toluene-d8 (S)	99	%.	81-110	1		11/23/13 09:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-3		Lab ID: 5089826003		Collected: 11/13/13 12:28		Received: 11/13/13 15:12		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/23/13 10:29	67-64-1		
Acrolein	ND	ug/L	50.0	1		11/23/13 10:29	107-02-8		
Acrylonitrile	ND	ug/L	100	1		11/23/13 10:29	107-13-1		
Benzene	ND	ug/L	5.0	1		11/23/13 10:29	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		11/23/13 10:29	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		11/23/13 10:29	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		11/23/13 10:29	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/23/13 10:29	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/23/13 10:29	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/23/13 10:29	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		11/23/13 10:29	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		11/23/13 10:29	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		11/23/13 10:29	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		11/23/13 10:29	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/23/13 10:29	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/23/13 10:29	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/23/13 10:29	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/23/13 10:29	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/23/13 10:29	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		11/23/13 10:29	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		11/23/13 10:29	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		11/23/13 10:29	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/23/13 10:29	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		11/23/13 10:29	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 10:29	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 10:29	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/23/13 10:29	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/23/13 10:29	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/23/13 10:29	75-71-8		
1,1-Dichloroethane	5.5	ug/L	5.0	1		11/23/13 10:29	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/23/13 10:29	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		11/23/13 10:29	75-35-4		
cis-1,2-Dichloroethene	31.6	ug/L	5.0	1		11/23/13 10:29	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/23/13 10:29	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/23/13 10:29	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		11/23/13 10:29	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		11/23/13 10:29	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		11/23/13 10:29	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/23/13 10:29	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/23/13 10:29	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/23/13 10:29	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		11/23/13 10:29	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/23/13 10:29	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		11/23/13 10:29	591-78-6		
Iodomethane	ND	ug/L	10.0	1		11/23/13 10:29	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/23/13 10:29	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		11/23/13 10:29	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-3		Lab ID: 5089826003	Collected: 11/13/13 12:28	Received: 11/13/13 15:12	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		11/23/13 10:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/23/13 10:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/23/13 10:29	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/23/13 10:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/23/13 10:29	103-65-1	
Styrene	ND	ug/L	5.0	1		11/23/13 10:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/23/13 10:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/23/13 10:29	79-34-5	
Tetrachloroethene	157	ug/L	5.0	1		11/23/13 10:29	127-18-4	
Toluene	ND	ug/L	5.0	1		11/23/13 10:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/23/13 10:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/23/13 10:29	120-82-1	
1,1,1-Trichloroethane	52.0	ug/L	5.0	1		11/23/13 10:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/23/13 10:29	79-00-5	
Trichloroethene	51.8	ug/L	5.0	1		11/23/13 10:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/23/13 10:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/23/13 10:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/23/13 10:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/23/13 10:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/23/13 10:29	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/23/13 10:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/23/13 10:29	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	1		11/23/13 10:29	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	80-114	1		11/23/13 10:29	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		11/23/13 10:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-4		Lab ID: 5089826004	Collected: 11/13/13 12:36	Received: 11/13/13 15:12	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		11/23/13 11:03	67-64-1	
Acrolein	ND ug/L		50.0	1		11/23/13 11:03	107-02-8	
Acrylonitrile	ND ug/L		100	1		11/23/13 11:03	107-13-1	
Benzene	ND ug/L		5.0	1		11/23/13 11:03	71-43-2	
Bromobenzene	ND ug/L		5.0	1		11/23/13 11:03	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		11/23/13 11:03	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		11/23/13 11:03	75-27-4	
Bromoform	ND ug/L		5.0	1		11/23/13 11:03	75-25-2	
Bromomethane	ND ug/L		5.0	1		11/23/13 11:03	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		11/23/13 11:03	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		11/23/13 11:03	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		11/23/13 11:03	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		11/23/13 11:03	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		11/23/13 11:03	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		11/23/13 11:03	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		11/23/13 11:03	108-90-7	
Chloroethane	ND ug/L		5.0	1		11/23/13 11:03	75-00-3	
Chloroform	ND ug/L		5.0	1		11/23/13 11:03	67-66-3	
Chloromethane	ND ug/L		5.0	1		11/23/13 11:03	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		11/23/13 11:03	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		11/23/13 11:03	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		11/23/13 11:03	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		11/23/13 11:03	106-93-4	
Dibromomethane	ND ug/L		5.0	1		11/23/13 11:03	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		11/23/13 11:03	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		11/23/13 11:03	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		11/23/13 11:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		11/23/13 11:03	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		11/23/13 11:03	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		11/23/13 11:03	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		11/23/13 11:03	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		11/23/13 11:03	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		11/23/13 11:03	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		11/23/13 11:03	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		11/23/13 11:03	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		11/23/13 11:03	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		11/23/13 11:03	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		11/23/13 11:03	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		11/23/13 11:03	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		11/23/13 11:03	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		11/23/13 11:03	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		11/23/13 11:03	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		11/23/13 11:03	87-68-3	
2-Hexanone	ND ug/L		25.0	1		11/23/13 11:03	591-78-6	
Iodomethane	ND ug/L		10.0	1		11/23/13 11:03	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		11/23/13 11:03	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		11/23/13 11:03	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-4		Lab ID: 5089826004	Collected: 11/13/13 12:36	Received: 11/13/13 15:12	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		11/23/13 11:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/23/13 11:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/23/13 11:03	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/23/13 11:03	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/23/13 11:03	103-65-1	
Styrene	ND	ug/L	5.0	1		11/23/13 11:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/23/13 11:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/23/13 11:03	79-34-5	
Tetrachloroethene	7.9	ug/L	5.0	1		11/23/13 11:03	127-18-4	
Toluene	ND	ug/L	5.0	1		11/23/13 11:03	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/23/13 11:03	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/23/13 11:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/23/13 11:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/23/13 11:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/23/13 11:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/23/13 11:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/23/13 11:03	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/23/13 11:03	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/23/13 11:03	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/23/13 11:03	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/23/13 11:03	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/23/13 11:03	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100 %.		79-116	1		11/23/13 11:03	1868-53-7	
4-Bromofluorobenzene (S)	96 %.		80-114	1		11/23/13 11:03	460-00-4	
Toluene-d8 (S)	98 %.		81-110	1		11/23/13 11:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-5		Lab ID: 5089826005		Collected: 11/13/13 12:44		Received: 11/13/13 15:12		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/25/13 15:54	67-64-1		
Acrolein	ND	ug/L	50.0	1		11/25/13 15:54	107-02-8		
Acrylonitrile	ND	ug/L	100	1		11/25/13 15:54	107-13-1		
Benzene	ND	ug/L	5.0	1		11/25/13 15:54	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		11/25/13 15:54	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		11/25/13 15:54	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		11/25/13 15:54	75-27-4		
Bromoform	ND	ug/L	5.0	1		11/25/13 15:54	75-25-2		
Bromomethane	ND	ug/L	5.0	1		11/25/13 15:54	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		11/25/13 15:54	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		11/25/13 15:54	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		11/25/13 15:54	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		11/25/13 15:54	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		11/25/13 15:54	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		11/25/13 15:54	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		11/25/13 15:54	108-90-7		
Chloroethane	ND	ug/L	5.0	1		11/25/13 15:54	75-00-3		
Chloroform	ND	ug/L	5.0	1		11/25/13 15:54	67-66-3		
Chloromethane	ND	ug/L	5.0	1		11/25/13 15:54	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		11/25/13 15:54	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		11/25/13 15:54	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		11/25/13 15:54	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/25/13 15:54	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		11/25/13 15:54	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/25/13 15:54	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/25/13 15:54	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/25/13 15:54	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/25/13 15:54	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/25/13 15:54	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		11/25/13 15:54	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		11/25/13 15:54	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		11/25/13 15:54	75-35-4		
cis-1,2-Dichloroethene	148	ug/L	5.0	1		11/25/13 15:54	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/25/13 15:54	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		11/25/13 15:54	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		11/25/13 15:54	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		11/25/13 15:54	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		11/25/13 15:54	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/25/13 15:54	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/25/13 15:54	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		11/25/13 15:54	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		11/25/13 15:54	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/25/13 15:54	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		11/25/13 15:54	591-78-6		
Iodomethane	ND	ug/L	10.0	1		11/25/13 15:54	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/25/13 15:54	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		11/25/13 15:54	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: RW-5		Lab ID: 5089826005		Collected: 11/13/13 12:44		Received: 11/13/13 15:12		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/25/13 15:54	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/25/13 15:54	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/25/13 15:54	1634-04-4		
Naphthalene	ND	ug/L	5.0	1		11/25/13 15:54	91-20-3		
n-Propylbenzene	ND	ug/L	5.0	1		11/25/13 15:54	103-65-1		
Styrene	ND	ug/L	5.0	1		11/25/13 15:54	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/25/13 15:54	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/25/13 15:54	79-34-5		
Tetrachloroethene	570	ug/L	100	20		11/25/13 16:28	127-18-4		
Toluene	ND	ug/L	5.0	1		11/25/13 15:54	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/25/13 15:54	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/25/13 15:54	120-82-1		
1,1,1-Trichloroethane	42.7	ug/L	5.0	1		11/25/13 15:54	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/25/13 15:54	79-00-5		
Trichloroethene	265	ug/L	100	20		11/25/13 16:28	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		11/25/13 15:54	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/25/13 15:54	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/25/13 15:54	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/25/13 15:54	108-67-8		
Vinyl acetate	ND	ug/L	50.0	1		11/25/13 15:54	108-05-4		
Vinyl chloride	ND	ug/L	2.0	1		11/25/13 15:54	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		11/25/13 15:54	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	96	%	79-116	1		11/25/13 15:54	1868-53-7		
4-Bromofluorobenzene (S)	95	%	80-114	1		11/25/13 15:54	460-00-4		
Toluene-d8 (S)	98	%	81-110	1		11/25/13 15:54	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: EFFLUENT		Lab ID: 5089826006	Collected: 11/13/13 12:10	Received: 11/13/13 15:12	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		11/25/13 15:20	67-64-1	
Acrolein	ND ug/L		50.0	1		11/25/13 15:20	107-02-8	
Acrylonitrile	ND ug/L		100	1		11/25/13 15:20	107-13-1	
Benzene	ND ug/L		5.0	1		11/25/13 15:20	71-43-2	
Bromobenzene	ND ug/L		5.0	1		11/25/13 15:20	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		11/25/13 15:20	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		11/25/13 15:20	75-27-4	
Bromoform	ND ug/L		5.0	1		11/25/13 15:20	75-25-2	
Bromomethane	ND ug/L		5.0	1		11/25/13 15:20	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		11/25/13 15:20	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		11/25/13 15:20	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		11/25/13 15:20	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		11/25/13 15:20	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		11/25/13 15:20	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		11/25/13 15:20	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		11/25/13 15:20	108-90-7	
Chloroethane	ND ug/L		5.0	1		11/25/13 15:20	75-00-3	
Chloroform	ND ug/L		5.0	1		11/25/13 15:20	67-66-3	
Chloromethane	ND ug/L		5.0	1		11/25/13 15:20	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		11/25/13 15:20	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		11/25/13 15:20	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		11/25/13 15:20	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		11/25/13 15:20	106-93-4	
Dibromomethane	ND ug/L		5.0	1		11/25/13 15:20	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		11/25/13 15:20	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		11/25/13 15:20	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		11/25/13 15:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		11/25/13 15:20	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		11/25/13 15:20	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		11/25/13 15:20	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		11/25/13 15:20	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		11/25/13 15:20	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		11/25/13 15:20	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		11/25/13 15:20	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		11/25/13 15:20	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		11/25/13 15:20	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		11/25/13 15:20	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		11/25/13 15:20	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		11/25/13 15:20	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		11/25/13 15:20	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		11/25/13 15:20	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		11/25/13 15:20	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		11/25/13 15:20	87-68-3	
2-Hexanone	ND ug/L		25.0	1		11/25/13 15:20	591-78-6	
Iodomethane	ND ug/L		10.0	1		11/25/13 15:20	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		11/25/13 15:20	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		11/25/13 15:20	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5089826

Sample: EFFLUENT		Lab ID: 5089826006	Collected: 11/13/13 12:10	Received: 11/13/13 15:12	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		11/25/13 15:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/25/13 15:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/25/13 15:20	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/25/13 15:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/25/13 15:20	103-65-1	
Styrene	ND	ug/L	5.0	1		11/25/13 15:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/25/13 15:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/25/13 15:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/25/13 15:20	127-18-4	
Toluene	ND	ug/L	5.0	1		11/25/13 15:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/25/13 15:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/25/13 15:20	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/25/13 15:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/25/13 15:20	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/25/13 15:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/25/13 15:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/25/13 15:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/25/13 15:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/25/13 15:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/25/13 15:20	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/25/13 15:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/25/13 15:20	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101 %		79-116	1		11/25/13 15:20	1868-53-7	
4-Bromofluorobenzene (S)	97 %		80-114	1		11/25/13 15:20	460-00-4	
Toluene-d8 (S)	98 %		81-110	1		11/25/13 15:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

QC Batch: MSV/59617

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 5089826001, 5089826002, 5089826003, 5089826004

METHOD BLANK: 1018029

Matrix: Water

Associated Lab Samples: 5089826001, 5089826002, 5089826003, 5089826004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	11/23/13 02:15	
1,1,1-Trichloroethane	ug/L	ND	5.0	11/23/13 02:15	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	11/23/13 02:15	
1,1,2-Trichloroethane	ug/L	ND	5.0	11/23/13 02:15	
1,1-Dichloroethane	ug/L	ND	5.0	11/23/13 02:15	
1,1-Dichloroethene	ug/L	ND	5.0	11/23/13 02:15	
1,1-Dichloropropene	ug/L	ND	5.0	11/23/13 02:15	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	11/23/13 02:15	
1,2,3-Trichloropropane	ug/L	ND	5.0	11/23/13 02:15	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/23/13 02:15	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	11/23/13 02:15	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	11/23/13 02:15	
1,2-Dichlorobenzene	ug/L	ND	5.0	11/23/13 02:15	
1,2-Dichloroethane	ug/L	ND	5.0	11/23/13 02:15	
1,2-Dichloropropane	ug/L	ND	5.0	11/23/13 02:15	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	11/23/13 02:15	
1,3-Dichlorobenzene	ug/L	ND	5.0	11/23/13 02:15	
1,3-Dichloropropane	ug/L	ND	5.0	11/23/13 02:15	
1,4-Dichlorobenzene	ug/L	ND	5.0	11/23/13 02:15	
2,2-Dichloropropane	ug/L	ND	5.0	11/23/13 02:15	
2-Butanone (MEK)	ug/L	ND	25.0	11/23/13 02:15	
2-Chlorotoluene	ug/L	ND	5.0	11/23/13 02:15	
2-Hexanone	ug/L	ND	25.0	11/23/13 02:15	
4-Chlorotoluene	ug/L	ND	5.0	11/23/13 02:15	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	11/23/13 02:15	
Acetone	ug/L	ND	100	11/23/13 02:15	
Acrolein	ug/L	ND	50.0	11/23/13 02:15	
Acrylonitrile	ug/L	ND	100	11/23/13 02:15	
Benzene	ug/L	ND	5.0	11/23/13 02:15	
Bromobenzene	ug/L	ND	5.0	11/23/13 02:15	
Bromochloromethane	ug/L	ND	5.0	11/23/13 02:15	
Bromodichloromethane	ug/L	ND	5.0	11/23/13 02:15	
Bromoform	ug/L	ND	5.0	11/23/13 02:15	
Bromomethane	ug/L	ND	5.0	11/23/13 02:15	
Carbon disulfide	ug/L	ND	10.0	11/23/13 02:15	
Carbon tetrachloride	ug/L	ND	5.0	11/23/13 02:15	
Chlorobenzene	ug/L	ND	5.0	11/23/13 02:15	
Chloroethane	ug/L	ND	5.0	11/23/13 02:15	
Chloroform	ug/L	ND	5.0	11/23/13 02:15	
Chloromethane	ug/L	ND	5.0	11/23/13 02:15	
cis-1,2-Dichloroethene	ug/L	ND	5.0	11/23/13 02:15	
cis-1,3-Dichloropropene	ug/L	ND	5.0	11/23/13 02:15	
Dibromochloromethane	ug/L	ND	5.0	11/23/13 02:15	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

METHOD BLANK: 1018029

Matrix: Water

Associated Lab Samples: 5089826001, 5089826002, 5089826003, 5089826004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	11/23/13 02:15	
Dichlorodifluoromethane	ug/L	ND	5.0	11/23/13 02:15	
Ethyl methacrylate	ug/L	ND	100	11/23/13 02:15	
Ethylbenzene	ug/L	ND	5.0	11/23/13 02:15	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	11/23/13 02:15	
Iodomethane	ug/L	ND	10.0	11/23/13 02:15	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	11/23/13 02:15	
Methyl-tert-butyl ether	ug/L	ND	4.0	11/23/13 02:15	
Methylene Chloride	ug/L	ND	5.0	11/23/13 02:15	
n-Butylbenzene	ug/L	ND	5.0	11/23/13 02:15	
n-Propylbenzene	ug/L	ND	5.0	11/23/13 02:15	
Naphthalene	ug/L	ND	5.0	11/23/13 02:15	
p-Isopropyltoluene	ug/L	ND	5.0	11/23/13 02:15	
sec-Butylbenzene	ug/L	ND	5.0	11/23/13 02:15	
Styrene	ug/L	ND	5.0	11/23/13 02:15	
tert-Butylbenzene	ug/L	ND	5.0	11/23/13 02:15	
Tetrachloroethene	ug/L	ND	5.0	11/23/13 02:15	
Toluene	ug/L	ND	5.0	11/23/13 02:15	
trans-1,2-Dichloroethene	ug/L	ND	5.0	11/23/13 02:15	
trans-1,3-Dichloropropene	ug/L	ND	5.0	11/23/13 02:15	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	11/23/13 02:15	
Trichloroethene	ug/L	ND	5.0	11/23/13 02:15	
Trichlorofluoromethane	ug/L	ND	5.0	11/23/13 02:15	
Vinyl acetate	ug/L	ND	50.0	11/23/13 02:15	
Vinyl chloride	ug/L	ND	2.0	11/23/13 02:15	
Xylene (Total)	ug/L	ND	10.0	11/23/13 02:15	
4-Bromofluorobenzene (S)	%	98	80-114	11/23/13 02:15	
Dibromofluoromethane (S)	%	104	79-116	11/23/13 02:15	
Toluene-d8 (S)	%	98	81-110	11/23/13 02:15	

LABORATORY CONTROL SAMPLE: 1018030

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	49.5	99	61-135	
1,1,1-Trichloroethane	ug/L	50	46.0	92	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	47.7	95	66-126	
1,1,2-Trichloroethane	ug/L	50	51.3	103	77-130	
1,1-Dichloroethane	ug/L	50	46.4	93	75-130	
1,1-Dichloroethene	ug/L	50	56.3	113	68-127	
1,1-Dichloropropene	ug/L	50	50.9	102	78-130	
1,2,3-Trichlorobenzene	ug/L	50	51.1	102	70-130	
1,2,3-Trichloropropane	ug/L	50	52.0	104	58-142	
1,2,4-Trichlorobenzene	ug/L	50	46.9	94	68-131	
1,2,4-Trimethylbenzene	ug/L	50	47.9	96	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	53.5	107	76-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

LABORATORY CONTROL SAMPLE: 1018030

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	50.2	100	75-123	
1,2-Dichloroethane	ug/L	50	49.5	99	75-128	
1,2-Dichloropropane	ug/L	50	47.7	95	74-121	
1,3,5-Trimethylbenzene	ug/L	50	47.4	95	70-126	
1,3-Dichlorobenzene	ug/L	50	48.8	98	74-122	
1,3-Dichloropropane	ug/L	50	54.4	109	74-123	
1,4-Dichlorobenzene	ug/L	50	49.4	99	76-120	
2,2-Dichloropropane	ug/L	50	39.1	78	50-137	
2-Butanone (MEK)	ug/L	250	282	113	58-139	
2-Chlorotoluene	ug/L	50	47.0	94	74-122	
2-Hexanone	ug/L	250	245	98	54-140	
4-Chlorotoluene	ug/L	50	48.9	98	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	249	99	58-138	
Acetone	ug/L	250	318	127	49-150	
Acrolein	ug/L	1000	1060	106	41-200	
Acrylonitrile	ug/L	1000	993	99	63-137	
Benzene	ug/L	50	50.2	100	74-122	
Bromobenzene	ug/L	50	49.0	98	72-127	
Bromochloromethane	ug/L	50	45.8	92	63-132	
Bromodichloromethane	ug/L	50	47.0	94	62-136	
Bromoform	ug/L	50	40.7	81	44-134	
Bromomethane	ug/L	50	71.1	142	22-181	
Carbon disulfide	ug/L	100	97.2	97	59-132	
Carbon tetrachloride	ug/L	50	42.2	84	56-137	
Chlorobenzene	ug/L	50	51.3	103	78-123	
Chloroethane	ug/L	50	62.4	125	60-144	
Chloroform	ug/L	50	47.0	94	78-126	
Chloromethane	ug/L	50	52.0	104	42-134	
cis-1,2-Dichloroethene	ug/L	50	45.8	92	75-122	
cis-1,3-Dichloropropene	ug/L	50	49.1	98	64-126	
Dibromochloromethane	ug/L	50	46.9	94	58-128	
Dibromomethane	ug/L	50	46.0	92	73-125	
Dichlorodifluoromethane	ug/L	50	49.1	98	35-181	
Ethyl methacrylate	ug/L	200	218	109	69-133	
Ethylbenzene	ug/L	50	51.6	103	66-133	
Hexachloro-1,3-butadiene	ug/L	50	42.6	85	59-145	
Iodomethane	ug/L	100	129	129	21-170	
Isopropylbenzene (Cumene)	ug/L	50	54.9	110	69-124	
Methyl-tert-butyl ether	ug/L	100	94.5	94	69-122	
Methylene Chloride	ug/L	50	57.6	115	68-132	
n-Butylbenzene	ug/L	50	47.5	95	70-126	
n-Propylbenzene	ug/L	50	50.3	101	71-122	
Naphthalene	ug/L	50	45.7	91	68-127	
p-Isopropyltoluene	ug/L	50	50.5	101	72-132	
sec-Butylbenzene	ug/L	50	49.1	98	70-128	
Styrene	ug/L	50	53.9	108	74-126	
tert-Butylbenzene	ug/L	50	44.2	88	51-118	
Tetrachloroethene	ug/L	50	52.4	105	69-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

LABORATORY CONTROL SAMPLE: 1018030

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	49.8	100	72-122	
trans-1,2-Dichloroethene	ug/L	50	54.3	109	72-124	
trans-1,3-Dichloropropene	ug/L	50	49.7	99	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	200	100	56-133	
Trichloroethene	ug/L	50	46.3	93	76-126	
Trichlorofluoromethane	ug/L	50	51.7	103	76-149	
Vinyl acetate	ug/L	200	245	122	45-151	
Vinyl chloride	ug/L	50	51.7	103	59-126	
Xylene (Total)	ug/L	150	162	108	70-124	
4-Bromofluorobenzene (S)	%			99	80-114	
Dibromofluoromethane (S)	%			96	79-116	
Toluene-d8 (S)	%			100	81-110	

MATRIX SPIKE SAMPLE: 1018031

Parameter	Units	5089826004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50.7	101	50-132	
1,1,1-Trichloroethane	ug/L	ND	50	47.5	95	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	51.3	103	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	51.0	102	61-139	
1,1-Dichloroethane	ug/L	ND	50	47.7	95	57-147	
1,1-Dichloroethene	ug/L	ND	50	55.2	110	55-145	
1,1-Dichloropropene	ug/L	ND	50	52.7	105	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	51.1	102	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	53.3	107	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	47.3	95	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	48.1	96	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	52.8	106	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	50.8	102	38-136	
1,2-Dichloroethane	ug/L	ND	50	50.7	101	62-138	
1,2-Dichloropropane	ug/L	ND	50	49.0	98	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	46.8	94	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	48.4	97	28-141	
1,3-Dichloropropane	ug/L	ND	50	56.1	112	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	49.5	99	30-139	
2,2-Dichloropropane	ug/L	ND	50	33.2	66	37-139	
2-Butanone (MEK)	ug/L	ND	250	329	131	37-156	
2-Chlorotoluene	ug/L	ND	50	47.3	95	27-142	
2-Hexanone	ug/L	ND	250	291	116	44-143	
4-Chlorotoluene	ug/L	ND	50	49.4	99	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	284	113	46-144	
Acetone	ug/L	ND	250	351	140	39-156	
Acrolein	ug/L	ND	1000	892	89	33-200	
Acrylonitrile	ug/L	ND	1000	1070	107	48-149	
Benzene	ug/L	ND	50	50.9	102	62-129	
Bromobenzene	ug/L	ND	50	49.5	99	39-140	
Bromochloromethane	ug/L	ND	50	45.2	90	49-142	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

MATRIX SPIKE SAMPLE:		1018031					
Parameter	Units	5089826004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	46.6	93	50-142	
Bromoform	ug/L	ND	50	42.9	86	36-125	
Bromomethane	ug/L	ND	50	55.4	111	13-179	
Carbon disulfide	ug/L	ND	100	89.4	89	45-142	
Carbon tetrachloride	ug/L	ND	50	45.3	91	46-142	
Chlorobenzene	ug/L	ND	50	51.0	102	49-136	
Chloroethane	ug/L	ND	50	63.5	127	47-160	
Chloroform	ug/L	ND	50	47.7	95	54-150	
Chloromethane	ug/L	ND	50	48.4	97	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	46.0	92	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	46.6	93	52-123	
Dibromochloromethane	ug/L	ND	50	47.9	96	48-125	
Dibromomethane	ug/L	ND	50	46.7	93	59-134	
Dichlorodifluoromethane	ug/L	ND	50	51.7	103	24-197	
Ethyl methacrylate	ug/L	ND	200	229	114	55-139	
Ethylbenzene	ug/L	ND	50	51.6	103	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	42.4	85	10-176	
Iodomethane	ug/L	ND	100	108	108	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	54.6	109	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	96.9	97	63-130	
Methylene Chloride	ug/L	ND	50	50.5	101	45-156	
n-Butylbenzene	ug/L	ND	50	47.6	95	10-161	
n-Propylbenzene	ug/L	ND	50	50.2	100	16-150	
Naphthalene	ug/L	ND	50	47.3	95	39-140	
p-Isopropyltoluene	ug/L	ND	50	50.4	101	10-163	
sec-Butylbenzene	ug/L	ND	50	50.1	100	10-160	
Styrene	ug/L	ND	50	53.3	107	36-139	
tert-Butylbenzene	ug/L	ND	50	44.6	89	12-134	
Tetrachloroethene	ug/L	7.9	50	60.8	106	33-151	
Toluene	ug/L	ND	50	49.4	99	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	55.2	110	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	48.5	97	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	207	103	32-139	
Trichloroethene	ug/L	ND	50	46.9	94	50-143	
Trichlorofluoromethane	ug/L	ND	50	53.8	108	60-175	
Vinyl acetate	ug/L	ND	200	147	73	17-142	
Vinyl chloride	ug/L	ND	50	50.0	100	44-145	
Xylene (Total)	ug/L	ND	150	159	106	29-145	
4-Bromofluorobenzene (S)	%				98	80-114	
Dibromofluoromethane (S)	%				96	79-116	
Toluene-d8 (S)	%				99	81-110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

QC Batch: MSV/59667

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 5089826005, 5089826006

METHOD BLANK: 1018688

Matrix: Water

Associated Lab Samples: 5089826005, 5089826006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	11/25/13 12:00	
1,1,1-Trichloroethane	ug/L	ND	5.0	11/25/13 12:00	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	11/25/13 12:00	
1,1,2-Trichloroethane	ug/L	ND	5.0	11/25/13 12:00	
1,1-Dichloroethane	ug/L	ND	5.0	11/25/13 12:00	
1,1-Dichloroethene	ug/L	ND	5.0	11/25/13 12:00	
1,1-Dichloropropene	ug/L	ND	5.0	11/25/13 12:00	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	11/25/13 12:00	
1,2,3-Trichloropropane	ug/L	ND	5.0	11/25/13 12:00	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/25/13 12:00	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	11/25/13 12:00	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	11/25/13 12:00	
1,2-Dichlorobenzene	ug/L	ND	5.0	11/25/13 12:00	
1,2-Dichloroethane	ug/L	ND	5.0	11/25/13 12:00	
1,2-Dichloropropane	ug/L	ND	5.0	11/25/13 12:00	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	11/25/13 12:00	
1,3-Dichlorobenzene	ug/L	ND	5.0	11/25/13 12:00	
1,3-Dichloropropane	ug/L	ND	5.0	11/25/13 12:00	
1,4-Dichlorobenzene	ug/L	ND	5.0	11/25/13 12:00	
2,2-Dichloropropane	ug/L	ND	5.0	11/25/13 12:00	
2-Butanone (MEK)	ug/L	ND	25.0	11/25/13 12:00	
2-Chlorotoluene	ug/L	ND	5.0	11/25/13 12:00	
2-Hexanone	ug/L	ND	25.0	11/25/13 12:00	
4-Chlorotoluene	ug/L	ND	5.0	11/25/13 12:00	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	11/25/13 12:00	
Acetone	ug/L	ND	100	11/25/13 12:00	
Acrolein	ug/L	ND	50.0	11/25/13 12:00	
Acrylonitrile	ug/L	ND	100	11/25/13 12:00	
Benzene	ug/L	ND	5.0	11/25/13 12:00	
Bromobenzene	ug/L	ND	5.0	11/25/13 12:00	
Bromochloromethane	ug/L	ND	5.0	11/25/13 12:00	
Bromodichloromethane	ug/L	ND	5.0	11/25/13 12:00	
Bromoform	ug/L	ND	5.0	11/25/13 12:00	
Bromomethane	ug/L	ND	5.0	11/25/13 12:00	
Carbon disulfide	ug/L	ND	10.0	11/25/13 12:00	
Carbon tetrachloride	ug/L	ND	5.0	11/25/13 12:00	
Chlorobenzene	ug/L	ND	5.0	11/25/13 12:00	
Chloroethane	ug/L	ND	5.0	11/25/13 12:00	
Chloroform	ug/L	ND	5.0	11/25/13 12:00	
Chloromethane	ug/L	ND	5.0	11/25/13 12:00	
cis-1,2-Dichloroethene	ug/L	ND	5.0	11/25/13 12:00	
cis-1,3-Dichloropropene	ug/L	ND	5.0	11/25/13 12:00	
Dibromochloromethane	ug/L	ND	5.0	11/25/13 12:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

METHOD BLANK: 1018688

Matrix: Water

Associated Lab Samples: 5089826005, 5089826006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	11/25/13 12:00	
Dichlorodifluoromethane	ug/L	ND	5.0	11/25/13 12:00	
Ethyl methacrylate	ug/L	ND	100	11/25/13 12:00	
Ethylbenzene	ug/L	ND	5.0	11/25/13 12:00	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	11/25/13 12:00	
Iodomethane	ug/L	ND	10.0	11/25/13 12:00	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	11/25/13 12:00	
Methyl-tert-butyl ether	ug/L	ND	4.0	11/25/13 12:00	
Methylene Chloride	ug/L	ND	5.0	11/25/13 12:00	
n-Butylbenzene	ug/L	ND	5.0	11/25/13 12:00	
n-Propylbenzene	ug/L	ND	5.0	11/25/13 12:00	
Naphthalene	ug/L	ND	5.0	11/25/13 12:00	
p-Isopropyltoluene	ug/L	ND	5.0	11/25/13 12:00	
sec-Butylbenzene	ug/L	ND	5.0	11/25/13 12:00	
Styrene	ug/L	ND	5.0	11/25/13 12:00	
tert-Butylbenzene	ug/L	ND	5.0	11/25/13 12:00	
Tetrachloroethene	ug/L	ND	5.0	11/25/13 12:00	
Toluene	ug/L	ND	5.0	11/25/13 12:00	
trans-1,2-Dichloroethene	ug/L	ND	5.0	11/25/13 12:00	
trans-1,3-Dichloropropene	ug/L	ND	5.0	11/25/13 12:00	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	11/25/13 12:00	
Trichloroethene	ug/L	ND	5.0	11/25/13 12:00	
Trichlorofluoromethane	ug/L	ND	5.0	11/25/13 12:00	
Vinyl acetate	ug/L	ND	50.0	11/25/13 12:00	
Vinyl chloride	ug/L	ND	2.0	11/25/13 12:00	
Xylene (Total)	ug/L	ND	10.0	11/25/13 12:00	
4-Bromofluorobenzene (S)	%	97	80-114	11/25/13 12:00	
Dibromofluoromethane (S)	%	99	79-116	11/25/13 12:00	
Toluene-d8 (S)	%	98	81-110	11/25/13 12:00	

LABORATORY CONTROL SAMPLE: 1018689

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	48.6	97	61-135	
1,1,1-Trichloroethane	ug/L	50	44.3	89	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	54.2	108	66-126	
1,1,2-Trichloroethane	ug/L	50	52.1	104	77-130	
1,1-Dichloroethane	ug/L	50	45.6	91	75-130	
1,1-Dichloroethene	ug/L	50	48.7	97	68-127	
1,1-Dichloropropene	ug/L	50	50.1	100	78-130	
1,2,3-Trichlorobenzene	ug/L	50	53.7	107	70-130	
1,2,3-Trichloropropane	ug/L	50	58.0	116	58-142	
1,2,4-Trichlorobenzene	ug/L	50	50.4	101	68-131	
1,2,4-Trimethylbenzene	ug/L	50	50.8	102	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	54.6	109	76-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

LABORATORY CONTROL SAMPLE: 1018689

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	52.4	105	75-123	
1,2-Dichloroethane	ug/L	50	49.3	99	75-128	
1,2-Dichloropropane	ug/L	50	45.7	91	74-121	
1,3,5-Trimethylbenzene	ug/L	50	49.7	99	70-126	
1,3-Dichlorobenzene	ug/L	50	51.0	102	74-122	
1,3-Dichloropropane	ug/L	50	56.4	113	74-123	
1,4-Dichlorobenzene	ug/L	50	51.1	102	76-120	
2,2-Dichloropropane	ug/L	50	50.0	100	50-137	
2-Butanone (MEK)	ug/L	250	330	132	58-139	
2-Chlorotoluene	ug/L	50	48.8	98	74-122	
2-Hexanone	ug/L	250	305	122	54-140	
4-Chlorotoluene	ug/L	50	50.2	100	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	297	119	58-138	
Acetone	ug/L	250	337	135	49-150	
Acrolein	ug/L	1000	954	95	41-200	
Acrylonitrile	ug/L	1000	1050	105	63-137	
Benzene	ug/L	50	48.7	97	74-122	
Bromobenzene	ug/L	50	50.1	100	72-127	
Bromochloromethane	ug/L	50	42.2	84	63-132	
Bromodichloromethane	ug/L	50	44.3	89	62-136	
Bromoform	ug/L	50	40.7	81	44-134	
Bromomethane	ug/L	50	37.2	74	22-181	
Carbon disulfide	ug/L	100	80.2	80	59-132	
Carbon tetrachloride	ug/L	50	40.2	80	56-137	
Chlorobenzene	ug/L	50	51.3	103	78-123	
Chloroethane	ug/L	50	49.0	98	60-144	
Chloroform	ug/L	50	47.2	94	78-126	
Chloromethane	ug/L	50	36.0	72	42-134	
cis-1,2-Dichloroethene	ug/L	50	43.4	87	75-122	
cis-1,3-Dichloropropene	ug/L	50	52.1	104	64-126	
Dibromochloromethane	ug/L	50	46.1	92	58-128	
Dibromomethane	ug/L	50	44.7	89	73-125	
Dichlorodifluoromethane	ug/L	50	34.5	69	35-181	
Ethyl methacrylate	ug/L	200	235	117	69-133	
Ethylbenzene	ug/L	50	51.0	102	66-133	
Hexachloro-1,3-butadiene	ug/L	50	45.5	91	59-145	
Iodomethane	ug/L	100	68.2	68	21-170	
Isopropylbenzene (Cumene)	ug/L	50	55.0	110	69-124	
Methyl-tert-butyl ether	ug/L	100	97.4	97	69-122	
Methylene Chloride	ug/L	50	48.0	96	68-132	
n-Butylbenzene	ug/L	50	50.9	102	70-126	
n-Propylbenzene	ug/L	50	52.4	105	71-122	
Naphthalene	ug/L	50	51.7	103	68-127	
p-Isopropyltoluene	ug/L	50	53.1	106	72-132	
sec-Butylbenzene	ug/L	50	51.6	103	70-128	
Styrene	ug/L	50	54.2	108	74-126	
tert-Butylbenzene	ug/L	50	45.3	91	51-118	
Tetrachloroethene	ug/L	50	53.3	107	69-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

LABORATORY CONTROL SAMPLE: 1018689

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	50.3	101	72-122	
trans-1,2-Dichloroethene	ug/L	50	51.3	103	72-124	
trans-1,3-Dichloropropene	ug/L	50	53.6	107	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	255	127	56-133	
Trichloroethene	ug/L	50	45.5	91	76-126	
Trichlorofluoromethane	ug/L	50	48.7	97	76-149	
Vinyl acetate	ug/L	200	252	126	45-151	
Vinyl chloride	ug/L	50	41.7	83	59-126	
Xylene (Total)	ug/L	150	161	107	70-124	
4-Bromofluorobenzene (S)	%			100	80-114	
Dibromofluoromethane (S)	%			93	79-116	
Toluene-d8 (S)	%			99	81-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1018690 1018691

Parameter	Units	5089929007	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result										
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	41.9	45.1	84	90	50-132	7	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	42.4	44.0	85	88	60-138	4	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	48.6	48.7	97	97	55-128	0	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	48.5	49.8	97	100	61-139	3	20	
1,1-Dichloroethane	ug/L	ND	50	50	45.8	45.7	92	91	57-147	0	20	
1,1-Dichloropropene	ug/L	ND	50	50	52.6	53.2	105	106	55-145	1	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	50.9	51.4	102	103	55-147	1	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	50.2	51.4	100	103	31-141	2	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	51.0	54.4	102	109	58-133	7	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	47.7	48.7	95	97	25-143	2	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	46.3	47.2	93	94	18-149	2	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	50.2	50.9	100	102	63-129	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	48.5	49.2	97	98	38-136	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	47.9	47.9	96	96	62-138	0	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	45.2	45.2	90	90	59-130	0	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	45.3	46.6	91	93	20-147	3	20	
1,3-Dichloropropane	ug/L	ND	50	50	46.4	47.5	93	95	28-141	2	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	52.1	53.9	104	108	62-127	3	20	
2,2-Dichloropropane	ug/L	ND	50	50	47.2	47.8	94	96	30-139	1	20	
2-Butanone (MEK)	ug/L	ND	50	50	41.7	42.3	83	85	37-139	1	20	
2-Chlorotoluene	ug/L	ND	250	250	310	308	124	123	37-156	1	20	
2-Hexanone	ug/L	ND	50	50	45.1	46.1	90	92	27-142	2	20	
4-Chlorotoluene	ug/L	ND	250	250	266	271	107	108	44-143	2	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	50	50	47.1	47.4	94	95	27-144	1	20	
Acetone	ug/L	ND	250	250	259	266	104	107	46-144	3	20	
Acrolein	ug/L	ND	250	250	319	329	128	132	39-156	3	20	
Acrylonitrile	ug/L	ND	1000	1000	1020	1010	102	101	33-200	1	20	
Benzene	ug/L	ND	1000	1000	1030	1020	103	102	48-149	0	20	
Bromobenzene	ug/L	ND	50	50	48.1	49.0	96	98	62-129	2	20	
	ug/L	ND	50	50	45.5	48.2	91	96	39-140	6	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5089826

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1018690 1018691											
Parameter	Units	5089929007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	43.9	46.1	88	92	49-142	5	20
Bromodichloromethane	ug/L	ND	50	50	41.1	42.8	82	86	50-142	4	20
Bromoform	ug/L	ND	50	50	32.7	34.6	65	69	36-125	6	20
Bromomethane	ug/L	ND	50	50	50.8	58.5	102	117	13-179	14	20
Carbon disulfide	ug/L	ND	100	100	86.6	88.0	87	88	45-142	2	20
Carbon tetrachloride	ug/L	ND	50	50	36.7	38.3	73	77	46-142	4	20
Chlorobenzene	ug/L	ND	50	50	47.2	49.4	94	99	49-136	5	20
Chloroethane	ug/L	ND	50	50	57.7	56.9	115	114	47-160	1	20
Chloroform	ug/L	ND	50	50	46.4	47.2	93	94	54-150	2	20
Chloromethane	ug/L	ND	50	50	44.8	45.1	90	90	30-148	1	20
cis-1,2-Dichloroethene	ug/L	ND	50	50	43.6	45.2	87	90	60-135	3	20
cis-1,3-Dichloropropene	ug/L	ND	50	50	44.2	46.9	88	94	52-123	6	20
Dibromochloromethane	ug/L	ND	50	50	39.0	41.3	78	83	48-125	6	20
Dibromomethane	ug/L	ND	50	50	44.1	44.4	88	89	59-134	1	20
Dichlorodifluoromethane	ug/L	ND	50	50	46.0	46.5	92	93	24-197	1	20
Ethyl methacrylate	ug/L	ND	200	200	206	213	103	107	55-139	4	20
Ethylbenzene	ug/L	ND	50	50	47.4	48.9	95	98	28-153	3	20
Hexachloro-1,3-butadiene	ug/L	ND	50	50	42.7	43.5	85	87	10-176	2	20
Iodomethane	ug/L	ND	100	100	103	110	103	110	17-157	6	20
Isopropylbenzene (Cumene)	ug/L	ND	50	50	50.6	52.7	101	105	18-152	4	20
Methyl-tert-butyl ether	ug/L	ND	100	100	89.9	92.2	90	92	63-130	3	20
Methylene Chloride	ug/L	ND	50	50	49.1	48.3	98	97	45-156	1	20
n-Butylbenzene	ug/L	ND	50	50	47.4	48.3	95	97	10-161	2	20
n-Propylbenzene	ug/L	ND	50	50	48.7	49.7	97	99	16-150	2	20
Naphthalene	ug/L	ND	50	50	45.3	46.4	91	93	39-140	2	20
p-Isopropyltoluene	ug/L	ND	50	50	48.3	50.2	97	100	10-163	4	20
sec-Butylbenzene	ug/L	ND	50	50	48.1	48.8	96	98	10-160	1	20
Styrene	ug/L	ND	50	50	49.4	50.7	99	101	36-139	3	20
tert-Butylbenzene	ug/L	ND	50	50	42.5	43.4	85	87	12-134	2	20
Tetrachloroethene	ug/L	ND	50	50	49.3	53.0	99	106	33-151	7	20
Toluene	ug/L	ND	50	50	46.9	48.8	94	98	50-132	4	20
trans-1,2-Dichloroethene	ug/L	ND	50	50	52.5	54.1	105	108	40-153	3	20
trans-1,3-Dichloropropene	ug/L	ND	50	50	46.6	48.0	93	96	48-122	3	20
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	215	221	108	111	32-139	3	20
Trichloroethene	ug/L	ND	50	50	44.9	46.2	90	92	50-143	3	20
Trichlorofluoromethane	ug/L	ND	50	50	53.2	55.0	106	110	60-175	3	20
Vinyl acetate	ug/L	ND	200	200	210	212	105	106	17-142	1	20
Vinyl chloride	ug/L	ND	50	50	47.9	47.7	96	95	44-145	0	20
Xylene (Total)	ug/L	ND	150	150	148	155	99	104	29-145	5	20
4-Bromofluorobenzene (S)	%						98	99	80-114		
Dibromofluoromethane (S)	%						98	96	79-116		
Toluene-d8 (S)	%						98	101	81-110		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Amphenol

Pace Project No.: 5089826

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol

Pace Project No.: 5089826

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5089826001	RW-1	EPA 8260	MSV/59617		
5089826002	RW-2	EPA 8260	MSV/59617		
5089826003	RW-3	EPA 8260	MSV/59617		
5089826004	RW-4	EPA 8260	MSV/59617		
5089826005	RW-5	EPA 8260	MSV/59667		
5089826006	EFFLUENT	EPA 8260	MSV/59667		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 Of 1

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	IWM Consulting	Report To:	Chris Parks	Attention:	Chris Parks
Address:	7428 Rockville Road	Copy To:	Chris Parks	Company Name:	IWM Consulting
Indianapolis, IN 46214	CNPW			Address:	7428 Rockville Road, Indianapolis, IN 462
Email To:	cparks@iwmconsult.com	Purchase Order No.:	AMP 11-05	Pace Quote Reference:	
Phone:	347-1111	Client Project ID:	Amphenol	Pace Project Manager:	Hunt, Kenneth
Requested Due Date/TAT:	10 Day (Default)	Container Order Number:	57509	Pace Profile #:	

ITEM#	MATRIX	CODE	SAMPLE TYPE (G-RAB C-COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	PRESERVATIVES								ANALYSIS TEST	VOC 8280 WT	Residual Chlorine (Y/N)
				START	END			DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME			
1	RW-1	Drinking Water	WT	11/13/13	12:16		3											
2	RW-2	Water	WT	11/13/13	12:23		3											
3	RW-3	Waste Water	WT	11/13/13	12:23		3											
4	RW-4	Product	WT	11/13/13	12:36		3											
5	RW-5	Soil/Solid	WT	11/13/13	12:44		3											
6	EFFLUENT	Oil	WT	11/13/13	12:10		3											
7		Wipe																
8		Air																
9		Other																
10		Tissue																
11																		
12																		

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	
		Ralph Mien Iwm	11/13/13	15:12	Marcia Bennett/Pace	11/13/13	15:12	TEMP in C	
								Received on Ice	(Y/N)
								Custody Sealed	(Y/N)
								Cooler (Y/N)	
								Samples Intact	(Y/N)

Client w/ file

Sample Condition Upon Receipt

Face Analytical

Client Name: IWM

Project # 5089826

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other foam

Thermometer Used 1 2 3 4 6 A B C D E Type of Ice: Wet Blue None ☒ Samples on ice, cooling process has begun

Cooler Temperature 0.7°C Ice Visible in Sample Containers: ☐ yes ☒ no

(Corrected, if applicable)

Temp should be above freezing to 6°C

Comments:

Date and Initials of person examining contents: MB 11/13/13

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	5.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	6.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
-Includes date/time/ID/Analysis		
All containers needing acid/base pres. have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	9.
exceptions: VOA, coliform, TOC, O&G		
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Project Manager Review		
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

Kenneth Hunt

Date: 11/13/13

Sample Container Count

CLIENT: IWM

COC PAGE 1 of 1

COC ID# _____

Project # 5089824



Sample Line

Item	DG9H	AG1U	WG9U	AG0U	R	4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	Comments
1	3														
2	3														
3	3														
4	3														
5	3														
6	3														
7															
8															
9															
10															
11															
12															

Container Codes

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1 liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WG9U	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag



7428 Rockville Road, Indianapolis, IN 46214

January 10, 2014

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED
CORRECTIVE MEASURE**

Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the November 27 through December 27, 2013 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On December 13, 2013, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 10.73 feet below top of casing (TOC) in MW-9 to 18.90 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the December 13, 2013 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From November 27 through December 27, 2013, approximately 1,077,991 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 189,748,009 gallons. The average influent groundwater recovery rate from November 27 through December 27, 2013 was approximately 24.95 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on December 13, 2013 to complete monthly and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on December 13, 2013.

IWM personnel mobilized to the site on December 27, 2013 to complete biweekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on December 27, 2013.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of January 2014. Site visits are scheduled for the weeks beginning January 6 and January 20, 2014. The information from these site inspections will be included in the January 2014 Progress Report.


Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC



Christopher Newell, LPG
Project Geologist





Bradley E. Gentry, LPG
Vice-President

Attachments

cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL

PROPERTY LINE (APPROXIMATE)

STORM SEWER

SANITARY SEWER

O/H POWER

POTENTIOMETRIC SURFACE
(CONTOUR INTERVAL = 0.5 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWP# 111291-01
DWG. NO. 111291S1

FIGURE 2
GROUNDWATER
ELEVATION MAP
(12/13/13)

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA



ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90

NR-Not Recorded

NG-Not Gauged

ATTACHMENT B
Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	445,555	428,463	536,852	-	-	1,410,870
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	1,949,120	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	2,835,673	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	2,835,673	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	2,842,124	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings


Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 12-13-13
 IWM Personnel: Mier / molin
 Arrival Time: 930
 Departure Time: 215
 Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1604751.0 RW-2 20684196.0 RW-3 38402294.0 RW-4 63318111.0 RW-5 1418033.0
 Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 10.00 RW-5 9.00
 Pump Running Amps RW-1 cycling RW-2 3.1 RW-3 3.1 RW-4 4.1 RW-5 3.1
 Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 98 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
 Please circle appropriate controller(s) below:

Manholes

NO

YES Repaired

Lines

NO

YES Repaired

Stripper

NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: y RW-1 y RW-2 y RW-3 y RW-4 y RW-5
 Stripper Trays and Tubes Checked: yes
 Stripper Trays and Tubes Cleaned: yes
 Monitoring/Recovery Wells Gauged: yes
 Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 12/27/13IWM Personnel: D. MolinaArrival Time: 0927Departure Time: 1014Alarm Response Visit: YES ☒ NO

BIWEEKLY DATA

Totalizer Readings: RW-1 162738.0 RW-2 2070881.6 RW-3 38518195.0 RW-4 63558842.0 RW-5 15094915.0Flow Rate GPM: RW-1 Cycling RW-2 1.8 RW-3 8 RW-4 9 RW-5 8.5Pump Running Amps RW-1 Cycling RW-2 3.0 RW-3 4.2 RW-4 3.8 RW-5 3.7Air Stripper Pressure: 4.5 Inches of Water

Effluent Clarity: _____

Building Temperature: 88 Degrees FSystem Operation Upon Arrival: ☒ YES NO (if no please explain below)Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes

☒ NO

YES Repaired _____

Lines

☒ NO

YES Repaired _____

Stripper

☒ NO

YES Repaired _____

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: _____ RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments: _____



7428 Rockville Road, Indianapolis, IN 46214

February 7, 2014

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED
CORRECTIVE MEASURE**

Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the December 27, 2013 through January 27, 2014 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On January 13, 2014, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 7.97 feet below top of casing (TOC) in MW-9 to 17.09 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery well RW-5 was not able to be gauged due to weather related issues. Recovery wells RW-1, RW-2, RW-4, and RW-5 were operational during groundwater gauging activities. Recovery well RW-3 was not discharging during gauging activities due to a fault in the pump. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the January 13, 2014 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From December 27, 2013 through January 27, 2014, approximately 1,149,271 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 190,897,280 gallons. The average influent groundwater recovery rate from December 27, 2013 through January 27, 2014 was approximately 25.75 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on January 13, 2014 to complete monthly and bi-weekly system operation and maintenance activities. Recovery well RW-3 was not discharging upon arrival at the site due to a fault in the pump. IWM personnel initially evaluated the RW-3 pump by measuring the amperage at the remediation building and it was determined that the pump was operating at normal amperage despite no

discharge from the pump. Subsequently, IWM personnel determined that the RW-3 pump would need to be pulled from the recovery well for further evaluation the following day. The groundwater recovery and treatment system was operational, with the exception of recovery well RW-3, upon arrival and departure from the site on January 13, 2014.

IWM personnel mobilized to the site on January 14, 2014 to complete the evaluation and repairs on recovery well RW-3. The pump was pulled and the floats rewired during the evaluation. The pump itself was found to be inoperable and was replaced. After the pump in recovery well RW-3 was replaced, the recovery well was reactivated and operational upon departure from the site on January 14, 2014.

IWM personnel mobilized to the site on January 27, 2014 to complete biweekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on January 27, 2014.

Schedule of Activities

Quarterly, monthly and biweekly system operation and maintenance activities are scheduled for the month of February 2014. Site visits are scheduled for the weeks beginning February 3 and February 17, 2014. The information from these site inspections will be included in the February 2014 Progress Report.


Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC



Christopher Newell, LPG
Project Geologist




Bradley E. Gentry, LPG
Vice-President

Attachments

cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

MONITORING WELL

RECOVERY WELL

INJECTION WELL

PROPERTY LINE (APPROXIMATE)

STORM SEWER

SANITARY SEWER

OH POWER

PRIMARY BUILDING WALLS

DRAWN BY: L. STRUM

DATE: 9/27/99

REVISED:

HWPA #11291-01

DWG. NO. 11291S1



FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS

980 HURRICANE ROAD

FRANKLIN, INDIANA



LEGEND

- MONITORING WELL
- RECOVERY WELL

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

722.00 — POTENTIAL METRIC SURFACE
(CONTOUR INTERVAL = 1.0 FT.)



DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWP# 111291-01
DWG. NO. 111291S1

FIGURE 2
GROUNDWATER
ELEVATION MAP
(01/13/14)

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA



ATTACHMENT A

Groundwater Level Measurements

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG

NR-Not Recorded

NG-Not Gauged

ATTACHMENT B
Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	445,555	428,463	536,852	-	-	1,410,870
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	1,949,120	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	2,835,673	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	2,835,673	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	2,842,124	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings


Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date:

1/13/14

IWM Personnel:

Dewey, David

Arrival Time:

~~0848~~ 1220

Departure Time:

1422

Alarm Response Visit:

YES

☒ NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1682910 RW-2 20769100 RW-3 38557800 RW-4 63785620 RW-5 15311390

Flow Rate GPM:

RW-1

cycling

RW-2

3.4

RW-3

0

RW-4

9.2

RW-5

8.4

Pump Running Amps RW-1

4.3

RW-2

3.29

RW-3

3.52

RW-4

4.13

RW-5

4.10

Air Stripper Pressure:

14.5

Inches of Water

Effluent Clarity:

clear

Building Temperature:

90

Degrees F

System Operation Upon Arrival:

☒ YES

NO (if no please explain below)

RW-3 not working Amps to pump 3.1
No Discharge

Water Leaks:

RW-1

RW-2

RW-3

RW-4

RW-5

Please circle appropriate controller(s) below:

Manholes

☒ NO

YES Repaired

Lines

☒ NO

YES Repaired

Stripper

☒ NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: ~~yes~~ RW-1 yes RW-2 y RW-3 y RW-4 y RW-5

Stripper Trays and Tubes Checked:

yes

Stripper Trays and Tubes Cleaned:

yes

Monitoring/Recovery Wells Gauged:

yes

Recommendations for system optimization or general comments:

RW-3 Not Running *

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 1-27-14

IWM Personnel: Mier

Arrival Time: 10:10

Departure Time: 11:40

Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1731517.0 RW-2 20819003.0 RW-3 38662331.0 RW-4 63963231.0 RW-5 15482350.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 9.50 RW-5 8.50

Pump Running Amps RW-1 3.3 RW-2 3.2 RW-3 3.0 RW-4 4.1 RW-5 3.1

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 48° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

NO

YES Repaired

Lines

NO

YES Repaired

Stripper

NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:



7428 Rockville Road, Indianapolis, IN 46214

March 10, 2014

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED
CORRECTIVE MEASURE**

Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the January 27 through February 19, 2014 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On February 7, 2014, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 8.56 feet below top of casing (TOC) in MW-9 to 18.70 feet below TOC in MW-28. Monitoring well IT-2 located in the residential property to the south of the site was discovered to be under ice during the site visits on February 7 and 19, 2014 and was not able to be gauged. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the February 7, 2014 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From January 27 through February 19, 2014, approximately 920,949 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 191,818,229 gallons. The average influent groundwater recovery rate from January 27 through February 19, 2014 was approximately 27.81 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on February 7, 2014 to complete quarterly, monthly, and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon departure from the site on February 7, 2014.

IWM personnel mobilized to the site on February 19, 2014 to complete biweekly system operation and maintenance activities and obtain quarterly system samples. The groundwater recovery and treatment system was completely operational upon departure from the site on February 19, 2014.

Quarterly Treatment System Sampling

On February 19, 2014, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260B.

Laboratory analytical results from the February 19, 2014 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery wells RW-2 and RW-3. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of March 2013. Site visits are scheduled for the weeks beginning March 3 and March 17, 2014. The information from these site inspections will be included in the March 2014 Progress Report.


Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC



Christopher R. Newell
Project Geologist





Bradley E. Gentry, LPG
Vice-President

Attachments

cc: Mr. Dave Dowden, Lancer Realty & Development Co.



FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER



Scale 1":100 ft.

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWSA #111291-01
DWG. NO. 111291S1

FIGURE 1
SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA





LEGEND

- MONITORING WELL
- RECOVERY WELL

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

722.00 POTENTIAL SURFACE
(CONTOUR INTERVAL = 0.5 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWPA #111291-01
DWG. NO. 111291S1

FIGURE 2
GROUNDWATER
ELEVATION MAP
(02/07/14)

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA



TABLES

Table 1
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes														Carbon Tetrachloride	Total VOC's
		1,1-Dichloro-ethane	1,2-Dichloro-ethane	1,1-Dichloro-ethene	cis-1,2-Dichloro-ethene	trans-1,2-Dichloro-ethene	Tetrachloro-ethene	1,1,1-Trichloro-ethane	1,2,3-Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane		
RW-1	5/3/1995	33	ND	ND ⁽¹⁾	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS ⁽²⁾	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	ND	214
	11/23/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/1/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	ND	6.3
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	ND	8.3
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.41
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31
	5/22/2012	ND	ND	ND	ND	ND	ND	15.9	ND	32.8	ND	ND	ND	ND	ND	ND	48.7
	8/24/2012	ND	ND	ND	93.6	ND	286	37.7	ND	156	ND	ND	ND	ND	ND	ND	573.3
	11/16/2012	ND	ND	ND	28.3	ND	109	28.7	ND	74.7	ND	ND	ND	ND	ND	ND	240.7
	2/25/2013	ND	ND	ND	ND	ND	ND	12.2	ND	25.0	ND	ND	ND	ND	ND	ND	37.2
	5/30/2013	ND	ND	ND	ND	ND	ND	12.6	ND	26.3	ND	ND	ND	ND	ND	ND	38.9
	8/23/2013	ND	ND	ND	ND	ND	10.9	14.6	ND	30.9	ND	ND	ND	ND	ND	ND	56.4
	11/13/2013	ND	ND	ND	5.9	ND	9.2	16.5	ND	24.8	ND	ND	ND	ND	ND	ND	56.4
	2/19/2014	ND	ND	ND	6.5	ND	26.9	18.0	ND	38.1	ND	ND	ND	ND	ND	ND	89.5

Notes:

Results in micrograms per liter (ug/l).

(1) ND - Not Detected - analyte not detected above laboratory method detection limit.

(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.

E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															Carbon Tetrachloride	Total VOC's
		1,1-Dichloro-ethane	1,2-Dichloro-ethane	1,1-Dichloro-ethene	cis-1,2-Dichloro-ethene	trans-1,2-Dichloro-ethene	Tetrachloro-ethene	1,1,1-Trichloro-ethane	1,2,3-Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane			
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819	
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648	
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672	
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010	
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438	
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213	
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874	
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104	
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288	
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081	
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182	
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870	
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046	
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466	
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022	
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758	
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434	
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116	
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630	
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336	
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127	
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712	
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103	
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856	
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388	
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650	
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398	
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714	
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262	
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117	
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576	
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148	
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123	
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305	
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386	
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345	
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284	
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825	
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588	
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063	
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297	
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199	
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44	
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20	
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60	
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40	
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349	
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3	
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1	
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	ND	31.5	
1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6		
4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8		
7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6		
11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8		
2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4		
5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7		
8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2		
11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1		
2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2		
5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0		
8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6		
11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9		
2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8		
5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6		
8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7		
11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5		
2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4		
5/22/2012	9.5	ND	ND	252	ND	330	84.9	ND	231	ND	ND	ND	ND	ND	ND	907.4		
8/24/2012	ND	ND	ND	21	ND	77.1	44.1	ND	47.7	ND	ND	ND	ND	ND	ND	189.9		
11/16/2012	ND	ND	ND	24.7	ND	98.0	37.9	ND	47.7	ND	ND	ND	ND	ND	ND	208.3		
2/25/2013	ND	ND	ND	80.6	ND	154.0	41.5	ND	93.3	ND	ND	ND	ND	ND	ND	369.4		
5/30/2013	5.1	ND	ND	14.6	ND	206.0	72.4	ND	125.0	ND	ND	ND	ND	ND	ND	423.1		
8/23/2013	9.3	ND	ND	ND	ND	195.0	76.4	ND	148.0	ND	ND	ND	ND	ND	ND	428.7		
11/13/2013	5.7	ND	ND	ND	ND	118.0	70.0	ND	87.2	ND	ND	ND	ND	ND	ND	280.9		
2/19/2014	12.9	ND	ND	ND	ND	195.0	89.0	ND	165.0	ND	ND	ND	ND	ND	ND	461.9		

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes														Carbon Tetrachloride	Total VOC's
		1,1-Dichloro- ethane	1,2-Dichloro- ethane	1,1-Dichloro- ethene	cis-1,2-Dichloro- ethene	trans-1,2-D Dichloro-ethene	Tetrachloro- ethene	1,1,1-Trichloro- ethane	1,2,3-Trichloro- benzene	Trichloro- ethene	Trichloro- fluoromethane	Naphthalene	Methyl-tert- butyl-ether	Methyl-Ethyl- Ketone	1,1,2-Trichloro- ethane		
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/1/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	78.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7
	5/22/2012	5.5	ND	ND	44	ND	122	71	ND	58.7	ND	ND	ND	ND	ND	ND	301.2
	8/24/2012	6.3	ND	ND	77.5	ND	143	75.8	ND	74.6	ND	ND	ND	ND	ND	ND	377.2
	11/16/2012	5.9	ND	ND	80.5	ND	154	66.6	ND	68.4	ND	ND	ND	ND	ND	ND	376.4
	2/25/2013	ND	ND	ND	47	ND	110	53.3	ND	66.1	ND	ND	ND	ND	ND	ND	276.4
	5/30/2013	ND	ND	ND	21.5	ND	99	48.8	ND	40.2	ND	ND	ND	ND	ND	ND	209.0
	8/23/2013	5.3	ND	ND	25.9	ND	135	48.8	ND	53.3	ND	ND	ND	ND	ND	ND	268.3
	11/13/2013	5.5	ND	ND	31.6	ND	157	52.0	ND	51.8	ND	ND	ND	ND	ND	ND	297.9
	2/19/2014	6.5	ND	ND	21.8	ND	144	62.6	ND	58.1	ND	ND	ND	ND	ND	ND	293.0

Notes:

Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															Total VOC's
		1,1-Dichloro-ethane	1,2-Dichloro-ethane	1,1-Dichloro-ethene	cis-1,2-Dichloro-ethene	trans-1,2-Dichloro-ethene	Tetrachloro-ethene	1,1,1-Trichloro-ethane	1,2,3-Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
	5/22/2012	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4
	8/24/2012	ND	ND	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.8
	11/16/2012	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/25/2013	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	5/30/2013	ND	ND	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.7
	8/23/2013	ND	ND	ND	ND	ND	9.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.6
	11/13/2013	ND	ND	ND	ND	ND	7.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.9
	2/19/2014	ND	ND	ND	ND	ND	10.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.3
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878
	5/22/2012	ND	ND	ND	127	ND	549	46.8	ND	288	ND	ND	ND	ND	ND	ND	1,010.8
	8/24/2012	5.1	ND	ND	254	ND	585	68.1	ND	351	ND	ND	ND	ND	ND	ND	1,263.2
	11/16/2012	ND	ND	ND	172	ND	534	68.0	ND	279	ND	ND	ND	ND	ND	ND	1,053.0
	2/25/2013	ND	ND	ND	29.3	ND	122	27.8	ND	72.1	ND	ND	ND	ND	ND	ND	251.2
	5/30/2013	ND	ND	ND	128.0	ND	614	38.7	ND	242.0	ND	ND	ND	ND	ND	ND	1,022.7
	8/23/2013	ND	ND	ND	194.0	ND	580	39.9	ND	305.0	ND	ND	ND	ND	ND	ND	1,118.9
	11/13/2013	ND	ND	ND	148.0	ND	570	42.7	ND	265.0	ND	ND	ND	ND	ND	ND	1,025.7
	2/19/2014	ND	ND	ND	202.0	ND	538	47.5	ND	290.0	ND	ND	ND	ND	ND	ND	1,077.5

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															Total VOC's
		1,1 -Dichloro- ethane	1,2 -Dichloro- ethane	1,1 -Dichloro- ethene	cis-1,2 -Dichloro- ethene	trans-1,2 - Dichloro-ethene	Tetrachloro- ethene	1,1,1 -Trichloro- ethane	1,2,3 -Trichloro- benzene	Trichloro- ethene	Trichloro- fluoromethane	Naphthalene	Methyl-tert- butyl-ether	Methyl-Ethyl- Ketone	1,1,2-Trichloro- ethane	Carbon Tetrachloride	
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	ND	15.7	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/16/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/25/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/30/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/23/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/13/2013	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/19/2014	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:

Results in micrograms per liter (ug/l).

* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.

** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07

NR-Not Recorded

NG-Not Gauged

ATTACHMENT B
Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	445,555	428,463	536,852	-	-	1,410,870
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	1,949,120	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	2,835,673	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	2,835,673	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	2,842,124	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings


Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 2-9-14

IWM Personnel: Mier

Arrival Time: 0950

Departure Time: 1635

Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 1766241.0 RW-2 20854418.0 RW-3 38755427.0 RW-4 6410649.0 RW-5 15618204.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 9.75 RW-5 8.00

Pump Running Amps RW-1 3.3 RW-2 3.1 RW-3 3.3 RW-4 4.0 RW-5 3.2

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 56 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

(NO)

YES Repaired

Lines

(NO)

YES Repaired

Stripper

(NO)

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: ✓ RW-1 ✓ RW-2 ✓ RW-3 ✓ RW-4 ✓ RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: yes

Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 02-19-14

IWM Personnel: Mier

Arrival Time: 1:00

Departure Time: 2:55

Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1801028.0 RW-2 20890182.0 RW-3 38858081.0 RW-4 64263402.0 RW-5 15766688.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.25 RW-4 9.75 RW-5 8.25

Pump Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.3 RW-4 4.1 RW-5 3.1

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 64° Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

NO

YES Repaired

Lines

NO

YES Repaired

Stripper

NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

ATTACHMENT D

System Sample Laboratory Analytical Report

February 25, 2014

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 5093555

Dear Mr. Newell:

Enclosed are the analytical results for sample(s) received by the laboratory on February 19, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Amphenol

Pace Project No.: 5093555

Indiana Certification IDs

7726 Moller Road, Indianapolis, IN 46268

Illinois Certification #: 200074

Indiana Certification #: C-49-06

Kansas Certification #: E-10247

Kentucky UST Certification #: 0042

Louisiana/NELAP Certification #: 04076

Ohio VAP Certification #: CL-0065

Pennsylvania Certification #: 68-04991

West Virginia Certification #: 330

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: Amphenol

Pace Project No.: 5093555

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5093555001	RW-1	Water	02/19/14 08:00	02/19/14 15:59
5093555002	RW-2	Water	02/19/14 08:00	02/19/14 15:59
5093555003	RW-3	Water	02/19/14 08:00	02/19/14 15:59
5093555004	RW-4	Water	02/19/14 08:00	02/19/14 15:59
5093555005	EFFLUENT	Water	02/19/14 08:00	02/19/14 15:59
5093555006	RW-5	Water	02/19/14 08:00	02/19/14 15:59

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Amphenol

Pace Project No.: 5093555

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5093555001	RW-1	EPA 8260	DAE	72
5093555002	RW-2	EPA 8260	DAE	72
5093555003	RW-3	EPA 8260	DAE	72
5093555004	RW-4	EPA 8260	DAE	72
5093555005	EFFLUENT	EPA 8260	DAE	72
5093555006	RW-5	EPA 8260	DAE	72

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-1		Lab ID: 5093555001		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 05:28	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 05:28	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 05:28	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 05:28	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 05:28	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 05:28	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 05:28	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 05:28	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 05:28	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 05:28	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 05:28	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 05:28	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 05:28	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 05:28	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 05:28	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 05:28	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 05:28	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 05:28	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 05:28	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 05:28	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 05:28	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 05:28	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		02/22/14 05:28	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 05:28	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 05:28	75-35-4		
cis-1,2-Dichloroethene	6.5	ug/L	5.0	1		02/22/14 05:28	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 05:28	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 05:28	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 05:28	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 05:28	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 05:28	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 05:28	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 05:28	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 05:28	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 05:28	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 05:28	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 05:28	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 05:28	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 05:28	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-1		Lab ID: 5093555001	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 05:28	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 05:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 05:28	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 05:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 05:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 05:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 05:28	79-34-5	
Tetrachloroethene	26.9	ug/L	5.0	1		02/22/14 05:28	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 05:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	120-82-1	
1,1,1-Trichloroethane	18.0	ug/L	5.0	1		02/22/14 05:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 05:28	79-00-5	
Trichloroethene	38.1	ug/L	5.0	1		02/22/14 05:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 05:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 05:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 05:28	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 05:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 05:28	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100 %.		79-116	1		02/22/14 05:28	1868-53-7	
4-Bromofluorobenzene (S)	93 %.		80-114	1		02/22/14 05:28	460-00-4	
Toluene-d8 (S)	99 %.		81-110	1		02/22/14 05:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-2		Lab ID: 5093555002		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 06:02	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 06:02	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 06:02	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 06:02	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 06:02	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 06:02	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 06:02	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 06:02	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 06:02	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 06:02	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 06:02	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 06:02	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 06:02	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 06:02	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 06:02	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 06:02	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 06:02	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 06:02	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 06:02	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 06:02	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 06:02	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:02	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:02	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:02	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 06:02	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 06:02	75-71-8		
1,1-Dichloroethane	12.9	ug/L	5.0	1		02/22/14 06:02	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 06:02	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 06:02	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 06:02	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 06:02	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:02	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:02	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:02	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:02	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:02	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:02	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 06:02	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 06:02	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 06:02	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 06:02	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 06:02	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 06:02	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-2		Lab ID: 5093555002	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 06:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 06:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 06:02	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 06:02	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 06:02	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 06:02	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 06:02	79-34-5	
Tetrachloroethene	195	ug/L	5.0	1		02/22/14 06:02	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 06:02	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:02	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:02	120-82-1	
1,1,1-Trichloroethane	89.0	ug/L	5.0	1		02/22/14 06:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 06:02	79-00-5	
Trichloroethene	165	ug/L	5.0	1		02/22/14 06:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 06:02	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 06:02	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 06:02	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 06:02	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 06:02	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105 %		79-116	1		02/22/14 06:02	1868-53-7	
4-Bromofluorobenzene (S)	93 %		80-114	1		02/22/14 06:02	460-00-4	
Toluene-d8 (S)	97 %		81-110	1		02/22/14 06:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-3		Lab ID: 5093555003		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 06:35	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 06:35	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 06:35	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 06:35	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 06:35	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 06:35	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 06:35	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 06:35	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 06:35	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 06:35	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 06:35	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 06:35	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 06:35	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 06:35	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 06:35	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 06:35	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 06:35	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 06:35	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 06:35	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 06:35	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 06:35	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 06:35	75-71-8		
1,1-Dichloroethane	6.5	ug/L	5.0	1		02/22/14 06:35	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 06:35	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 06:35	75-35-4		
cis-1,2-Dichloroethene	21.8	ug/L	5.0	1		02/22/14 06:35	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 06:35	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:35	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:35	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:35	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:35	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:35	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:35	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 06:35	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 06:35	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 06:35	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 06:35	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 06:35	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 06:35	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-3		Lab ID: 5093555003	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 06:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 06:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 06:35	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 06:35	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 06:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 06:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 06:35	79-34-5	
Tetrachloroethene	144	ug/L	5.0	1		02/22/14 06:35	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 06:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	120-82-1	
1,1,1-Trichloroethane	62.6	ug/L	5.0	1		02/22/14 06:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 06:35	79-00-5	
Trichloroethene	58.1	ug/L	5.0	1		02/22/14 06:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 06:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 06:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 06:35	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 06:35	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 06:35	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	1		02/22/14 06:35	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	80-114	1		02/22/14 06:35	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		02/22/14 06:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-4		Lab ID: 5093555004		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 07:09	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 07:09	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 07:09	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 07:09	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 07:09	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 07:09	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 07:09	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 07:09	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 07:09	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 07:09	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 07:09	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 07:09	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 07:09	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 07:09	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 07:09	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 07:09	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 07:09	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 07:09	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 07:09	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 07:09	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 07:09	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 07:09	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		02/22/14 07:09	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 07:09	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 07:09	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 07:09	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 07:09	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 07:09	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 07:09	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 07:09	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 07:09	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 07:09	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 07:09	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 07:09	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 07:09	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 07:09	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 07:09	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 07:09	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 07:09	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-4		Lab ID: 5093555004	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 07:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 07:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 07:09	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 07:09	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 07:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 07:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 07:09	79-34-5	
Tetrachloroethene	10.3	ug/L	5.0	1		02/22/14 07:09	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 07:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		02/22/14 07:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 07:09	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		02/22/14 07:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 07:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 07:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 07:09	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 07:09	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 07:09	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	97 %		79-116	1		02/22/14 07:09	1868-53-7	
4-Bromofluorobenzene (S)	93 %		80-114	1		02/22/14 07:09	460-00-4	
Toluene-d8 (S)	97 %		81-110	1		02/22/14 07:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: EFFLUENT		Lab ID: 5093555005	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		02/22/14 07:43	67-64-1	
Acrolein	ND ug/L		50.0	1		02/22/14 07:43	107-02-8	
Acrylonitrile	ND ug/L		100	1		02/22/14 07:43	107-13-1	
Benzene	ND ug/L		5.0	1		02/22/14 07:43	71-43-2	
Bromobenzene	ND ug/L		5.0	1		02/22/14 07:43	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		02/22/14 07:43	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		02/22/14 07:43	75-27-4	
Bromoform	ND ug/L		5.0	1		02/22/14 07:43	75-25-2	
Bromomethane	ND ug/L		5.0	1		02/22/14 07:43	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		02/22/14 07:43	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		02/22/14 07:43	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		02/22/14 07:43	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		02/22/14 07:43	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		02/22/14 07:43	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		02/22/14 07:43	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	108-90-7	
Chloroethane	ND ug/L		5.0	1		02/22/14 07:43	75-00-3	
Chloroform	ND ug/L		5.0	1		02/22/14 07:43	67-66-3	
Chloromethane	ND ug/L		5.0	1		02/22/14 07:43	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		02/22/14 07:43	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		02/22/14 07:43	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		02/22/14 07:43	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		02/22/14 07:43	106-93-4	
Dibromomethane	ND ug/L		5.0	1		02/22/14 07:43	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		02/22/14 07:43	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		02/22/14 07:43	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		02/22/14 07:43	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		02/22/14 07:43	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		02/22/14 07:43	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		02/22/14 07:43	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		02/22/14 07:43	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		02/22/14 07:43	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		02/22/14 07:43	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		02/22/14 07:43	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		02/22/14 07:43	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		02/22/14 07:43	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		02/22/14 07:43	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		02/22/14 07:43	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		02/22/14 07:43	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		02/22/14 07:43	87-68-3	
2-Hexanone	ND ug/L		25.0	1		02/22/14 07:43	591-78-6	
Iodomethane	ND ug/L		10.0	1		02/22/14 07:43	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		02/22/14 07:43	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		02/22/14 07:43	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: EFFLUENT		Lab ID: 5093555005	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND ug/L		5.0	1		02/22/14 07:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		25.0	1		02/22/14 07:43	108-10-1	
Methyl-tert-butyl ether	ND ug/L		4.0	1		02/22/14 07:43	1634-04-4	
Naphthalene	ND ug/L		5.0	1		02/22/14 07:43	91-20-3	
n-Propylbenzene	ND ug/L		5.0	1		02/22/14 07:43	103-65-1	
Styrene	ND ug/L		5.0	1		02/22/14 07:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		5.0	1		02/22/14 07:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	1		02/22/14 07:43	79-34-5	
Tetrachloroethene	ND ug/L		5.0	1		02/22/14 07:43	127-18-4	
Toluene	ND ug/L		5.0	1		02/22/14 07:43	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	120-82-1	
1,1,1-Trichloroethane	ND ug/L		5.0	1		02/22/14 07:43	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	1		02/22/14 07:43	79-00-5	
Trichloroethene	ND ug/L		5.0	1		02/22/14 07:43	79-01-6	
Trichlorofluoromethane	ND ug/L		5.0	1		02/22/14 07:43	75-69-4	
1,2,3-Trichloropropane	ND ug/L		5.0	1		02/22/14 07:43	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		5.0	1		02/22/14 07:43	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		5.0	1		02/22/14 07:43	108-67-8	
Vinyl acetate	ND ug/L		50.0	1		02/22/14 07:43	108-05-4	
Vinyl chloride	ND ug/L		2.0	1		02/22/14 07:43	75-01-4	
Xylene (Total)	ND ug/L		10.0	1		02/22/14 07:43	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98 %.		79-116	1		02/22/14 07:43	1868-53-7	
4-Bromofluorobenzene (S)	94 %.		80-114	1		02/22/14 07:43	460-00-4	
Toluene-d8 (S)	98 %.		81-110	1		02/22/14 07:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-5		Lab ID: 5093555006		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 08:17	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 08:17	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 08:17	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 08:17	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 08:17	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 08:17	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 08:17	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 08:17	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 08:17	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 08:17	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 08:17	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 08:17	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 08:17	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 08:17	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 08:17	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 08:17	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 08:17	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 08:17	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 08:17	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 08:17	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 08:17	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 08:17	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		02/22/14 08:17	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 08:17	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 08:17	75-35-4		
cis-1,2-Dichloroethene	202	ug/L	5.0	1		02/22/14 08:17	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 08:17	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 08:17	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 08:17	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 08:17	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 08:17	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 08:17	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 08:17	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 08:17	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 08:17	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 08:17	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 08:17	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 08:17	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 08:17	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-5		Lab ID: 5093555006	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 08:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 08:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 08:17	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 08:17	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 08:17	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 08:17	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 08:17	79-34-5	
Tetrachloroethene	538	ug/L	50.0	10		02/22/14 08:51	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 08:17	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	120-82-1	
1,1,1-Trichloroethane	47.5	ug/L	5.0	1		02/22/14 08:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 08:17	79-00-5	
Trichloroethene	290	ug/L	50.0	10		02/22/14 08:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 08:17	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 08:17	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 08:17	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 08:17	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 08:17	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102 %		79-116	1		02/22/14 08:17	1868-53-7	
4-Bromofluorobenzene (S)	93 %		80-114	1		02/22/14 08:17	460-00-4	
Toluene-d8 (S)	95 %		81-110	1		02/22/14 08:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

QC Batch: MSV/61973

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 5093555001, 5093555002, 5093555003, 5093555004, 5093555005, 5093555006

METHOD BLANK: 1051628

Matrix: Water

Associated Lab Samples: 5093555001, 5093555002, 5093555003, 5093555004, 5093555005, 5093555006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1,1-Trichloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1,2-Trichloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1-Dichloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1-Dichloroethene	ug/L	ND	5.0	02/22/14 01:31	
1,1-Dichloropropene	ug/L	ND	5.0	02/22/14 01:31	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
1,2,3-Trichloropropane	ug/L	ND	5.0	02/22/14 01:31	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	02/22/14 01:31	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	02/22/14 01:31	
1,2-Dichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
1,2-Dichloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,2-Dichloropropane	ug/L	ND	5.0	02/22/14 01:31	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	02/22/14 01:31	
1,3-Dichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
1,3-Dichloropropane	ug/L	ND	5.0	02/22/14 01:31	
1,4-Dichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
2,2-Dichloropropane	ug/L	ND	5.0	02/22/14 01:31	
2-Butanone (MEK)	ug/L	ND	25.0	02/22/14 01:31	
2-Chlorotoluene	ug/L	ND	5.0	02/22/14 01:31	
2-Hexanone	ug/L	ND	25.0	02/22/14 01:31	
4-Chlorotoluene	ug/L	ND	5.0	02/22/14 01:31	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	02/22/14 01:31	
Acetone	ug/L	ND	100	02/22/14 01:31	
Acrolein	ug/L	ND	50.0	02/22/14 01:31	
Acrylonitrile	ug/L	ND	100	02/22/14 01:31	
Benzene	ug/L	ND	5.0	02/22/14 01:31	
Bromobenzene	ug/L	ND	5.0	02/22/14 01:31	
Bromochloromethane	ug/L	ND	5.0	02/22/14 01:31	
Bromodichloromethane	ug/L	ND	5.0	02/22/14 01:31	
Bromoform	ug/L	ND	5.0	02/22/14 01:31	
Bromomethane	ug/L	ND	5.0	02/22/14 01:31	
Carbon disulfide	ug/L	ND	10.0	02/22/14 01:31	
Carbon tetrachloride	ug/L	ND	5.0	02/22/14 01:31	
Chlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
Chloroethane	ug/L	ND	5.0	02/22/14 01:31	
Chloroform	ug/L	ND	5.0	02/22/14 01:31	
Chloromethane	ug/L	ND	5.0	02/22/14 01:31	
cis-1,2-Dichloroethene	ug/L	ND	5.0	02/22/14 01:31	
cis-1,3-Dichloropropene	ug/L	ND	5.0	02/22/14 01:31	
Dibromochloromethane	ug/L	ND	5.0	02/22/14 01:31	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

METHOD BLANK: 1051628

Matrix: Water

Associated Lab Samples: 5093555001, 5093555002, 5093555003, 5093555004, 5093555005, 5093555006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	02/22/14 01:31	
Dichlorodifluoromethane	ug/L	ND	5.0	02/22/14 01:31	
Ethyl methacrylate	ug/L	ND	100	02/22/14 01:31	
Ethylbenzene	ug/L	ND	5.0	02/22/14 01:31	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	02/22/14 01:31	
Iodomethane	ug/L	ND	10.0	02/22/14 01:31	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	02/22/14 01:31	
Methyl-tert-butyl ether	ug/L	ND	4.0	02/22/14 01:31	
Methylene Chloride	ug/L	ND	5.0	02/22/14 01:31	
n-Butylbenzene	ug/L	ND	5.0	02/22/14 01:31	
n-Propylbenzene	ug/L	ND	5.0	02/22/14 01:31	
Naphthalene	ug/L	ND	5.0	02/22/14 01:31	
p-Isopropyltoluene	ug/L	ND	5.0	02/22/14 01:31	
sec-Butylbenzene	ug/L	ND	5.0	02/22/14 01:31	
Styrene	ug/L	ND	5.0	02/22/14 01:31	
tert-Butylbenzene	ug/L	ND	5.0	02/22/14 01:31	
Tetrachloroethene	ug/L	ND	5.0	02/22/14 01:31	
Toluene	ug/L	ND	5.0	02/22/14 01:31	
trans-1,2-Dichloroethene	ug/L	ND	5.0	02/22/14 01:31	
trans-1,3-Dichloropropene	ug/L	ND	5.0	02/22/14 01:31	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	02/22/14 01:31	
Trichloroethene	ug/L	ND	5.0	02/22/14 01:31	
Trichlorofluoromethane	ug/L	ND	5.0	02/22/14 01:31	
Vinyl acetate	ug/L	ND	50.0	02/22/14 01:31	
Vinyl chloride	ug/L	ND	2.0	02/22/14 01:31	
Xylene (Total)	ug/L	ND	10.0	02/22/14 01:31	
4-Bromofluorobenzene (S)	%	95	80-114	02/22/14 01:31	
Dibromofluoromethane (S)	%	97	79-116	02/22/14 01:31	
Toluene-d8 (S)	%	101	81-110	02/22/14 01:31	

LABORATORY CONTROL SAMPLE: 1051629

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	45.0	90	61-135	
1,1,1-Trichloroethane	ug/L	50	57.4	115	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	59.9	120	66-126	
1,1,2-Trichloroethane	ug/L	50	56.3	113	77-130	
1,1-Dichloroethane	ug/L	50	54.5	109	75-130	
1,1-Dichloroethene	ug/L	50	47.0	94	68-127	
1,1-Dichloropropene	ug/L	50	53.5	107	78-130	
1,2,3-Trichlorobenzene	ug/L	50	59.4	119	70-130	
1,2,3-Trichloropropane	ug/L	50	61.6	123	58-142	
1,2,4-Trichlorobenzene	ug/L	50	53.5	107	68-131	
1,2,4-Trimethylbenzene	ug/L	50	54.5	109	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	62.8	126	76-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

LABORATORY CONTROL SAMPLE: 1051629

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	51.4	103	75-123	
1,2-Dichloroethane	ug/L	50	56.4	113	75-128	
1,2-Dichloropropane	ug/L	50	56.0	112	74-121	
1,3,5-Trimethylbenzene	ug/L	50	55.2	110	70-126	
1,3-Dichlorobenzene	ug/L	50	50.0	100	74-122	
1,3-Dichloropropane	ug/L	50	54.4	109	74-123	
1,4-Dichlorobenzene	ug/L	50	49.6	99	76-120	
2,2-Dichloropropane	ug/L	50	31.7	63	50-137	
2-Butanone (MEK)	ug/L	250	305	122	58-139	
2-Chlorotoluene	ug/L	50	54.3	109	74-122	
2-Hexanone	ug/L	250	283	113	54-140	
4-Chlorotoluene	ug/L	50	54.3	109	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	341	136	58-138	
Acetone	ug/L	250	303	121	49-150	
Acrolein	ug/L	1000	859	86	41-200	
Acrylonitrile	ug/L	1000	906	91	63-137	
Benzene	ug/L	50	50.5	101	74-122	
Bromobenzene	ug/L	50	53.3	107	72-127	
Bromochloromethane	ug/L	50	52.5	105	63-132	
Bromodichloromethane	ug/L	50	48.1	96	62-136	
Bromoform	ug/L	50	45.7	91	44-134	
Bromomethane	ug/L	50	69.3	139	22-181	
Carbon disulfide	ug/L	100	99.9	100	59-132	
Carbon tetrachloride	ug/L	50	44.8	90	56-137	
Chlorobenzene	ug/L	50	50.2	100	78-123	
Chloroethane	ug/L	50	39.6	79	60-144	
Chloroform	ug/L	50	55.3	111	78-126	
Chloromethane	ug/L	50	44.8	90	42-134	
cis-1,2-Dichloroethene	ug/L	50	54.0	108	75-122	
cis-1,3-Dichloropropene	ug/L	50	42.4	85	64-126	
Dibromochloromethane	ug/L	50	43.6	87	58-128	
Dibromomethane	ug/L	50	53.8	108	73-125	
Dichlorodifluoromethane	ug/L	50	61.0	122	35-181	
Ethyl methacrylate	ug/L	200	219	110	69-133	
Ethylbenzene	ug/L	50	53.3	107	66-133	
Hexachloro-1,3-butadiene	ug/L	50	47.7	95	59-145	
Iodomethane	ug/L	100	95.4	95	21-170	
Isopropylbenzene (Cumene)	ug/L	50	56.5	113	69-124	
Methyl-tert-butyl ether	ug/L	100	99.8	100	69-122	
Methylene Chloride	ug/L	50	49.4	99	68-132	
n-Butylbenzene	ug/L	50	55.5	111	70-126	
n-Propylbenzene	ug/L	50	54.9	110	71-122	
Naphthalene	ug/L	50	51.7	103	68-127	
p-Isopropyltoluene	ug/L	50	56.5	113	72-132	
sec-Butylbenzene	ug/L	50	55.1	110	70-128	
Styrene	ug/L	50	55.9	112	74-126	
tert-Butylbenzene	ug/L	50	49.9	100	51-118	
Tetrachloroethene	ug/L	50	49.6	99	69-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

LABORATORY CONTROL SAMPLE: 1051629

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	53.3	107	72-122	
trans-1,2-Dichloroethene	ug/L	50	47.8	96	72-124	
trans-1,3-Dichloropropene	ug/L	50	39.8	80	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	242	121	56-133	
Trichloroethene	ug/L	50	54.9	110	76-126	
Trichlorofluoromethane	ug/L	50	49.0	98	76-149	
Vinyl acetate	ug/L	200	197	99	45-151	
Vinyl chloride	ug/L	50	46.0	92	59-126	
Xylene (Total)	ug/L	150	163	109	70-124	
4-Bromofluorobenzene (S)	%			106	80-114	
Dibromofluoromethane (S)	%			100	79-116	
Toluene-d8 (S)	%			101	81-110	

MATRIX SPIKE SAMPLE: 1051630

Parameter	Units	5093639002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	44.1	88	50-132	
1,1,1-Trichloroethane	ug/L	ND	50	59.5	119	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	59.5	119	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	59.5	119	61-139	
1,1-Dichloroethane	ug/L	ND	50	59.0	118	57-147	
1,1-Dichloroethene	ug/L	ND	50	46.4	93	55-145	
1,1-Dichloropropene	ug/L	ND	50	51.0	102	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	55.1	110	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	60.2	120	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	48.9	98	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	49.1	98	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	64.2	128	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	49.7	99	38-136	
1,2-Dichloroethane	ug/L	ND	50	61.8	124	62-138	
1,2-Dichloropropane	ug/L	ND	50	58.4	117	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	48.6	97	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	46.9	94	28-141	
1,3-Dichloropropane	ug/L	ND	50	58.0	116	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	46.5	93	30-139	
2,2-Dichloropropane	ug/L	ND	50	27.0	54	37-139	
2-Butanone (MEK)	ug/L	ND	250	327	131	37-156	
2-Chlorotoluene	ug/L	ND	50	49.3	99	27-142	
2-Hexanone	ug/L	ND	250	297	119	44-143	
4-Chlorotoluene	ug/L	ND	50	48.0	96	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	359	144	46-144	
Acetone	ug/L	ND	250	336	134	39-156	
Acrolein	ug/L	ND	1000	896	90	33-200	
Acrylonitrile	ug/L	ND	1000	1230	123	48-149	
Benzene	ug/L	ND	50	54.5	109	62-129	
Bromobenzene	ug/L	ND	50	51.7	103	39-140	
Bromochloromethane	ug/L	ND	50	61.9	124	49-142	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

MATRIX SPIKE SAMPLE:		1051630					
Parameter	Units	5093639002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	51.0	102	50-142	
Bromoform	ug/L	ND	50	45.1	90	36-125	
Bromomethane	ug/L	ND	50	68.5	137	13-179	
Carbon disulfide	ug/L	ND	100	98.2	98	45-142	
Carbon tetrachloride	ug/L	ND	50	44.3	89	46-142	
Chlorobenzene	ug/L	ND	50	49.3	99	49-136	
Chloroethane	ug/L	ND	50	43.8	88	47-160	
Chloroform	ug/L	ND	50	60.9	122	54-150	
Chloromethane	ug/L	ND	50	52.1	104	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	60.0	113	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	39.5	79	52-123	
Dibromochloromethane	ug/L	ND	50	45.8	92	48-125	
Dibromomethane	ug/L	ND	50	58.6	117	59-134	
Dichlorodifluoromethane	ug/L	ND	50	57.9	116	24-197	
Ethyl methacrylate	ug/L	ND	200	222	111	55-139	
Ethylbenzene	ug/L	ND	50	48.6	97	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	39.2	78	10-176	
Iodomethane	ug/L	ND	100	78.3	78	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	50.0	100	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	98.4	98	63-130	
Methylene Chloride	ug/L	ND	50	53.6	107	45-156	
n-Butylbenzene	ug/L	ND	50	47.3	95	10-161	
n-Propylbenzene	ug/L	ND	50	47.7	95	16-150	
Naphthalene	ug/L	ND	50	50.1	100	39-140	
p-Isopropyltoluene	ug/L	ND	50	48.8	98	10-163	
sec-Butylbenzene	ug/L	ND	50	47.6	95	10-160	
Styrene	ug/L	ND	50	52.7	105	36-139	
tert-Butylbenzene	ug/L	ND	50	42.9	86	12-134	
Tetrachloroethene	ug/L	ND	50	45.6	91	33-151	
Toluene	ug/L	ND	50	51.4	103	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	49.5	99	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	36.8	74	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	235	118	32-139	
Trichloroethene	ug/L	ND	50	56.4	107	50-143	
Trichlorofluoromethane	ug/L	ND	50	50.5	101	60-175	
Vinyl acetate	ug/L	ND	200	109	54	17-142	
Vinyl chloride	ug/L	ND	50	50.4	101	44-145	
Xylene (Total)	ug/L	ND	150	149	99	29-145	
4-Bromofluorobenzene (S)	%				106	80-114	
Dibromofluoromethane (S)	%				104	79-116	
Toluene-d8 (S)	%				101	81-110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Amphenol

Pace Project No.: 5093555

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol

Pace Project No.: 5093555

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5093555001	RW-1	EPA 8260	MSV/61973		
5093555002	RW-2	EPA 8260	MSV/61973		
5093555003	RW-3	EPA 8260	MSV/61973		
5093555004	RW-4	EPA 8260	MSV/61973		
5093555005	EFFLUENT	EPA 8260	MSV/61973		
5093555006	RW-5	EPA 8260	MSV/61973		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Sample Condition Upon Receipt



Client Name: ILM

Project # 5093555

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Thermometer Used 1 2 3 4 6 A B C D E

Type of Ice: Wet Blue None

☐ Samples on ice, cooling process has begun

Cooler Temperature 3°C

Ice Visible in Sample Containers: ☒ yes ☐ no

Temp should be above freezing to 6°C

Comments:

Date and initials of person examining contents: CAP 2-19-14

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	5.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
-Includes date/time/ID/Analysis		
All containers needing acid/base pres. have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	9.
exceptions: VOA, coliform, TOC, O&G		
All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Project Manager Review		
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

Kenneth Hunt

Date:

2/19/14

Sample Container Count



CLIENT: TWM
 COC PAGE 1 of 1
 COC ID# 5093555

Project # 5093555

Sample Line Item	DG9H	AG1U	WGfU	AG0U	R	4 / 6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	pH <2	pH >12	Comments
1																	
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	

Container Codes											
DG9H	40mL HCL	amber vial	AG0U	100mL unpreserved	amber glass	BP1N	1 liter HNO3	plastic	DG9P	40mL TSP	amber vial
AG1U	1liter unpreserved	amber glass	AG1H	1 liter HCL	amber glass	BP1S	1 liter H2SO4	plastic	DG9S	40mL H2SO4	amber vial
WGfU	4oz clear soil jar		AG1S	1 liter H2SO4	amber glass	BP1U	1 liter unpreserved	plastic	DG9T	40mL Na Thio	amber vial
R	terra core kit		AG1T	1 liter Na Thiosulfate	amber glass	BP1Z	1 liter NaOH, Zn, Ac		DG9U	40mL unpreserved	amber vial
BP2N	500mL HNO3	plastic	AG2N	500mL HNO3	amber glass	BP2A	500mL NaOH, Asc	Acid plastic	I	Wipe/Swab	
BP2U	500mL unpreserved	plastic	AG2S	500mL H2SO4	amber glass	BP2O	500mL NaOH	plastic	JGFU	4oz unpreserved	amber wide
BP2S	500mL H2SO4	plastic	AG2U	500mL unpreserved	amber glass	BP2Z	500mL NaOH, Zn	Ac	U	Summa Can	
BP3N	250mL HNO3	plastic	AG3U	250mL unpreserved	amber glass	AF	Air Filter		VG9H	40mL HCL	clear vial
BP3U	250mL unpreserved	plastic	BG1H	1 liter HCL	clear glass	BP3C	250mL NaOH	plastic	VG9T	40mL Na Thio.	clear vial
BP3S	250mL H2SO4	plastic	BG1S	1 liter H2SO4	clear glass	BP3Z	250mL NaOH, Zn	Ac plastic	VG9U	40mL unpreserved	clear vial
AG3S	250mL H2SO4	glass amber	BG1T	1 liter Na Thiosulfate	clear glass	C	Air Cassettes		VSG	Headspace septa	vial & HCL
AG1S	1 liter H2SO4	amber glass	BG1U	1 liter unpreserved	glass	DG9B	40mL Na Bisulfate	amber vial	WGFX	4oz wide jar w/hexane	wipe
BP1U	1 liter unpreserved	plastic	BP1A	1 liter NaOH, Asc	Acid plastic	DG9M	40mL MeOH	clear vial	ZPLC	Ziploc Bag	



7428 Rockville Road, Indianapolis, IN 46214

April 10, 2014

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED
CORRECTIVE MEASURE**

Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the February 19 through March 21, 2014 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On March 21, 2014, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 8.48 feet below top of casing (TOC) in MW-9 to 17.37 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the March 21, 2014 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From February 19 through March 21, 2014, approximately 713,347 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. This groundwater total is lower than previous months due to the system being down from a power outage in late February. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 192,531,576 gallons. The average influent groundwater recovery rate from February 19 through March 21, 2014 was approximately 16.51 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on March 7, 2014 to complete monthly and biweekly operation and maintenance activities. The groundwater recovery and treatment system was not operational upon arrival and the cause was determined to be a power outage that occurred during late February. Due to a malfunction, the Chatterbox telemetry system did not inform IWM Consulting of the system shutdown. The influent line for

recovery well RW-5 was discovered to be frozen but undamaged at the well vault and was cleared before restarting the system. The groundwater recovery and treatment system was completely operational upon departure from the site on March 7, 2014.

IWM personnel mobilized to the site on March 21, 2014 to complete biweekly system operation and maintenance activities and gauge the monitoring well network. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on March 21, 2014.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities and semi-annual groundwater sampling activities are scheduled for the month of April 2014. Site visits are scheduled for the weeks beginning March 31 and April 14, 2014. The information from these site inspections will be included in the April 2014 Progress Report.


Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC



Christopher R. Newell, LPG
Project Geologist





Bradley E. Gentry, LPG
Vice-President

Attachments

cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER



Scale 1":100 ft.

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWSA #111291-01
DWG. NO. 111291S1

FIGURE 1
SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA





LEGEND

- MONITORING WELL
- RECOVERY WELL

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

POTENTIOMETRIC SURFACE
(CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWP# 111291-01
DWG. NO. 111291S1

FIGURE 2
GROUNDWATER
ELEVATION MAP
(03/21/14)

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA



ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21

NR-Not Recorded

NG-Not Gauged

ATTACHMENT B
Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	445,555	428,463	536,852	-	-	1,410,870
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	1,949,120	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	2,835,673	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	2,835,673	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	2,842,124	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings


Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 3-7-14

IWM Personnel: Mier

Arrival Time: 8:45

Departure Time: 3:00

Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1815699.0 RW-2 20897724.0 RW-3 38887196.6 RW-4 64307521.0 RW-5 15808414.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 9.75 RW-5 8.00

Pump Running Amps RW-1 3.6 RW-2 3.7 RW-3 3.6 RW-4 4.0 RW-5 3.8

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 56 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Power Outage

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

NO

YES Repaired

Lines

NO

YES Repaired

Stripper

NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: N

Monitoring/Recovery Wells Gauged: NO

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 3-21-14IWM Personnel: R. MillerArrival Time: 4:45

Departure Time: _____

Alarm Response Visit: YES ☒ NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1862063.0 RW-2 20953361.0 RW-3 349006011.0 RW-4 64489351.0 RW-5 15981942.0Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.25 RW-4 9.50 RW-5 8.75Pump Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.3 RW-4 4.1 RW-5 3.1Air Stripper Pressure: 15 Inches of WaterEffluent Clarity: ClearBuilding Temperature: 72 Degrees FSystem Operation Upon Arrival: ☒ YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

☒ NO

YES Repaired

Lines

☒ NO

YES Repaired

Stripper

☒ NO

YES Repaired

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: W RW-1 W RW-2 W RW-3 W RW-4 W RW-5Stripper Trays and Tubes Checked: yesStripper Trays and Tubes Cleaned: yesMonitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

Adjust Blower Fan



7428 Rockville Road, Indianapolis, IN 46214

May 9, 2014

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

**Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED
CORRECTIVE MEASURE**

Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the March 21 through April 28, 2014 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On April 4, 2014, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 6.19 feet below top of casing (TOC) in MW-9 to 17.06 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the April 4, 2014 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From March 21 through April 28, 2014, approximately 1,618,213 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 194,149,789 gallons. The average influent groundwater recovery rate from March 21 through April 28, 2014 was approximately 29.57 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on April 4, 2014 to complete bi-weekly and monthly system operation and maintenance activities. Inclement weather (heavy rains) prevented the scheduled semi-annual groundwater sampling activities from being completed and the activities were re-scheduled for the following week. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 4, 2014.

IWM personnel mobilized to the site on April 11, 2014 to complete semi-annual groundwater sampling activities. An evaluation of the Chatterbox telemetry system was conducted while in contact with the manufacturer (Raco) in order to assess the cause of the lack of a telephone alarm when the system shut down due to a power outage that occurred in March 2014. The Chatterbox telemetry system was tested after the evaluation and appeared to be operating properly. Although the system was completely operational during and after the evaluation, the Chatterbox telemetry system began sending false alarm telephone calls out upon departure from the site every four to eight minutes indicating the system was down. IWM personnel returned to the site for additional evaluation and troubleshooting of the Chatterbox telemetry system. After the additional evaluation it was determined that the Chatterbox would need to be sent in for repairs and reprogramming. The Chatterbox telemetry system was removed from the system building and shipped to Raco for repairs. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 11, 2014.

IWM personnel mobilized to the site on April 19, 2014 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 19, 2014.

IWM personnel mobilized to the site on Saturday, April 26, 2014 to install the repaired and reprogrammed Chatterbox telemetry system. The Chatterbox telemetry appeared to be operating properly after installation and testing. Although the system was completely operational during and after the installation and setup, the Chatterbox telemetry system again began sending false alarm telephone calls out upon departure from the site. The Chatterbox telemetry system was deactivated until the following Monday (April 28) in order to contact Raco for additional evaluation. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 26, 2014.

IWM personnel mobilized to the site on Monday, April 28, 2014 to evaluate and troubleshoot the Chatterbox telemetry system with the assistance of Raco. The most likely cause of the false alarm telephone calls from the Chatterbox telemetry system appears to be fluctuations in the electrical system of the system building which causes the telemetry system to inadvertently believe that the system is shut down. An electrician will be contracted to evaluate and repair (if necessary) the electrical system of the system building to enable the Chatterbox telemetry system to operate properly. The Chatterbox telemetry system was deactivated prior to departure from the site. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 28, 2014.

Semi-Annual Groundwater Sampling and Analysis

On April 11, 2014, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace Analytical Services, Inc. (Pace) for VOC analysis using US EPA SW 846 Method 8260B. Groundwater sampling logs are provided in **Attachment D**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-22 (830.1 µg/L total VOCs) located 30 feet northwest of recovery well RW-3 and monitoring well MW-12R (638.5 µg/L total VOCs) located adjacent to recovery well RW-2. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration. The concentrations of dissolved VOCs in monitoring wells MW-12/12R and MW-22 decreased substantially following installation



of the groundwater recovery and treatment system in 1996. Overall, total VOC concentrations in these wells have been relatively stable during operation of the treatment system from 2000 to 2014.

1,1-Dichloroethane was detected in monitoring wells IT-2 and MW-12R. Trichloroethene was detected in monitoring wells IT-2, MW-12R, MW-22, and MW-28. Cis-1,2-dichloroethene was detected in monitoring wells IT-2, MW-12R, and MW-22. 1,1,1-Trichloroethane was detected in monitoring wells IT-2, MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-22, and MW-28.

Both monitoring wells IT-2 and IT-3 are located down-gradient from the site. Overall, total dissolved VOC concentrations in monitoring wells IT-2 and IT-3 have decreased over time during operation of the groundwater recovery and treatment system. Total dissolved VOC concentrations in monitoring wells MW-12R and MW-30 have decreased since the startup of the remedial system in 1996. Total dissolved VOC concentrations decreased substantially in monitoring wells MW-22 and MW-28 during the initial startup of the recovery system in 1996 and have been decreasing during operation of the groundwater recovery and treatment system from 2000 to 2014. Tetrachloroethene and trichloroethene concentrations were reduced significantly (47% and 37%, respectively) in monitoring well MW-22 as part of a three month enhanced bioremediation pilot study conducted in early 2007. During the implementation of the full scale enhanced bioremediation activities (July 2010 through March 2011), tetrachloroethene concentrations decreased 22% in monitoring well MW-22. Post full scale enhanced bioremediation activities, tetrachloroethene concentrations have decreased an additional 48% in monitoring well MW-22.

The dissolved VOC concentrations observed in monitoring well MW-12R initially (October 2010) increased immediately after implementation of the full scale enhanced bioremediation. The reason for the increased dissolved VOC concentrations is because several combination groundwater and microbe injection points (IN-4, IN-5, IN-6, and IN-7) were installed immediately hydraulically up-gradient from this well and the injection points were able to “flush” the VOC impacted saturated soil, thus increasing the dissolved VOC concentrations while simultaneously decreasing the adsorbed VOC concentrations. Furthermore, the dissolved VOCs were drawn to and recovered by hydraulically down-gradient recovery wells RW-2 (adjacent to MW-12R) and RW-5 (approximately 45 feet west of MW-12R). Since monitoring well MW-12R is located between these two recovery wells, this explains why the dissolved VOC concentrations increased immediately after start-up of the full scale enhanced bioremediation activities. It should be noted that the dissolved VOCs displayed a decrease in concentrations during the April 2011 groundwater sampling event. During the October 2011 event, a substantial rebound of dissolved VOC concentrations was observed. Dissolved VOC concentrations in monitoring well MW-12R decreased approximately 78.5% from the October 2011 sampling event to the April 2014 sampling event.

No VOCs were detected in the groundwater samples obtained from monitoring wells IT-3, MW-20, and MW-29.

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Groundwater sampling field logs are provided in **Attachment D**. Laboratory data sheets are provided in **Attachment E**. A summary of groundwater analytical results is included in **Table 1**.

Schedule of Activities

Quarterly, monthly, and biweekly system operation and maintenance activities are scheduled for the month of May 2014. Site visits are scheduled for the weeks beginning April 28, May 12, and May 26, 2014. The information from these site inspections will be included in the May 2014 Progress Report.


Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC



Christopher R. Newell, LPG
Project Geologist





Bradley E. Gentry, LPG
Vice-President

Attachments

cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER



Scale 1":100 ft.

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWP# #111291-01
DWG. NO. 111291S1

FIGURE 1
SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA





LEGEND

- MONITORING WELL
- RECOVERY WELL

- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

722.00 POTENTIAL METRIC SURFACE
(CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM
DATE: 9/27/99
REVISED:
HWP# 111291-01
DWG. NO. 111291S1

FIGURE 2
GROUNDWATER
ELEVATION MAP
(04/04/14)

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA



TABLES

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
IT-2	2/1/1986	NA	15	NR	1.5	90	88	NR	NR	ND	ND	ND	195
	5/1/1986	NA	10	NR	7.5	64	93	NR	NR	ND	ND	ND	175
	8/1/1986	NA	11	NR	38	120	120	NR	NR	ND	ND	ND	289
	11/1/1986	NA	34	NR	55	39	130	NR	NR	ND	ND	ND	258
	3/5/1992	NA	41	78	ND	25	18	NR	NR	ND	ND	ND	162
	7/27/1992	NA	17	30	ND	28	39	NR	NR	ND	ND	ND	114
	2/16/1993	NA	18	51	5J	29	29	NR	NR	ND	ND	ND	127
	10/9/1996	NA	18	79	17	9	18	NR	NR	ND	ND	ND	141
	9/29/2000	12.40	16	87	ND	ND	14	ND	ND	ND	ND	ND	117
	4/2/2001	13.12	11	56	ND	26	60	ND	ND	ND	ND	ND	153
	10/19/2001	12.53	14	70	ND	10	20	ND	ND	ND	ND	ND	114
	4/16/2002	11.65	ND	24	ND	ND	10	ND	ND	ND	ND	ND	34
	10/17/2002	13.13	8.8	46	ND	ND	14	ND	ND	ND	ND	ND	69
	4/30/2003	12.75	ND	31	ND	8.8	21	ND	ND	ND	ND	ND	61
	10/3/2003	12.23	8.8	50	ND	ND	11	ND	ND	ND	ND	ND	70
	4/2/2004	12.47	ND	43	ND	ND	15	ND	ND	ND	ND	ND	58
	10/4/2004	12.61	9.4	60	6.1	12	36	ND	ND	ND	ND	ND	124
	4/1/2005	12.46	6.3	29	ND	5.4	18	ND	ND	ND	ND	ND	59
	10/14/2005	12.38	8	52	ND	ND	9	ND	ND	ND	ND	ND	69
	4/27/2006	11.75	ND	25.5	ND	4.98	14.6	ND	ND	ND	ND	ND	45.1
	10/13/2006	12.47	ND	36.6	ND	ND	13.6	ND	ND	ND	ND	ND	50.2
	4/17/2007	11.96	ND	13.1	ND	ND	8.9	ND	ND	ND	ND	ND	22
	10/12/2007	13.38	8.4	42.7	ND	ND	8.2	ND	ND	ND	ND	ND	59.3
	4/4/2008	11.13	ND	19.1	ND	ND	10.7	ND	ND	ND	ND	ND	29.8
	10/10/2008	12.78	ND	18	ND	ND	5.5	ND	ND	ND	ND	ND	23.5
	4/9/2009	12.22	ND	17.3	ND	6.2	10.1	ND	ND	ND	ND	ND	33.6
	10/9/2009	12.29	ND	11.4	ND	ND	10.3	ND	ND	ND	ND	ND	21.7
	4/8/2010	12.19	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	5.4
	10/7/2010	14.04	6.3	29.7	ND	ND	15.6	ND	ND	ND	ND	ND	51.6
	4/14/2011	11.93	ND	15.4	ND	ND	10.8	ND	ND	ND	ND	ND	26.2
	10/5/2011	13.30	6.5	30.4	ND	5.7	18.7	ND	ND	ND	ND	ND	61.3
	4/6/2012	12.31	ND	18.3	ND	ND	8.5	ND	ND	ND	ND	ND	26.8
	10/5/2012	13.56	ND	33.3	ND	5.6	31.7	ND	ND	ND	ND	ND	70.6
	4/5/2013	12.58	8	27.6	ND	5.5	26.7	ND	ND	ND	ND	ND	67.8
	10/1/2013	13.95	10	35.2	ND	6.5	22.2	ND	ND	ND	ND	ND	73.9
	4/11/2014	11.79	5	15	ND	6.5	36.8	ND	ND	ND	ND	ND	63.3

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
IT-3	2/1/1986	NA	13	NR	290	190	67	NR	NR	ND	ND	ND	560
	5/1/1986	NA	10	NR	NA	200	27	NR	NR	ND	ND	ND	237
	8/1/1986	NA	7.5	NR	24	150	50	NR	NR	ND	ND	ND	232
	11/1/1986	NA	7.9	NR	16	160	72	NR	NR	ND	ND	ND	256
	3/5/1992	NA	4J	ND	ND	83	34	NR	NR	ND	ND	ND	117
	7/27/1992	NA	4J	ND	8	67	22	NR	NR	ND	ND	ND	97
	2/16/1993	NA	5J	ND	ND	71	29	NR	NR	ND	ND	ND	100
	10/9/1996	NA	5	ND	ND	49	58	NR	NR	ND	ND	ND	112
	9/29/2000	10.74	ND	ND	ND	23	17	ND	ND	ND	ND	ND	40
	4/2/2001	11.30	ND	ND	ND	14	14	ND	ND	ND	ND	ND	28
	10/19/2001	10.78	ND	ND	ND	23	16	ND	ND	ND	ND	ND	39
	4/16/2002	10.72	ND	ND	ND	22	11	ND	ND	ND	ND	ND	33
	10/17/2002	11.25	ND	ND	ND	18	16	ND	ND	ND	ND	ND	34
	4/30/2003	11.21	ND	ND	ND	19	11	ND	ND	ND	ND	ND	30
	10/3/2003	10.91	ND	ND	ND	17	9.5	ND	ND	ND	ND	ND	27
	4/2/2004	10.97	ND	ND	ND	12	6	ND	ND	ND	ND	ND	18
	10/4/2004	11.03	ND	ND	5.3	11	5.8	ND	ND	ND	ND	ND	22
	4/1/2005	10.94	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1
	10/14/2005	10.91	ND	ND	ND	7	ND	ND	ND	ND	ND	ND	7.0
	4/27/2006	10.75	ND	ND	ND	12.9	ND	ND	ND	ND	ND	ND	12.9
	10/13/2006	10.95	ND	ND	ND	11.1	5.78	ND	ND	ND	ND	ND	16.9
	4/17/2007	10.83	ND	ND	ND	12.4	7.6	ND	ND	ND	ND	5.7	25.7
	10/12/2007	11.35	ND	ND	ND	12.9	10.2	ND	ND	ND	ND	ND	23.1
	4/4/2008	10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	10/10/2008	11.04	ND	ND	ND	19.9	18.7	ND	ND	ND	ND	ND	38.6
	4/9/2009	10.86	ND	ND	ND	11.4	16.3	ND	ND	ND	ND	ND	27.7
	10/9/2009	10.77	ND	ND	ND	18.9	25.7	ND	ND	ND	ND	ND	44.6
	4/8/2010	10.75	ND	ND	ND	5.6	17.8	ND	ND	ND	ND	ND	23.4
	10/7/2010	11.33	ND	ND	ND	21.6	32.5	ND	ND	ND	ND	ND	54.1
	4/14/2011	10.52	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	6.5
	10/5/2011	11.07	ND	ND	ND	10.4	13.3	ND	ND	ND	ND	ND	23.7
	4/6/2012	10.73	ND	ND	ND	ND	7.2	ND	ND	ND	ND	ND	7.2
	10/5/2012	11.24	ND	ND	ND	6.6	7	ND	ND	ND	ND	ND	13.6
	4/5/2013	10.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	11.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	10.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-12	2/1/1986	NA	360	NR	17,000	19,000	7,400	NR	NR	ND	ND	ND	43,760
	5/1/1986	NA	280	NR	34,000	25,000	5,400	NR	NR	ND	ND	ND	64,680
	8/1/1986	NA	310	NR	18,000	9,600	6,100	NR	NR	ND	ND	ND	34,010
	11/1/1986	NA	440	NR	26,000	24,000	9,100	NR	NR	ND	ND	ND	59,540
	10/9/1996	NA	26	ND	2,000	910	1,200	NR	NR	ND	ND	ND	4,136
	9/29/2000	16.56	11	ND	860	290	880	ND	ND	ND	ND	ND	2,041
	4/2/2001	17.31	9.3	ND	650	170	760	ND	ND	ND	ND	ND	1,589
	10/19/2001	16.67	14	ND	320	240	690	ND	ND	ND	ND	ND	1,264
	4/16/2002	15.86	12	ND	1,300	580	2,600	25	30	ND	ND	ND	4,547
	10/17/2002	17.36	18	ND	1,100	390	980	ND	ND	ND	ND	ND	2,488
	4/30/2003	16.92	12	ND	650	310	900	22	ND	ND	ND	ND	1,894
	10/3/2003	16.32	9.8	ND	550	190	810	ND	ND	ND	ND	ND	1,560
	4/2/2004	16.67	ND	ND	450	170	780	ND	ND	ND	ND	ND	1,400
	10/4/2004	16.72	14	ND	520	300	890	ND	ND	ND	ND	ND	1,724
	4/1/2005	16.67	7	ND	570	180	810	ND	ND	ND	ND	ND	1,567
	10/14/2005	16.53	10	ND	540	171	508	ND	ND	ND	ND	ND	1,229
	4/27/2006	15.83	59.6	ND	873	582	635	ND	ND	6.25	14.7	ND	2,170.55
	10/13/2006	16.56	ND	ND	788	502	574	ND	ND	ND	9.74	ND	1,873.74
	4/17/2007	15.16	7.5	ND	1,020	162	635	ND	ND	ND	ND	ND	1,824.5
	10/12/2007	17.47	22.8	124	1,380	360	571	ND	53.1	ND	ND	ND	2,510.9
MW-12R	4/4/2008	15.41	28.9	11.4	1,590	331	698	ND	ND	ND	ND	ND	2,659.3
	10/10/2008	16.85	ND	ND	352	90	320	ND	ND	ND	ND	ND	762
	4/9/2009	16.38	5.8	ND	444	100	208	ND	ND	ND	ND	ND	757.8
	10/9/2009	16.41	9.3	ND	552	152	288	ND	ND	ND	ND	ND	1,001.3
	4/8/2010	16.32	ND	ND	331	63.3	182	ND	ND	ND	ND	ND	576.3
	10/7/2010	18.41	21.6	703	1,040	222	580	ND	ND	ND	ND	ND	2,566.6
	4/14/2011	16.34	ND	46.1	477	68.9	289	ND	ND	ND	ND	ND	881
	10/5/2011	17.63	ND	159	2,470	67.2	272	ND	ND	ND	ND	ND	2,968.2
	4/6/2012	16.74	ND	81.4	884	56.3	234	ND	ND	ND	ND	ND	1,255.7
	10/5/2012	17.95	ND	23	687	45.6	135	ND	ND	ND	ND	ND	890.6
	4/5/2013	16.09	5.3	154	665	56.9	170	ND	ND	ND	ND	ND	1,051.2
	10/1/2013	18.22	ND	10.1	392	39.2	66	ND	ND	ND	ND	ND	507.3
	4/11/2014	16.21	5	47.1	458	49	79.4	ND	ND	ND	ND	ND	638.5

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-20	3/5/1992	NA	ND	ND	ND	ND	ND	NR	NR	ND	ND	ND	ND
	9/29/2000	8.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2001	11.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/19/2001	9.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	8.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	11.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	9.72	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	5
	10/3/2003	9.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	11.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/2005	9.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	10.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	9.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	10.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	9.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	12.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	7.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	10.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	8.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	11.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	8.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	10.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	11.10	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	5
	4/5/2013	9.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	11.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Duplicate		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	8.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-22	10/9/1996	NA	ND	ND	5,600	ND	1,000	NR	NR	ND	ND	ND	6,600
	9/29/2000	16.98	ND	ND	3,300	41	230	ND	ND	ND	ND	ND	3,571
	4/2/2001	17.88	14	ND	4,400	37	220	ND	ND	ND	ND	ND	4,671
	10/19/2001	17.29	ND	ND	2,000	53	290	120	ND	ND	ND	ND	2,463
	4/16/2002	16.51	ND	ND	4,100	34	400	110	ND	ND	ND	ND	4,644
	10/17/2002	18.08	ND	ND	2,600	26	250	ND	ND	ND	ND	ND	2,876
	4/30/2003	17.32	ND	ND	3,500	31	570	ND	ND	ND	ND	ND	4,101
	Duplicate		ND	ND	3,200	30	580	ND	ND	ND	ND	ND	3,810
	10/3/2003	17.01	ND	ND	3,100	27	230	ND	ND	ND	ND	ND	3,357
	Duplicate		ND	ND	3,200	27	220 J	ND	ND	ND	ND	ND	3,227
	4/2/2004	17.03	ND	ND	ND	15	140	ND	ND	ND	ND	ND	155
	Duplicate		ND	ND	ND	18	140	ND	ND	ND	ND	ND	158
	10/4/2004	17.52	ND	ND	2,400	18	190	ND	ND	ND	ND	ND	2,608
	Duplicate		ND	ND	2,400	19	200	ND	ND	ND	ND	ND	2,619
	4/1/2005	17.07	ND	ND	1,900	20	170	ND	ND	ND	ND	ND	2,090
	Duplicate		ND	ND	1,900	19	160	ND	ND	ND	ND	ND	2,079
	10/14/2005	17.16	ND	ND	1,720	15	136	ND	ND	ND	ND	ND	1,871
	Duplicate		ND	ND	1,730	15	141	ND	ND	ND	ND	ND	1,886
	4/27/2006	16.65	ND	ND	2,710	24.7	159	ND	ND	ND	ND	ND	2,894
	Duplicate		ND	ND	2,600	23.9	147	ND	ND	ND	ND	ND	2,770.9
	10/13/2006	17.56	ND	ND	1,830	20	146	ND	ND	ND	ND	ND	1,996
	Duplicate		ND	ND	1,880	19	151	ND	ND	ND	ND	ND	2,050.0
	4/17/2007	16.80	ND	8.5	1,320	6.8	68.2	ND	ND	ND	ND	ND	1,403.5
	Duplicate		ND	8.3	1,420	7.4	71.1	ND	ND	ND	ND	ND	1,506.8
	10/12/2007	18.62	ND	58.3	1,190	10	51.4	ND	ND	ND	ND	ND	1,309.7
	Duplicate		ND	68.3	1,160	10.9	58.8	ND	ND	ND	ND	ND	1,298.0
	4/4/2008	16.07	ND	ND	1,030	14	99.4	ND	ND	ND	ND	ND	1,143.4
	Duplicate		ND	ND	1,280	13.5	98.4	ND	ND	ND	ND	ND	1,391.9
	10/10/2008	17.87	ND	ND	1,210	13.2	106	ND	ND	ND	ND	ND	1,329.2
	Duplicate		ND	ND	1,170	11.9	95.1	ND	ND	ND	ND	ND	1,277.0
	4/9/2009	17.23	ND	ND	1,230	17.5	87.9	ND	ND	ND	ND	ND	1,335.4
	Duplicate		ND	ND	1,300	17.7	90.4	ND	ND	ND	ND	ND	1,408.1
	10/9/2009	17.36	ND	ND	1,600	13.4	96.1	ND	ND	ND	ND	ND	1,709.5
	Duplicate		ND	ND	1,610	13.2	97	ND	ND	ND	ND	ND	1,720.2
	4/8/2010	17.14	ND	ND	1,380	10.1	61.8	ND	ND	ND	ND	ND	1,451.9
	Duplicate		ND	ND	1,660	10.6	64.5	ND	ND	ND	ND	ND	1,735.1
	10/7/2010	18.64	ND	428	797	10.6	84.3	ND	ND	ND	ND	ND	1,319.9
	Duplicate		ND	403	746	10.3	83.1	ND	ND	ND	ND	ND	1,242.4
	4/14/2011	16.63	ND	487	1,070	ND	35.3	ND	ND	ND	ND	ND	1,592.3
	Duplicate		ND	473	1,030	ND	34.1	ND	ND	ND	ND	ND	1,537.1
	10/5/2011	18.06	ND	136	1,150	ND	58.5	ND	ND	ND	ND	ND	1,344.5
	Duplicate		ND	131	1,100	ND	54.8	ND	ND	ND	ND	ND	1,285.8
	4/6/2012	17.06	ND	87.8	656	7.7	95.9	ND	ND	ND	ND	ND	847.4
	Duplicate		ND	74.7	468	8.7	82.3	ND	ND	ND	ND	ND	633.7
	10/5/2012	18.52	ND	69.3	710	10.2	111	ND	ND	ND	ND	ND	900.5
	Duplicate		ND	65.4	722	9.9	108	ND	ND	ND	ND	ND	905.3
	4/5/2013	17.29	ND	27	745	10.1	107	ND	ND	ND	ND	ND	889.1
	Duplicate		ND	71.2	1,000	14	176	ND	ND	ND	ND	ND	1,261.2
	10/1/2013	18.71	ND	32.8	638	8.5	96.5	ND	ND	ND	ND	ND	775.8
	4/11/2014	16.66	ND	11.7	744	9.2	65.2	ND	ND	ND	ND	ND	830.1
	Duplicate		ND	50.8	901	14.7	154	ND	ND	ND	ND	ND	1,120.5

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-28	2/17/1993	NA	ND	ND	318	415	230	NR	52	ND	ND	ND	1,015
	10/9/1996	NA	ND	ND	54	36	38	NR	NR	ND	ND	ND	128
	9/29/2000	16.92	ND	ND	51	49	44	ND	ND	ND	ND	ND	144
	4/2/2001	17.97	ND	ND	30	49	42	ND	ND	ND	ND	ND	121
	10/19/2001	17.22	ND	ND	30	37	37	ND	ND	ND	ND	ND	104
	4/16/2002	16.37	ND	ND	26	43	29	ND	ND	ND	ND	ND	98
	10/17/2002	18.35	ND	ND	27	41	34	ND	ND	ND	ND	ND	102
	4/30/2003	17.33	ND	ND	40	36	35	ND	ND	ND	ND	ND	111
	10/3/2003	17.05	ND	ND	46	35	36	ND	ND	ND	ND	ND	117
	4/2/2004	16.96	ND	ND	32	27	27	ND	ND	ND	ND	ND	86
	10/4/2004	17.81	ND	ND	33	41	48	ND	ND	ND	ND	ND	122
	4/1/2005	17.05	ND	ND	30	37	35	ND	ND	ND	ND	ND	102
	10/14/2005	17.26	ND	ND	29	25	36	ND	ND	ND	ND	ND	90
	4/27/2006	16.39	ND	ND	19.1	17.1	20.2	ND	ND	ND	ND	ND	56.4
	10/13/2006	17.42	ND	ND	23.2	41.5	47	ND	ND	ND	ND	ND	111.7
	4/17/2007	16.67	ND	ND	25.6	24	27.1	ND	ND	ND	ND	ND	76.7
	10/12/2007	18.61	ND	ND	30.2	39.4	26.1	ND	5.8	ND	ND	ND	101.5
	4/4/2008	15.67	ND	ND	34.4	23.1	25.7	ND	ND	ND	ND	ND	83.2
	10/10/2008	17.71	ND	ND	30.5	29	34.7	ND	ND	ND	ND	ND	94.2
	4/9/2009	16.87	ND	ND	33.7	21.9	25.6	ND	ND	ND	ND	ND	81.2
	10/9/2009	17.11	ND	ND	34.9	22.1	30.1	ND	ND	ND	ND	ND	87.1
	4/8/2010	16.82	ND	ND	29.7	15.1	18.8	ND	ND	ND	ND	ND	63.6
	10/7/2010	18.57	ND	ND	23.8	21.9	21.2	ND	ND	ND	ND	ND	66.9
	4/14/2011	16.18	ND	ND	18.9	9.5	11.4	ND	ND	ND	ND	ND	39.8
	10/5/2011	17.93	ND	ND	29.4	14.7	19.3	ND	ND	ND	ND	ND	63.4
	4/6/2012	16.66	ND	ND	29.9	9.1	13.9	ND	ND	ND	ND	ND	52.9
	10/5/2012	18.35	ND	ND	32.7	13.4	13.9	ND	ND	ND	ND	ND	60.0
	4/5/2013	16.99	ND	ND	29.1	11.3	17.1	ND	ND	ND	ND	ND	57.5
	10/1/2013	18.57	ND	ND	19	11.6	8.8	ND	ND	ND	ND	ND	39.4
	4/11/2014	16.13	ND	ND	29.5	10.7	10.8	ND	ND	ND	ND	ND	51.0

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-29	9/29/2000	16.71	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	11
	4/2/2001	17.75	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	5
	10/19/2001	17.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	16.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	18.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	16.02	ND	ND	8.8	ND	ND	ND	ND	ND	ND	ND	9
	10/3/2003	16.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	17.84	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	6.7
	4/1/2005	16.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	17.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	16.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	17.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	15.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	17.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	16.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	16.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	16.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	17.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	18.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/5/2013	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/1/2013	18.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/11/2014	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										Total VOCs
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro - ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	
MW-30	9/29/2000	15.76	ND	ND	ND	36	70	ND	ND	ND	ND	ND	106
	4/2/2001	16.18	ND	ND	ND	31	50	ND	ND	ND	ND	ND	81
	10/19/2001	13.78	ND	ND	ND	37	48	ND	ND	ND	ND	ND	85
	4/16/2002	15.26	ND	ND	ND	39	37	ND	ND	ND	ND	ND	76
	10/17/2002	16.00	ND	ND	ND	29	42	ND	ND	ND	ND	ND	71
	4/30/2003	9.72*	ND	ND	ND	32	35	ND	ND	ND	ND	ND	67
	10/3/2003	15.63	ND	ND	ND	25	26	ND	ND	ND	ND	ND	51
	4/2/2004	15.75	ND	ND	ND	20	19	ND	ND	ND	ND	ND	39
	10/4/2004	15.51	ND	ND	6.3	26	27	ND	ND	ND	ND	ND	59
	4/1/2005	15.46	ND	ND	ND	31	28	ND	ND	ND	ND	ND	59
	10/14/2005	15.45	ND	ND	ND	22	33	ND	ND	ND	ND	ND	55
	4/27/2006	14.90	ND	ND	ND	12.2	16.8	ND	ND	ND	ND	ND	29
	10/13/2006	15.45	ND	ND	ND	33.3	30.5	ND	ND	ND	ND	ND	64
	4/17/2007	15.34	ND	ND	ND	14.1	14.7	ND	ND	ND	ND	ND	28.8
	10/12/2007	16.06	ND	ND	ND	39.6	27.6	ND	5.7	ND	ND	ND	72.9
	4/4/2008	14.57	ND	ND	ND	15.9	15.2	ND	ND	ND	ND	ND	31.1
	10/10/2008	15.92	ND	ND	ND	18.2	12.7	ND	ND	ND	ND	ND	30.9
	4/9/2009	15.66	ND	ND	ND	15.6	9.9	ND	ND	ND	ND	ND	25.5
	10/9/2009	15.67	ND	ND	ND	15.2	7.9	ND	ND	ND	ND	ND	23.1
	4/8/2010	15.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	16.12	ND	ND	ND	24.3	10.1	ND	ND	ND	ND	ND	34.4
	4/14/2011	15.17	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.7
	10/5/2011	15.87	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/6/2012	15.31	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	6.6
	10/5/2012	15.94	ND	ND	ND	15.4	5	ND	ND	ND	ND	ND	20.4
	4/5/2013	15.45	ND	ND	ND	10.9	ND	ND	ND	ND	ND	ND	10.9
	10/1/2013	15.95	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/11/2014	14.96	ND	ND	ND	8.8	ND	ND	ND	ND	ND	ND	8.8

Notes:

Results in micrograms per liter (ug/l).

ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.

Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.

J - Estimated value.

* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/14/11	732.25	13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69
	12/17/12		13.67	718.58
	01/11/13		13.65	718.60
	02/25/13		12.13	720.12
	03/22/13		12.42	719.83
	04/05/13		12.58	719.67
	05/03/13		12.17	720.08
	06/13/13		11.94	720.31
	07/12/13		12.76	719.49
	08/09/13		13.10	719.15
	09/06/13		13.61	718.64
	10/01/13		13.95	718.30
	11/01/13		13.79	718.46
	12/13/13		14.00	718.25
	01/13/14		12.28	719.97
	02/07/14		NG	NG
	03/21/14		12.63	719.62
	04/04/14		12.30	719.95

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/14/11	728.71	11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47
	12/17/12		11.41	717.30
	01/11/13		11.22	717.49
	02/25/13		10.84	717.87
	03/22/13		10.75	717.96
	04/05/13		10.86	717.85
	05/03/13		10.69	718.02
	06/13/13		10.72	717.99
	07/12/13		10.86	717.85
	08/09/13		10.98	717.73
	09/06/13		11.13	717.58
	10/01/13		11.24	717.47
	11/01/13		11.17	717.54
	12/13/13		11.41	717.30
	01/13/14		10.59	718.12
	02/07/14		10.87	717.84
	03/21/14		10.82	717.89
	04/04/14		10.15	718.56

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/14/11	736.44	16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06
	12/17/12		16.52	719.92
	01/11/13		16.42	720.02
	02/25/13		14.96	721.48
	03/22/13		14.80	721.64
	04/05/13		15.94	720.50
	05/03/13		14.53	721.91
	06/13/13		14.56	721.88
	07/12/13		15.19	721.25
	08/09/13		15.66	720.78
	09/06/13		16.23	720.21
	10/01/13		16.55	719.89
	11/01/13		16.55	719.89
	12/13/13		16.75	719.69
	01/13/14		14.90	721.54
	02/07/14		15.07	721.37
	03/21/14		15.06	721.38
	04/04/14		14.81	721.63

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/14/11	733.04	10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63
	12/17/12		10.64	722.40
	01/11/13		10.23	722.81
	02/25/13		8.45	724.59
	03/22/13		7.98	725.06
	04/05/13		8.23	724.81
	05/03/13		7.72	725.32
	06/13/13		8.12	724.92
	07/12/13		8.75	724.29
	08/09/13		9.29	723.75
	09/06/13		10.05	722.99
	10/01/13		10.49	722.55
	11/01/13		10.44	722.60
	12/13/13		10.73	722.31
	01/13/14		7.97	725.07
	02/07/14		8.56	724.48
	03/21/14		8.48	724.56
	04/04/14		6.19	726.85

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12R	01/14/11	736.15	17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20
	12/17/12		18.01	718.14
	01/11/13		17.98	718.17
	02/25/13		16.38	719.77
	03/22/13		16.76	719.39
	04/05/13		16.09	720.06
	05/03/13		16.52	719.63
	06/13/13		16.07	720.08
	07/12/13		17.06	719.09
	08/09/13		17.41	718.74
	09/06/13		17.93	718.22
	10/01/13		18.22	717.93
	11/01/13		18.06	718.09
	12/13/13		18.32	717.83
	01/13/14		16.64	719.51
	02/07/14		16.90	719.25
	03/21/14		16.95	719.20
	04/04/14		16.68	719.47

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/14/11	734.03	11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93
	12/17/12		11.44	722.59
	01/11/13		10.99	723.04
	02/25/13		9.49	724.54
	03/22/13		9.13	724.90
	04/05/13		9.39	724.64
	05/03/13		8.92	725.11
	06/13/13		9.30	724.73
	07/12/13		9.76	724.27
	08/09/13		10.21	723.82
	09/06/13		11.26	722.77
	10/01/13		11.43	722.60
	11/01/13		11.31	722.72
	12/13/13		11.71	722.32
	01/13/14		8.91	725.12
	02/07/14		11.88	722.15
	03/21/14		9.52	724.51
	04/04/14		7.44	726.59

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/14/11	737.91	17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87
	12/17/12		18.14	719.77
	01/11/13		18.04	719.87
	02/25/13		16.63	721.28
	03/22/13		16.49	721.42
	04/05/13		16.65	721.26
	05/03/13		16.22	721.69
	06/13/13		16.24	721.67
	07/12/13		16.88	721.03
	08/09/13		17.35	720.56
	09/06/13		17.88	720.03
	10/01/13		18.23	719.68
	11/01/13		18.19	719.72
	12/13/13		18.42	719.49
	01/13/14		16.59	721.32
	02/07/14		16.07	721.84
	03/21/14		16.76	721.15
	04/04/14		16.49	721.42

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/14/11	737.64	18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12
	12/17/12		18.63	719.01
	01/11/13		18.54	719.10
	02/25/13		17.21	720.43
	03/22/13		17.16	720.48
	04/05/13		17.29	720.35
	05/03/13		16.92	720.72
	06/13/13		16.74	720.90
	07/12/13		17.47	720.17
	08/09/13		17.89	719.75
	09/06/13		18.39	719.25
	10/01/13		18.71	718.93
	11/01/13		18.63	719.01
	12/13/13		18.90	718.74
	01/13/14		17.09	720.55
	02/07/14		17.26	720.38
	03/21/14		17.37	720.27
	04/04/14		17.06	720.58

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/14/11	736.02	16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50
	12/17/12		16.67	719.35
	01/11/13		16.63	719.39
	02/25/13		15.35	720.67
	03/22/13		15.25	720.77
	04/05/13		15.36	720.66
	05/03/13		15.03	720.99
	06/13/13		15.04	720.98
	07/12/13		15.56	720.46
	08/09/13		15.93	720.09
	09/06/13		16.32	719.70
	10/01/13		16.59	719.43
	11/01/13		16.60	719.42
	12/13/13		16.81	719.21
	01/13/14		15.30	720.72
	02/07/14		15.46	720.56
	03/21/14		15.46	720.56
	04/04/14		15.23	720.79

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/14/11	736.39	14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12
	12/17/12		14.55	721.84
	01/11/13		14.42	721.97
	02/25/13		12.70	723.69
	03/22/13		12.33	724.06
	04/05/13		12.55	723.84
	05/03/13		12.08	724.31
	06/13/13		12.43	723.96
	07/12/13		12.90	723.49
	08/09/13		13.40	722.99
	09/06/13		14.10	722.29
	10/01/13		14.46	721.93
	11/01/13		14.36	722.03
	12/13/13		14.74	721.65
	01/13/14		12.38	724.01
	02/07/14		12.80	723.59
	03/21/14		12.73	723.66
	04/04/14		11.60	724.79

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/14/11	736.63	16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95
	12/17/12		16.92	719.71
	01/11/13		16.83	719.80
	02/25/13		15.28	721.35
	03/22/13		15.12	721.51
	04/05/13		15.30	721.33
	05/03/13		14.85	721.78
	06/13/13		14.87	721.76
	07/12/13		15.55	721.08
	08/09/13		16.05	720.58
	09/06/13		16.67	719.96
	10/01/13		16.96	719.67
	11/01/13		16.91	719.72
	12/13/13		17.18	719.45
	01/13/14		15.14	721.49
	02/07/14		15.41	721.22
	03/21/14		15.41	721.22
	04/04/14		15.20	721.43

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/14/11	738.04	18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69
	12/17/12		18.52	719.52
	01/11/13		18.45	719.59
	02/25/13		16.97	721.07
	03/22/13		16.85	721.19
	04/05/13		16.99	721.05
	05/03/13		16.57	721.47
	06/13/13		16.52	721.52
	07/12/13		17.22	720.82
	08/09/13		17.70	720.34
	09/06/13		18.26	719.78
	10/01/13		18.57	719.47
	11/01/13		18.52	719.52
	12/13/13		18.79	719.25
	01/13/14		16.86	721.18
	02/07/14		18.70	719.34
	03/21/14		17.09	720.95
	04/04/14		16.86	721.18

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/14/11	737.61	17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46
	12/17/12		18.35	719.26
	01/11/13		18.30	719.31
	02/25/13		16.77	720.84
	03/22/13		16.68	720.93
	04/05/13		16.80	720.81
	05/03/13		16.38	721.23
	06/13/13		16.38	721.23
	07/12/13		17.07	720.54
	08/09/13		17.55	720.06
	09/06/13		18.13	719.48
	10/01/13		18.43	719.18
	11/01/13		18.36	719.25
	12/13/13		18.61	719.00
	01/13/14		16.67	720.94
	02/07/14		16.92	720.69
	03/21/14		16.94	720.67
	04/04/14		16.74	720.87

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/14/11	734.84	16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90
	12/17/12		15.99	718.85
	01/11/13		15.96	718.88
	02/25/13		15.39	719.45
	03/22/13		15.35	719.49
	04/05/13		15.45	719.39
	05/03/13		15.26	719.58
	06/13/13		14.76	720.08
	07/12/13		15.47	719.37
	08/09/13		15.65	719.19
	09/06/13		15.86	718.98
	10/01/13		15.95	718.89
	11/01/13		15.94	718.90
	12/13/13		16.01	718.83
	01/13/14		15.30	719.54
	02/07/14		15.48	719.36
	03/21/14		15.45	719.39
	04/04/14		15.20	719.64

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/14/11	730.97	12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59
	12/17/12		12.15	718.82
	01/11/13		12.01	718.96
	02/25/13		12.01	718.96
	03/22/13		12.62	718.35
	04/05/13		12.10	718.87
	05/03/13		12.58	718.39
	06/13/13		10.84	720.13
	07/12/13		12.68	718.29
	08/09/13		12.70	718.27
	09/06/13		12.35	718.62
	10/01/13		12.25	718.72
	11/01/13		12.20	718.77
	12/13/13		12.13	718.84
	01/13/14		12.21	718.76
	02/07/14		12.20	718.77
	03/21/14		12.98	717.99
	04/04/14		12.90	718.07

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/14/11	732.05	13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35
	12/17/12		15.30	716.75
	01/11/13		15.25	716.80
	02/25/13		15.10	716.95
	03/22/13		15.63	716.42
	04/05/13		15.23	716.82
	05/03/13		15.58	716.47
	06/13/13		11.64	720.41
	07/12/13		15.18	716.87
	08/09/13		15.27	716.78
	09/06/13		15.20	716.85
	10/01/13		15.61	716.44
	11/01/13		14.65	717.40
	12/13/13		14.55	717.50
	01/13/14		14.29	717.76
	02/07/14		14.48	717.57
	03/21/14		15.69	716.36
	04/04/14		15.43	716.62

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/14/11	733.19	17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01
	12/17/12		17.10	716.09
	01/11/13		17.00	716.19
	02/25/13		17.28	715.91
	03/22/13		16.33	716.86
	04/05/13		16.43	716.76
	05/03/13		16.01	717.18
	06/13/13		11.53	721.66
	07/12/13		15.98	717.21
	08/09/13		15.80	717.39
	09/06/13		15.61	717.58
	10/01/13		17.88	715.31
	11/01/13		16.60	716.59
	12/13/13		17.97	715.22
	01/13/14		11.91	721.28
	02/07/14		17.60	715.59
	03/21/14		16.01	717.18
	04/04/14		15.22	717.97

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/14/11	735.48	18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17
	12/17/12		19.91	715.57
	01/11/13		19.31	716.17
	02/25/13		18.77	716.71
	03/22/13		16.98	718.50
	04/05/13		17.42	718.06
	05/03/13		16.60	718.88
	06/13/13		16.42	719.06
	07/12/13		17.50	717.98
	08/09/13		17.59	717.89
	09/06/13		17.44	718.04
	10/01/13		18.19	717.29
	11/01/13		19.47	716.01
	12/13/13		18.70	716.78
	01/13/14		16.87	718.61
	02/07/14		17.25	718.23
	03/21/14		17.23	718.25
	04/04/14		17.10	718.38

**Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana**

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	01/14/11	731.96	15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02
	12/17/13		15.48	716.48
	01/11/13		15.38	716.58
	02/25/13		13.78	718.18
	03/22/13		14.32	717.64
	04/05/13		14.54	717.42
	05/03/13		14.62	717.34
	06/13/13		13.70	718.26
	07/12/13		14.75	717.21
	08/09/13		14.81	717.15
	09/06/13		15.09	716.87
	10/01/13		16.08	715.88
	11/01/13		15.82	716.14
	12/13/13		16.06	715.90
	01/13/14		NG	NG
	02/07/14		15.89	716.07
	03/21/14		14.75	717.21
	04/04/14		14.50	717.46

NR-Not Recorded

NG-Not Gauged

ATTACHMENT B
Groundwater Recovery

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	445,555	428,463	536,852	-	-	1,410,870
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	1,949,120	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	2,835,673	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	2,835,673	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	2,842,124	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					Total
	RW-1	RW-2	RW-3	RW-4	RW-5	
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings


Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218
11/2/2012	19,386,758	34,899,644	51,376,083	58,088,081	10,282,271	174,054,064
11/6/2012	19,391,068	34,899,671	51,411,992	58,149,154	10,332,065	174,205,177
11/16/2012	19,400,364	34,899,674	51,501,533	58,297,367	10,450,677	174,570,842
11/30/2012	19,409,314	34,899,674	51,629,413	58,509,626	10,609,784	175,079,038
12/7/2012	19,411,904	34,899,674	51,693,373	58,616,035	10,685,793	175,328,006
12/11/2012	19,413,930	34,899,805	51,729,227	58,675,438	10,729,481	175,469,108
12/17/2012	19,417,115	34,914,357	51,784,590	58,767,251	10,796,312	175,700,852
12/28/2012	19,422,179	34,938,064	51,884,718	58,916,250	10,931,950	176,114,388
1/11/2013	19,429,323	34,967,288	52,013,327	59,107,052	11,104,052	176,642,269
1/24/2013	19,478,399	35,024,332	52,132,195	59,282,511	11,247,851	177,186,515
2/8/2013	19,535,734	35,096,268	52,272,637	59,488,915	11,273,959	177,688,740
2/25/2013	19,596,413	35,160,047	52,432,869	59,721,134	11,294,807	178,226,497
3/8/2013	19,634,478	35,189,228	52,534,826	59,868,397	11,442,232	178,690,388
3/22/2013	19,681,911	35,228,166	52,663,610	60,055,339	11,626,130	179,276,383
4/5/2013	19,727,669	35,265,694	52,792,148	60,241,450	11,811,400	179,859,588
4/19/2013	19,771,092	35,301,176	52,921,620	60,429,844	11,997,517	180,442,476
5/3/2013	19,823,292	35,344,645	53,049,314	60,615,719	12,179,555	181,033,752
5/17/2013	19,876,397	35,385,222	53,177,532	60,802,477	12,363,253	181,626,108
5/20/2013	19,887,596	35,395,416	53,203,514	60,840,462	12,400,905	181,749,120
5/30/2013	19,924,579	35,430,856	53,294,257	60,972,623	12,532,113	182,175,655
6/13/2013	19,954,209	35,459,564	53,367,498	61,079,480	12,636,980	182,518,958
6/28/2013	19,984,165	35,491,016	53,439,824	61,189,501	12,747,249	182,872,982
7/12/2013	20,029,164	35,538,329	53,560,220	61,372,738	12,931,693	183,453,371
7/26/2013	20,067,500	35,577,142	53,682,207	61,554,872	13,113,782	184,016,730
8/9/2013	20,100,935	35,609,889	53,805,409	61,738,677	13,292,277	184,568,414
8/23/2013	20,130,301	35,638,298	53,928,901	61,920,983	13,475,291	185,115,001
9/6/2013	20,153,775	35,660,903	54,052,237	62,102,418	13,656,818	185,647,378
9/19/2013	20,169,780	35,677,552	54,168,145	62,271,795	13,829,216	186,137,715
9/27/2013	20,177,315	35,686,555	54,237,580	62,374,486	13,934,019	186,431,182
10/1/2013	20,180,640	35,690,996	54,274,274	62,428,853	13,988,747	186,584,737
10/18/2013	20,198,726	35,712,831	54,422,532	62,648,015	14,209,497	187,212,828
11/1/2013	20,209,877	35,728,996	54,545,883	62,830,711	14,387,026	187,723,720
11/13/2013	20,219,607	35,743,158	54,651,633	62,987,871	14,542,658	188,166,154
11/27/2013	20,229,129	35,758,564	54,771,388	63,169,850	14,719,860	188,670,018
12/13/2013	20,232,306	35,773,540	54,903,022	63,378,171	14,918,033	189,226,299
12/27/2013	20,254,947	35,798,155	55,018,923	63,559,842	15,094,915	189,748,009
1/13/2014	20,310,459	35,858,444	55,058,528	63,785,620	15,311,390	190,345,668
1/27/2014	20,359,066	35,908,347	55,163,059	63,963,231	15,482,350	190,897,280
2/7/2014	20,393,790	35,943,762	55,256,155	64,106,449	15,618,274	191,339,657
2/19/2014	20,428,577	35,979,526	55,358,809	64,263,402	15,766,688	191,818,229
3/7/2014	20,443,248	35,987,068	55,387,924	64,307,521	15,808,414	191,955,402
3/21/2014	20,489,612	36,042,705	55,506,739	64,489,351	15,981,942	192,531,576
4/4/2014	20,530,379	36,090,004	55,623,198	64,664,950	16,150,450	193,080,208
4/11/2014	20,561,121	36,123,401	55,682,367	64,754,818	16,237,417	193,380,351
4/19/2014	20,597,949	36,164,233	55,748,349	64,877,632	16,338,389	193,747,779
4/26/2014	20,626,412	36,195,383	55,805,928	64,981,088	16,423,019	194,053,057
4/28/2014	20,635,165	36,204,856	55,824,342	65,014,336	16,449,863	194,149,789

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 4/4/14
 IWM Personnel: David Molin
 Arrival Time: 0919
 Departure Time: 1235
 Alarm Response Visit: YES ☒ NO

BIWEEKLY DATA

Totalizer Readings: RW-1 1902830 RW-2 21000660 RW-3 39122470 RW-4 64664950 RW-5 16150450
 Flow Rate GPM: RW-1 3.25 RW-2 2.5 RW-3 6.5 RW-4 1.5 RW-5 9.0
 Pump Running Amps RW-1 4.23 RW-2 3.57 RW-3 3.62 RW-4 3.97 RW-5 4.23
 Air Stripper Pressure: 14.5 Inches of Water
 Effluent Clarity: Clear
 Building Temperature: 62 Degrees F
 System Operation Upon Arrival: ☒ YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
 Please circle appropriate controller(s) below:

Manholes	<input checked="" type="radio"/> NO	YES	Repaired	_____
Lines	<input checked="" type="radio"/> NO	YES	Repaired	_____
Stripper	<input checked="" type="radio"/> NO	YES	Repaired	_____

 If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5
 Stripper Trays and Tubes Checked: yes
 Stripper Trays and Tubes Cleaned: yes clean
 Monitoring/Recovery Wells Gauged: yes
 Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 4-11-14

IWM Personnel: R. Miller

Arrival Time: 9:00

Departure Time: 3:00

Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 19335720 RW-2 21034057.0 RW-3 39181639.0 RW-4 64754818.0 RW-5 16237417.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 9.00 / 10.00 RW-5 9.00

Pump Running Amps RW-1 3.2 RW-2 3.3 RW-3 3.2 RW-4 4.0 RW-5 3.4

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 64 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

NO

YES Repaired

Lines

NO

YES Repaired

Stripper

NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 4-19-14IWM Personnel: R. MieuArrival Time: 1238Departure Time: 1:34Alarm Response Visit: YES ☐ NO ☒

BIWEEKLY DATA

Totalizer Readings: RW-1 1970400.0 RW-2 21074889.0 RW-3 39247621.0 RW-4 64877632.0 RW-5 16338389.0Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 10.00 RW-5 9.00Pump Running Amps RW-1 3.6 RW-2 3.4 RW-3 3.5 RW-4 4.0 RW-5 3.8Air Stripper Pressure: 15 Inches of WaterEffluent Clarity: ClearBuilding Temperature: 68 Degrees FSystem Operation Upon Arrival: YES ☒ NO (if no please explain below)Turn Heat off for the season

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes

NO

YES Repaired

Lines

NO

YES Repaired

Stripper

NO

YES Repaired

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 4-26-11

WM Personnel: R. Mien

Arrival Time: 9:00

Departure Time: 12:00

Alarm Response Visit: YES ☒ NO ☐

Install new Chattenbox

BIWEEKLY DATA

Totalizer Readings: RW-1 1998863.0 RW-2 21106039.0 RW-3 39305200.0 RW-4 64981088.0 RW-5 16423019.0

Flow Rate GPM: RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5 _____

Pump Running Amps RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5 _____

Air Stripper Pressure: _____ Inches of Water

Effluent Clarity: Clear

Building Temperature: 64 Degrees F

System Operation Upon Arrival: ☒ YES ☐ NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	_____
Lines	NO	YES	Repaired	_____
Stripper	NO	YES	Repaired	_____

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5 _____

Stripper Trays and Tubes Checked: _____

Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments: _____

FORMER AMPHENOL FACILITY

980B Hurricane Road

Franklin, Indiana

Site Inspection Date: 4-28-14

IWM Personnel: R. Mien

Arrival Time: 1130

Departure Time: 4:38

Alarm Response Visit: YES ☐ NO ☒

BIWEEKLY DATA

Totalizer Readings: RW-1 2007616.0 RW-2 211155120 RW-3 39323614.0 RW-4 65014336.0 RW-5 16449863.0

Flow Rate GPM: RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5 _____

Pump Running Amps RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5 _____

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clean

Building Temperature: 64 Degrees F

System Operation Upon Arrival: YES ☒ NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	_____
Lines	NO	YES	Repaired	_____
Stripper	NO	YES	Repaired	_____

If yes, explain: _____

MONTHLY DATA

Filter Cartridges Replaced: RW-1 _____ RW-2 _____ RW-3 _____ RW-4 _____ RW-5 _____

Stripper Trays and Tubes Checked: _____


Stripper Trays and Tubes Cleaned: _____

Monitoring/Recovery Wells Gauged: _____

Recommendations for system optimization or general comments: _____

ATTACHMENT D

Groundwater Field Sampling Logs



YSI 556 Calibration Form

Date: 4/11/14
 Personnel: pew
 Project: amphenol

Parameter	Calibration Standard Value	Instrument Reading Before Calibration	Instrument Reading After Calibration	Calibration Accepted	Instrument Reading Post-Calibration
ORP	mV	235.2	240.3	<input checked="" type="radio"/> Y / <input type="radio"/> N	
pH	7.00 s.u. (+/-50 pH mV)	240 7.23	7.0	<input checked="" type="radio"/> Y / <input type="radio"/> N	
pH	4.00 s.u. (+165-180 pH mV)	133.6 / 3.82	3.97	<input checked="" type="radio"/> Y / <input type="radio"/> N	
Sp Conductance	4.49 mS/cm	4.436	4.490	<input checked="" type="radio"/> Y / <input type="radio"/> N	
Sp Conductance	1.413 mS/cm			<input type="radio"/> Y / <input type="radio"/> N	
DO	8.92 mg/L (Multi-solution) or 95-105%	112.9	97.4	<input checked="" type="radio"/> Y / <input type="radio"/> N	
pH	10.00 s.u. (-165-180 pH mV)	-173.0 / 9.88	10.0	<input checked="" type="radio"/> Y / <input type="radio"/> N	

* Out of ranges need to be noted.

Notes: _____

ORP Measurements Reference Table

Temperature °F	Temperature °C	Potential in mV
32	0	237
41	5	232
50	10	230
59	15	237
68	20	223
77	25	220
86	30	226
95	35	213
104	40	219
113	45	205
122	50	201
131	55	197
140	60	193
149	65	189
158	70	185

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. IT-2 Project No. IN-AMP-12-06
Project Amphenol Site Name Amphenol, Franklin, IN
Sampling Purpose Semi-Annual GWS Sampling Personnel Mier/White
Date 4/11/14
Time In 11:07 Time Out 11:21

I. Well Information

Reference point on well casing (Y) N
Well Diameter ID 2 OD
Total Well Depth 17.30
Depth to Water 11.79
Slug Test Performed Y (N)
Redevelop Y (N)

II. Well Water Information

Length of water column (ft.) 5.51
Volume of water in well (gal.) 0.9
Volume of bailer (gal.) 0.33

III. Evacuation Information

Volume of water removed from well (gal.) 2.7
Did well go dry? Y (N)

Evacuation Method Bailer
Evacuation Rate (gpm) 0.66

IV. Well Sampling

Container 3x 40 ml VOA
Preservative HCl
Time Sampled 11:29
Analysis VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C) 11.46
Conductivity (uS/cm) 1943
pH (SU) 6.84
ORP (mV) -37.2
DO (mg/L) 6.3
Film Y (N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. <u>I4-3</u>	Project No. <u>IN-AMP-12-06</u>
Project <u>Amphenol</u>	Site Name <u>Amphenol, Franklin, IN</u>
Sampling Purpose <u>Semi-Annual GWS</u>	Sampling Personnel <u>Mier/White</u>
	Date <u>4/11/14</u>
	Time In <u>12:45</u> Time Out <u>12:59</u>

I. Well Information

Reference point on well casing			
Well Diameter	ID <u>2"</u>	<u>Y</u>	OD <u>N</u>
Total Well Depth	<u>13.70</u>		
Depth to Water	<u>10.29</u>		
Slug Test Performed	<u>Y</u>	<u>N</u>	
Redevelop	<u>Y</u>	<u>N</u>	

II. Well Water Information

Length of water column (ft.)	<u>3.41</u>
Volume of water in well (gal.)	<u>0.56</u>
Volume of bailer (gal.)	<u>0.33</u>

III. Evacuation Information

Volume of water removed from well (gal.)	<u>1.68</u>
Did well go dry ?	<u>Y</u> <u>N</u>

Evacuation Method	<u>Bailer</u>
Evacuation Rate (gpm)	<u>0.66</u>

IV. Well Sampling

Container	<u>3x 40 ml VOA</u>
Preservative	<u>HCl</u>
Time Sampled	<u>13:06</u>
Analysis	<u>VOCs EPA Method 8260B</u>

V. Groundwater Characteristics After Well Evacuation

Temperature (C)	<u>10.57</u>
Conductivity (uS/cm)	<u>1,047</u>
pH (SU)	<u>6.80</u>
ORP (mV)	<u>-61.2</u>
DO (mg/L)	<u>3.27</u>
Film	<u>Y</u> <u>N</u>

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical	via	<u>Hand delivery (IWM)</u>
-----------------	-----	----------------------------

Field Personnel	<u>Rm</u>
-----------------	-----------

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-12R Project No. IN-AMP-12-06
Project Amphenol Site Name Amphenol, Franklin, IN
Sampling Purpose Semi-Annual GWS Sampling Personnel Mier/White
Date 4/11/17
Time In 10:47 Time Out 11:04

I. Well Information

Reference point on well casing Y RM
Well Diameter ID 2" OD 2.520
Total Well Depth 16.21
Depth to Water 8.99
Slug Test Performed Y N
Redevelop Y N

II. Well Water Information

Length of water column (ft.) 8.99
Volume of water in well (gal.) 1.47
Volume of bailer (gal.) 0.33

III. Evacuation Information

Volume of water removed from well (gal.) 4.41
Did well go dry? Y N

Evacuation Method Bailer
Evacuation Rate (gpm) 0.66

IV. Well Sampling

Container 3x 40 ml VOA
Preservative HCl
Time Sampled 11:14
Analysis VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C) 12.59
Conductivity (uS/cm) 1938
pH (SU) 6.85
ORP (mV) 87.4
DO (mg/L) 2.27
Film Y N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. <u>MW-20</u>	Project No. <u>IN-AMP-12-06</u>
Project <u>Amphenol</u>	Site Name <u>Amphenol, Franklin, IN</u>
Sampling Purpose <u>Semi-Annual GWS</u>	Sampling Personnel <u>Mier/White</u>
	Date <u>4/11/14</u>
	Time In <u>13:13</u> Time Out <u>13:30</u>

I. Well Information

Reference point on well casing		<u>(Y)</u>	<u>N</u>
Well Diameter	ID <u>2"</u>	OD	
Total Well Depth	<u>23.43</u>		
Depth to Water	<u>8.39</u>		
Slug Test Performed	<u>Y</u>	<u>(N)</u>	
Redevelop	<u>Y</u>	<u>(N)</u>	

II. Well Water Information

Length of water column (ft.)	<u>15.04</u>
Volume of water in well (gal.)	<u>2.45</u>
Volume of bailer (gal.)	<u>0.33</u>

III. Evacuation Information

Volume of water removed from well (gal.)	<u>7.35</u>
Did well go dry ?	<u>Y</u> <u>(N)</u>

Evacuation Method	<u>Bailer</u>
Evacuation Rate (gpm)	<u>0.66</u>

IV. Well Sampling

Container	<u>3x 40 ml VOA</u>
Preservative	<u>HCl</u>
Time Sampled	<u>13:41</u>
Analysis	<u>VOCs EPA Method 8260B</u>

V. Groundwater Characteristics After Well Evacuation

Temperature (C)	<u>13.65</u>
Conductivity (uS/cm)	<u>1894</u>
pH (SU)	<u>6.79</u>
ORP (mV)	<u>-70.3</u>
DO (mg/L)	<u>1.32</u>
Film	<u>Y</u> <u>(N)</u>

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical	via	<u>Hand delivery (IWM)</u>
-----------------	-----	----------------------------

Field Personnel	<u>RM</u>
-----------------	-----------

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. MW- 22

Project Amphenol

Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-12-06

Site Name Amphenol, Franklin, IN

Sampling Personnel Mier/White

Date 9/11/17

Time In 9:32

Time Out 9:45

I. Well Information

Reference point on well casing

Well Diameter ID 2" (Y) OD N

Total Well Depth 2400

Depth to Water 16.66

Slug Test Performed Y (N)

Redevelop Y (N)

II. Well Water Information

Length of water column (ft.) 7.34

Volume of water in well (gal.) 1.2

Volume of bailer (gal.) 0.33

III. Evacuation Information

Volume of water removed from well (gal.) 3.6

Did well go dry? Y (N)

Evacuation Method Bailer

Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container 3x 40 ml VOA

Preservative HCl

Time Sampled 10:22

Analysis VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C) 13.37

Conductivity (uS/cm) 1.120

pH (SU) 6.27

ORP (mV) 165.7

DO (mg/L) .70

Film Y (N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. <u>MW-28</u>	Project No. <u>IN-AMP-12-06</u>
Project <u>Amphenol</u>	Site Name <u>Amphenol, Franklin, IN</u>
Sampling Purpose <u>Semi-Annual GWS</u>	Sampling Personnel <u>Mier/White</u>
	Date <u>4/11/14</u>
	Time In <u>9:52</u> Time Out <u>10:11</u>

I. Well Information

Reference point on well casing	<u>Y</u>	<u>N</u>
Well Diameter ID <u>2"</u>	OD	
Total Well Depth	<u>25.25</u>	
Depth to Water	<u>16.13</u>	
Slug Test Performed	<u>Y</u>	<u>N</u>
Redevelop	<u>Y</u>	<u>N</u>

II. Well Water Information

Length of water column (ft.)	<u>9.12</u>
Volume of water in well (gal.)	<u>1.49</u>
Volume of bailer (gal.)	<u>0.33</u>

III. Evacuation Information

Volume of water removed from well (gal.)	<u>4.47</u>
Did well go dry ?	<u>Y</u> <u>N</u>

Evacuation Method	<u>Bailer</u>
Evacuation Rate (gpm)	<u>0.66</u>

IV. Well Sampling

Container	<u>3x 40 ml VOA</u>
Preservative	<u>HCl</u>
Time Sampled	<u>10:37</u>
Analysis	<u>VOCs EPA Method 8260B</u>

V. Groundwater Characteristics After Well Evacuation

Temperature (C)	<u>12.79</u>
Conductivity (uS/cm)	<u>1.051</u>
pH (SU)	<u>6.65</u>
ORP (mV)	<u>120.3</u>
DO (mg/L)	<u>4.26</u>
Film	<u>Y</u> <u>N</u>

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical	via	<u>Hand delivery (IWM)</u>
Field Personnel	<u>RM</u>	

ATTACHMENT 1 GROUNDWATER SAMPLING FIELD LOG

Well No.

Project

Sampling Purpose

MW-29
Amphenol

Semi-Annual GWS

Project No. IN-AMP-12-06

Site Name Amphenol, Franklin, IN

Sampling Personnel Mier/White

Date

Time In

10:18 Time Out 10:32

I. Well Information

Reference point on well casing

Well Diameter

Total Well Depth

Depth to Water

Slug Test Performed

Redevelop

ID 2 (Y) N
23.33 25.53 IN
16.61 Y (N)
Y (N)

II. Well Water Information

Length of water column (ft.)

Volume of water in well (gal.)

Volume of bailer (gal.)

9.52
1.55
0.33

III. Evacuation Information

Volume of water removed from well (gal.)

Did well go dry?

4.65
Y (N)

Evacuation Method Bailer
Evacuation Rate (gpm) -0.66

IV. Well Sampling

Container

Preservative

Time Sampled

Analysis

3x 40 ml VOA

HCl

10:57

VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)

Conductivity (uS/cm)

pH (SU)

ORP (mV)

DO (mg/L)

Film

12.35
949
675
102.6
54
Y (N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical

via

Hand delivery (IWM)

Field Personnel

LM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. <u>MW-30</u>	Project No. <u>IN-AMP-12-06</u>
Project <u>Amphenol</u>	Site Name <u>Amphenol, Franklin, IN</u>
Sampling Purpose <u>Semi-Annual GWS</u>	Sampling Personnel <u>Mier/White</u>
	Date <u>4/11/14</u>
	Time In <u>11:23</u> Time Out <u>11:40</u>

I. Well Information

Reference point on well casing	<u>Y</u>	<u>N</u>
Well Diameter ID <u>2"</u>	OD	
Total Well Depth <u>21.20</u>		
Depth to Water <u>14.96</u>		
Slug Test Performed	<u>Y</u>	<u>N</u>
Redevelop	<u>Y</u>	<u>N</u>

II. Well Water Information

Length of water column (ft.)	<u>6.24</u>
Volume of water in well (gal.)	<u>1.02</u>
Volume of bailer (gal.)	<u>0.33</u>

III. Evacuation Information

Volume of water removed from well (gal.)	<u>3.06</u>
Did well go dry ?	<u>Y</u> <u>N</u>

Evacuation Method	<u>Bailer</u>
Evacuation Rate (gpm)	<u>0.66</u>

IV. Well Sampling

Container	<u>3x 40 ml VOA</u>
Preservative	<u>HCl</u>
Time Sampled	<u>11:51</u>
Analysis	<u>VOCs EPA Method 8260B</u>

V. Groundwater Characteristics After Well Evacuation

Temperature (C)	<u>11.53</u>
Conductivity (uS/cm)	<u>1.066</u>
pH (SU)	<u>6.83</u>
ORP (mV)	<u>9.6</u>
DO (mg/L)	<u>1.72</u>
Film	<u>Y</u> <u>N</u>

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical	via	<u>Hand delivery (IWM)</u>
-----------------	-----	----------------------------

Field Personnel	<u>RM</u>
-----------------	-----------

ATTACHMENT E

Groundwater Laboratory Analytical Report

April 28, 2014

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 5096097

Dear Mr. Newell:

Enclosed are the analytical results for sample(s) received by the laboratory on April 11, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mick Mayse for
Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Amphenol

Pace Project No.: 5096097

Indiana Certification IDs

7726 Moller Road, Indianapolis, IN 46268

Illinois Certification #: 200074

Indiana Certification #: C-49-06

Kansas Certification #: E-10247

Kentucky UST Certification #: 0042

Louisiana/NELAP Certification #: 04076

Ohio VAP Certification #: CL-0065

West Virginia Certification #: 330

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: Amphenol

Pace Project No.: 5096097

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5096097001	IT-2	Water	04/11/14 11:29	04/11/14 16:17
5096097002	IT-3	Water	04/11/14 13:06	04/11/14 16:17
5096097003	MW-12R	Water	04/11/14 11:14	04/11/14 16:17
5096097004	MW-20	Water	04/11/14 13:41	04/11/14 16:17
5096097005	MW-22	Water	04/11/14 10:22	04/11/14 16:17
5096097006	MW-28	Water	04/11/14 10:37	04/11/14 16:17
5096097007	MW-29	Water	04/11/14 10:57	04/11/14 16:17
5096097008	MW-30	Water	04/11/14 11:51	04/11/14 16:17
5096097009	DUPLICATE	Water	04/11/14 08:00	04/11/14 16:17
5096097010	TRIP BLANK	Water	04/11/14 08:00	04/11/14 16:17

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Amphenol

Pace Project No.: 5096097

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5096097001	IT-2	EPA 8260	BJG	72
5096097002	IT-3	EPA 8260	BJG	72
5096097003	MW-12R	EPA 8260	AMV, BJG	72
5096097004	MW-20	EPA 8260	BJG	72
5096097005	MW-22	EPA 8260	AMV	72
5096097006	MW-28	EPA 8260	AMV	72
5096097007	MW-29	EPA 8260	AMV	72
5096097008	MW-30	EPA 8260	AMV	72
5096097009	DUPLICATE	EPA 8260	AMV	72
5096097010	TRIP BLANK	EPA 8260	AMV	72

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: IT-2		Lab ID: 5096097001		Collected: 04/11/14 11:29		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 06:28	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 06:28	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 06:28	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 06:28	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 06:28	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 06:28	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 06:28	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 06:28	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 06:28	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 06:28	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 06:28	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 06:28	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 06:28	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 06:28	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 06:28	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 06:28	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 06:28	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 06:28	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 06:28	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 06:28	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 06:28	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:28	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:28	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:28	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 06:28	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 06:28	75-71-8		
1,1-Dichloroethane	5.0	ug/L	5.0	1		04/25/14 06:28	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 06:28	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 06:28	75-35-4		
cis-1,2-Dichloroethene	15.0	ug/L	5.0	1		04/25/14 06:28	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 06:28	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 06:28	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 06:28	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 06:28	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 06:28	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 06:28	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 06:28	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 06:28	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 06:28	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 06:28	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 06:28	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 06:28	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 06:28	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: IT-2		Lab ID: 5096097001	Collected: 04/11/14 11:29	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 06:28	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 06:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 06:28	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 06:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 06:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 06:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 06:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 06:28	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 06:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:28	120-82-1	
1,1,1-Trichloroethane	6.5	ug/L	5.0	1		04/25/14 06:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 06:28	79-00-5	
Trichloroethene	36.8	ug/L	5.0	1		04/25/14 06:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 06:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 06:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 06:28	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 06:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 06:28	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99 %		79-116	1		04/25/14 06:28	1868-53-7	
4-Bromofluorobenzene (S)	99 %		80-114	1		04/25/14 06:28	460-00-4	
Toluene-d8 (S)	98 %		81-110	1		04/25/14 06:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: IT-3		Lab ID: 5096097002		Collected: 04/11/14 13:06		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 06:55	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 06:55	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 06:55	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 06:55	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 06:55	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 06:55	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 06:55	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 06:55	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 06:55	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 06:55	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 06:55	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 06:55	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 06:55	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 06:55	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 06:55	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 06:55	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 06:55	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 06:55	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 06:55	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 06:55	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 06:55	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 06:55	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 06:55	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 06:55	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:55	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:55	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:55	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 06:55	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 06:55	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/25/14 06:55	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 06:55	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 06:55	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 06:55	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 06:55	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 06:55	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 06:55	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 06:55	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 06:55	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 06:55	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 06:55	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 06:55	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 06:55	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 06:55	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 06:55	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 06:55	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 06:55	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 06:55	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: IT-3		Lab ID: 5096097002	Collected: 04/11/14 13:06	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 06:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 06:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 06:55	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 06:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 06:55	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 06:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 06:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 06:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 06:55	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 06:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/25/14 06:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 06:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/25/14 06:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 06:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 06:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 06:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 06:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 06:55	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 06:55	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 06:55	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96 %		79-116	1		04/25/14 06:55	1868-53-7	
4-Bromofluorobenzene (S)	100 %		80-114	1		04/25/14 06:55	460-00-4	
Toluene-d8 (S)	98 %		81-110	1		04/25/14 06:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-12R		Lab ID: 5096097003		Collected: 04/11/14 11:14		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 07:23	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 07:23	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 07:23	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 07:23	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 07:23	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 07:23	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 07:23	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 07:23	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 07:23	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 07:23	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 07:23	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 07:23	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 07:23	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 07:23	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 07:23	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 07:23	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 07:23	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 07:23	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 07:23	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 07:23	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 07:23	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 07:23	75-71-8		
1,1-Dichloroethane	5.0	ug/L	5.0	1		04/25/14 07:23	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 07:23	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 07:23	75-35-4		
cis-1,2-Dichloroethene	47.1	ug/L	5.0	1		04/25/14 07:23	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 07:23	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 07:23	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 07:23	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 07:23	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 07:23	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 07:23	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 07:23	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 07:23	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 07:23	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 07:23	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 07:23	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 07:23	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 07:23	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-12R		Lab ID: 5096097003	Collected: 04/11/14 11:14		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 07:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 07:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 07:23	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 07:23	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 07:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 07:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 07:23	79-34-5	
Tetrachloroethene	458	ug/L	50.0	10		04/25/14 17:39	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 07:23	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	120-82-1	
1,1,1-Trichloroethane	49.0	ug/L	5.0	1		04/25/14 07:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 07:23	79-00-5	
Trichloroethene	79.4	ug/L	5.0	1		04/25/14 07:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 07:23	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 07:23	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 07:23	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 07:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 07:23	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100	%.	79-116	1		04/25/14 07:23	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	80-114	1		04/25/14 07:23	460-00-4	
Toluene-d8 (S)	97	%.	81-110	1		04/25/14 07:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-20		Lab ID: 5096097004	Collected: 04/11/14 13:41	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		04/25/14 08:17	67-64-1	
Acrolein	ND ug/L		50.0	1		04/25/14 08:17	107-02-8	
Acrylonitrile	ND ug/L		100	1		04/25/14 08:17	107-13-1	
Benzene	ND ug/L		5.0	1		04/25/14 08:17	71-43-2	
Bromobenzene	ND ug/L		5.0	1		04/25/14 08:17	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		04/25/14 08:17	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		04/25/14 08:17	75-27-4	
Bromoform	ND ug/L		5.0	1		04/25/14 08:17	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/25/14 08:17	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		04/25/14 08:17	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		04/25/14 08:17	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		04/25/14 08:17	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		04/25/14 08:17	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		04/25/14 08:17	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		04/25/14 08:17	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		04/25/14 08:17	108-90-7	
Chloroethane	ND ug/L		5.0	1		04/25/14 08:17	75-00-3	
Chloroform	ND ug/L		5.0	1		04/25/14 08:17	67-66-3	
Chloromethane	ND ug/L		5.0	1		04/25/14 08:17	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		04/25/14 08:17	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		04/25/14 08:17	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		04/25/14 08:17	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		04/25/14 08:17	106-93-4	
Dibromomethane	ND ug/L		5.0	1		04/25/14 08:17	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 08:17	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 08:17	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 08:17	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		04/25/14 08:17	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		04/25/14 08:17	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		04/25/14 08:17	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		04/25/14 08:17	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		04/25/14 08:17	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 08:17	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 08:17	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 08:17	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		04/25/14 08:17	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 08:17	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		04/25/14 08:17	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 08:17	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 08:17	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		04/25/14 08:17	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		04/25/14 08:17	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		04/25/14 08:17	87-68-3	
2-Hexanone	ND ug/L		25.0	1		04/25/14 08:17	591-78-6	
Iodomethane	ND ug/L		10.0	1		04/25/14 08:17	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		04/25/14 08:17	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		04/25/14 08:17	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-20		Lab ID: 5096097004	Collected: 04/11/14 13:41	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND ug/L		5.0	1		04/25/14 08:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		25.0	1		04/25/14 08:17	108-10-1	
Methyl-tert-butyl ether	ND ug/L		4.0	1		04/25/14 08:17	1634-04-4	
Naphthalene	ND ug/L		5.0	1		04/25/14 08:17	91-20-3	
n-Propylbenzene	ND ug/L		5.0	1		04/25/14 08:17	103-65-1	
Styrene	ND ug/L		5.0	1		04/25/14 08:17	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		5.0	1		04/25/14 08:17	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	1		04/25/14 08:17	79-34-5	
Tetrachloroethene	ND ug/L		5.0	1		04/25/14 08:17	127-18-4	
Toluene	ND ug/L		5.0	1		04/25/14 08:17	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		5.0	1		04/25/14 08:17	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1		04/25/14 08:17	120-82-1	
1,1,1-Trichloroethane	ND ug/L		5.0	1		04/25/14 08:17	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	1		04/25/14 08:17	79-00-5	
Trichloroethene	ND ug/L		5.0	1		04/25/14 08:17	79-01-6	
Trichlorofluoromethane	ND ug/L		5.0	1		04/25/14 08:17	75-69-4	
1,2,3-Trichloropropane	ND ug/L		5.0	1		04/25/14 08:17	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		5.0	1		04/25/14 08:17	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		5.0	1		04/25/14 08:17	108-67-8	
Vinyl acetate	ND ug/L		50.0	1		04/25/14 08:17	108-05-4	
Vinyl chloride	ND ug/L		2.0	1		04/25/14 08:17	75-01-4	
Xylene (Total)	ND ug/L		10.0	1		04/25/14 08:17	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	97 %.		79-116	1		04/25/14 08:17	1868-53-7	
4-Bromofluorobenzene (S)	102 %.		80-114	1		04/25/14 08:17	460-00-4	
Toluene-d8 (S)	99 %.		81-110	1		04/25/14 08:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-22		Lab ID: 5096097005		Collected: 04/11/14 10:22		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 08:02	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 08:02	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 08:02	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 08:02	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 08:02	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 08:02	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 08:02	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 08:02	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 08:02	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 08:02	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 08:02	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 08:02	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 08:02	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 08:02	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 08:02	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 08:02	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 08:02	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 08:02	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 08:02	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 08:02	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 08:02	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 08:02	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/25/14 08:02	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 08:02	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 08:02	75-35-4		
cis-1,2-Dichloroethene	11.7	ug/L	5.0	1		04/25/14 08:02	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 08:02	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 08:02	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 08:02	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 08:02	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 08:02	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 08:02	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 08:02	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 08:02	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 08:02	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 08:02	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 08:02	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 08:02	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 08:02	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-22		Lab ID: 5096097005	Collected: 04/11/14 10:22	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 08:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 08:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 08:02	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 08:02	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 08:02	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 08:02	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 08:02	79-34-5	
Tetrachloroethene	744	ug/L	125	25		04/25/14 08:35	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 08:02	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	120-82-1	
1,1,1-Trichloroethane	9.2	ug/L	5.0	1		04/25/14 08:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 08:02	79-00-5	
Trichloroethene	65.2	ug/L	5.0	1		04/25/14 08:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 08:02	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 08:02	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 08:02	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 08:02	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 08:02	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	106 %		79-116	1		04/25/14 08:02	1868-53-7	
4-Bromofluorobenzene (S)	96 %		80-114	1		04/25/14 08:02	460-00-4	
Toluene-d8 (S)	92 %		81-110	1		04/25/14 08:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-28		Lab ID: 5096097006		Collected: 04/11/14 10:37		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 09:08	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 09:08	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 09:08	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 09:08	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 09:08	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 09:08	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 09:08	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 09:08	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 09:08	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 09:08	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 09:08	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 09:08	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 09:08	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 09:08	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 09:08	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 09:08	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 09:08	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 09:08	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 09:08	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 09:08	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 09:08	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 09:08	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/25/14 09:08	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 09:08	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 09:08	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 09:08	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 09:08	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 09:08	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 09:08	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 09:08	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 09:08	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 09:08	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 09:08	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 09:08	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 09:08	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 09:08	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 09:08	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 09:08	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 09:08	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-28		Lab ID: 5096097006	Collected: 04/11/14 10:37	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 09:08	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 09:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 09:08	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 09:08	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 09:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 09:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 09:08	79-34-5	
Tetrachloroethene	29.5	ug/L	5.0	1		04/25/14 09:08	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 09:08	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	120-82-1	
1,1,1-Trichloroethane	10.7	ug/L	5.0	1		04/25/14 09:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 09:08	79-00-5	
Trichloroethene	10.8	ug/L	5.0	1		04/25/14 09:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 09:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 09:08	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 09:08	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 09:08	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 09:08	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		04/25/14 09:08	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		04/25/14 09:08	460-00-4	
Toluene-d8 (S)	96	%.	81-110	1		04/25/14 09:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-29		Lab ID: 5096097007		Collected: 04/11/14 10:57		Received: 04/11/14 16:17		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND ug/L	100	1			04/25/14 09:41	67-64-1		
Acrolein	ND ug/L	50.0	1			04/25/14 09:41	107-02-8		
Acrylonitrile	ND ug/L	100	1			04/25/14 09:41	107-13-1		
Benzene	ND ug/L	5.0	1			04/25/14 09:41	71-43-2		
Bromobenzene	ND ug/L	5.0	1			04/25/14 09:41	108-86-1		
Bromochloromethane	ND ug/L	5.0	1			04/25/14 09:41	74-97-5		
Bromodichloromethane	ND ug/L	5.0	1			04/25/14 09:41	75-27-4		
Bromoform	ND ug/L	5.0	1			04/25/14 09:41	75-25-2		
Bromomethane	ND ug/L	5.0	1			04/25/14 09:41	74-83-9		
2-Butanone (MEK)	ND ug/L	25.0	1			04/25/14 09:41	78-93-3		
n-Butylbenzene	ND ug/L	5.0	1			04/25/14 09:41	104-51-8		
sec-Butylbenzene	ND ug/L	5.0	1			04/25/14 09:41	135-98-8		
tert-Butylbenzene	ND ug/L	5.0	1			04/25/14 09:41	98-06-6		
Carbon disulfide	ND ug/L	10.0	1			04/25/14 09:41	75-15-0		
Carbon tetrachloride	ND ug/L	5.0	1			04/25/14 09:41	56-23-5		
Chlorobenzene	ND ug/L	5.0	1			04/25/14 09:41	108-90-7		
Chloroethane	ND ug/L	5.0	1			04/25/14 09:41	75-00-3		
Chloroform	ND ug/L	5.0	1			04/25/14 09:41	67-66-3		
Chloromethane	ND ug/L	5.0	1			04/25/14 09:41	74-87-3		
2-Chlorotoluene	ND ug/L	5.0	1			04/25/14 09:41	95-49-8		
4-Chlorotoluene	ND ug/L	5.0	1			04/25/14 09:41	106-43-4		
Dibromochloromethane	ND ug/L	5.0	1			04/25/14 09:41	124-48-1		
1,2-Dibromoethane (EDB)	ND ug/L	5.0	1			04/25/14 09:41	106-93-4		
Dibromomethane	ND ug/L	5.0	1			04/25/14 09:41	74-95-3		
1,2-Dichlorobenzene	ND ug/L	5.0	1			04/25/14 09:41	95-50-1		
1,3-Dichlorobenzene	ND ug/L	5.0	1			04/25/14 09:41	541-73-1		
1,4-Dichlorobenzene	ND ug/L	5.0	1			04/25/14 09:41	106-46-7		
trans-1,4-Dichloro-2-butene	ND ug/L	100	1			04/25/14 09:41	110-57-6		
Dichlorodifluoromethane	ND ug/L	5.0	1			04/25/14 09:41	75-71-8		
1,1-Dichloroethane	ND ug/L	5.0	1			04/25/14 09:41	75-34-3		
1,2-Dichloroethane	ND ug/L	5.0	1			04/25/14 09:41	107-06-2		
1,1-Dichloroethene	ND ug/L	5.0	1			04/25/14 09:41	75-35-4		
cis-1,2-Dichloroethene	ND ug/L	5.0	1			04/25/14 09:41	156-59-2		
trans-1,2-Dichloroethene	ND ug/L	5.0	1			04/25/14 09:41	156-60-5		
1,2-Dichloropropane	ND ug/L	5.0	1			04/25/14 09:41	78-87-5		
1,3-Dichloropropane	ND ug/L	5.0	1			04/25/14 09:41	142-28-9		
2,2-Dichloropropane	ND ug/L	5.0	1			04/25/14 09:41	594-20-7		
1,1-Dichloropropene	ND ug/L	5.0	1			04/25/14 09:41	563-58-6		
cis-1,3-Dichloropropene	ND ug/L	5.0	1			04/25/14 09:41	10061-01-5		
trans-1,3-Dichloropropene	ND ug/L	5.0	1			04/25/14 09:41	10061-02-6		
Ethylbenzene	ND ug/L	5.0	1			04/25/14 09:41	100-41-4		
Ethyl methacrylate	ND ug/L	100	1			04/25/14 09:41	97-63-2		
Hexachloro-1,3-butadiene	ND ug/L	5.0	1			04/25/14 09:41	87-68-3		
2-Hexanone	ND ug/L	25.0	1			04/25/14 09:41	591-78-6		
Iodomethane	ND ug/L	10.0	1			04/25/14 09:41	74-88-4		
Isopropylbenzene (Cumene)	ND ug/L	5.0	1			04/25/14 09:41	98-82-8		
p-Isopropyltoluene	ND ug/L	5.0	1			04/25/14 09:41	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-29		Lab ID: 5096097007		Collected: 04/11/14 10:57		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 09:41	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 09:41	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 09:41	1634-04-4		
Naphthalene	ND	ug/L	5.0	1		04/25/14 09:41	91-20-3		
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 09:41	103-65-1		
Styrene	ND	ug/L	5.0	1		04/25/14 09:41	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 09:41	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 09:41	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 09:41	127-18-4		
Toluene	ND	ug/L	5.0	1		04/25/14 09:41	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:41	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:41	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/25/14 09:41	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 09:41	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		04/25/14 09:41	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 09:41	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 09:41	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 09:41	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 09:41	108-67-8		
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 09:41	108-05-4		
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 09:41	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 09:41	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	102 %		79-116	1		04/25/14 09:41	1868-53-7		
4-Bromofluorobenzene (S)	100 %		80-114	1		04/25/14 09:41	460-00-4		
Toluene-d8 (S)	97 %		81-110	1		04/25/14 09:41	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-30		Lab ID: 5096097008	Collected: 04/11/14 11:51	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		04/25/14 12:27	67-64-1	
Acrolein	ND ug/L		50.0	1		04/25/14 12:27	107-02-8	
Acrylonitrile	ND ug/L		100	1		04/25/14 12:27	107-13-1	
Benzene	ND ug/L		5.0	1		04/25/14 12:27	71-43-2	
Bromobenzene	ND ug/L		5.0	1		04/25/14 12:27	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		04/25/14 12:27	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		04/25/14 12:27	75-27-4	
Bromoform	ND ug/L		5.0	1		04/25/14 12:27	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/25/14 12:27	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		04/25/14 12:27	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		04/25/14 12:27	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		04/25/14 12:27	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		04/25/14 12:27	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		04/25/14 12:27	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		04/25/14 12:27	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		04/25/14 12:27	108-90-7	
Chloroethane	ND ug/L		5.0	1		04/25/14 12:27	75-00-3	
Chloroform	ND ug/L		5.0	1		04/25/14 12:27	67-66-3	
Chloromethane	ND ug/L		5.0	1		04/25/14 12:27	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		04/25/14 12:27	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		04/25/14 12:27	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		04/25/14 12:27	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		04/25/14 12:27	106-93-4	
Dibromomethane	ND ug/L		5.0	1		04/25/14 12:27	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 12:27	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 12:27	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 12:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		04/25/14 12:27	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		04/25/14 12:27	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		04/25/14 12:27	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		04/25/14 12:27	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		04/25/14 12:27	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 12:27	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 12:27	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 12:27	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		04/25/14 12:27	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 12:27	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		04/25/14 12:27	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 12:27	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 12:27	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		04/25/14 12:27	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		04/25/14 12:27	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		04/25/14 12:27	87-68-3	
2-Hexanone	ND ug/L		25.0	1		04/25/14 12:27	591-78-6	
Iodomethane	ND ug/L		10.0	1		04/25/14 12:27	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		04/25/14 12:27	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		04/25/14 12:27	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-30		Lab ID: 5096097008	Collected: 04/11/14 11:51	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 12:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 12:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 12:27	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 12:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 12:27	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 12:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 12:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 12:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 12:27	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 12:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 12:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 12:27	120-82-1	
1,1,1-Trichloroethane	8.8	ug/L	5.0	1		04/25/14 12:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 12:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/25/14 12:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 12:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 12:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 12:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 12:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 12:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 12:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 12:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	79-116	1		04/25/14 12:27	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		04/25/14 12:27	460-00-4	
Toluene-d8 (S)	97	%.	81-110	1		04/25/14 12:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: DUPLICATE		Lab ID: 5096097009		Collected: 04/11/14 08:00		Received: 04/11/14 16:17		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 10:48	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 10:48	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 10:48	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 10:48	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 10:48	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 10:48	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 10:48	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 10:48	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 10:48	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 10:48	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 10:48	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 10:48	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 10:48	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 10:48	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 10:48	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 10:48	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 10:48	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 10:48	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 10:48	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 10:48	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 10:48	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 10:48	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/25/14 10:48	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 10:48	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 10:48	75-35-4		
cis-1,2-Dichloroethene	50.8	ug/L	5.0	1		04/25/14 10:48	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 10:48	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 10:48	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 10:48	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 10:48	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 10:48	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 10:48	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 10:48	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 10:48	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 10:48	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 10:48	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 10:48	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 10:48	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 10:48	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: DUPLICATE		Lab ID: 5096097009		Collected: 04/11/14 08:00		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 10:48	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 10:48	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 10:48	1634-04-4		
Naphthalene	ND	ug/L	5.0	1		04/25/14 10:48	91-20-3		
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	103-65-1		
Styrene	ND	ug/L	5.0	1		04/25/14 10:48	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 10:48	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 10:48	79-34-5		
Tetrachloroethene	901	ug/L	100	20		04/25/14 11:21	127-18-4		
Toluene	ND	ug/L	5.0	1		04/25/14 10:48	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	120-82-1		
1,1,1-Trichloroethane	14.7	ug/L	5.0	1		04/25/14 10:48	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 10:48	79-00-5		
Trichloroethene	154	ug/L	5.0	1		04/25/14 10:48	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 10:48	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 10:48	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	108-67-8		
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 10:48	108-05-4		
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 10:48	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 10:48	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	104	%.	79-116	1		04/25/14 10:48	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	80-114	1		04/25/14 10:48	460-00-4		
Toluene-d8 (S)	93	%.	81-110	1		04/25/14 10:48	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: TRIP BLANK		Lab ID: 5096097010		Collected: 04/11/14 08:00		Received: 04/11/14 16:17		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 11:54	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 11:54	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 11:54	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 11:54	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 11:54	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 11:54	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 11:54	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 11:54	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 11:54	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 11:54	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 11:54	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 11:54	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 11:54	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 11:54	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 11:54	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 11:54	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 11:54	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 11:54	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 11:54	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 11:54	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 11:54	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 11:54	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 11:54	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 11:54	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 11:54	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 11:54	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/25/14 11:54	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 11:54	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 11:54	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 11:54	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 11:54	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 11:54	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 11:54	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 11:54	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 11:54	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 11:54	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 11:54	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 11:54	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 11:54	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 11:54	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 11:54	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 11:54	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 11:54	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: TRIP BLANK		Lab ID: 5096097010	Collected: 04/11/14 08:00	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 11:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 11:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 11:54	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 11:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 11:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 11:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 11:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 11:54	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 11:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 11:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 11:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/25/14 11:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 11:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/25/14 11:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 11:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 11:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 11:54	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 11:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 11:54	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101 %.		79-116	1		04/25/14 11:54	1868-53-7	
4-Bromofluorobenzene (S)	98 %.		80-114	1		04/25/14 11:54	460-00-4	
Toluene-d8 (S)	98 %.		81-110	1		04/25/14 11:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

QC Batch: MSV/64001

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 5096097001, 5096097002, 5096097003, 5096097004

METHOD BLANK: 1083805

Matrix: Water

Associated Lab Samples: 5096097001, 5096097002, 5096097003, 5096097004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1-Dichloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1-Dichloroethene	ug/L	ND	5.0	04/25/14 00:34	
1,1-Dichloropropene	ug/L	ND	5.0	04/25/14 00:34	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/25/14 00:34	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/25/14 00:34	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/25/14 00:34	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
1,2-Dichloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,2-Dichloropropane	ug/L	ND	5.0	04/25/14 00:34	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/25/14 00:34	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
1,3-Dichloropropane	ug/L	ND	5.0	04/25/14 00:34	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
2,2-Dichloropropane	ug/L	ND	5.0	04/25/14 00:34	
2-Butanone (MEK)	ug/L	ND	25.0	04/25/14 00:34	
2-Chlorotoluene	ug/L	ND	5.0	04/25/14 00:34	
2-Hexanone	ug/L	ND	25.0	04/25/14 00:34	
4-Chlorotoluene	ug/L	ND	5.0	04/25/14 00:34	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/25/14 00:34	
Acetone	ug/L	ND	100	04/25/14 00:34	
Acrolein	ug/L	ND	50.0	04/25/14 00:34	
Acrylonitrile	ug/L	ND	100	04/25/14 00:34	
Benzene	ug/L	ND	5.0	04/25/14 00:34	
Bromobenzene	ug/L	ND	5.0	04/25/14 00:34	
Bromochloromethane	ug/L	ND	5.0	04/25/14 00:34	
Bromodichloromethane	ug/L	ND	5.0	04/25/14 00:34	
Bromoform	ug/L	ND	5.0	04/25/14 00:34	
Bromomethane	ug/L	ND	5.0	04/25/14 00:34	
Carbon disulfide	ug/L	ND	10.0	04/25/14 00:34	
Carbon tetrachloride	ug/L	ND	5.0	04/25/14 00:34	
Chlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
Chloroethane	ug/L	ND	5.0	04/25/14 00:34	
Chloroform	ug/L	ND	5.0	04/25/14 00:34	
Chloromethane	ug/L	ND	5.0	04/25/14 00:34	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/25/14 00:34	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/25/14 00:34	
Dibromochloromethane	ug/L	ND	5.0	04/25/14 00:34	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

METHOD BLANK: 1083805

Matrix: Water

Associated Lab Samples: 5096097001, 5096097002, 5096097003, 5096097004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	04/25/14 00:34	
Dichlorodifluoromethane	ug/L	ND	5.0	04/25/14 00:34	
Ethyl methacrylate	ug/L	ND	100	04/25/14 00:34	
Ethylbenzene	ug/L	ND	5.0	04/25/14 00:34	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/25/14 00:34	
Iodomethane	ug/L	ND	10.0	04/25/14 00:34	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/25/14 00:34	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/25/14 00:34	
Methylene Chloride	ug/L	ND	5.0	04/25/14 00:34	
n-Butylbenzene	ug/L	ND	5.0	04/25/14 00:34	
n-Propylbenzene	ug/L	ND	5.0	04/25/14 00:34	
Naphthalene	ug/L	ND	5.0	04/25/14 00:34	
p-Isopropyltoluene	ug/L	ND	5.0	04/25/14 00:34	
sec-Butylbenzene	ug/L	ND	5.0	04/25/14 00:34	
Styrene	ug/L	ND	5.0	04/25/14 00:34	
tert-Butylbenzene	ug/L	ND	5.0	04/25/14 00:34	
Tetrachloroethene	ug/L	ND	5.0	04/25/14 00:34	
Toluene	ug/L	ND	5.0	04/25/14 00:34	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/25/14 00:34	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/25/14 00:34	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/25/14 00:34	
Trichloroethene	ug/L	ND	5.0	04/25/14 00:34	
Trichlorofluoromethane	ug/L	ND	5.0	04/25/14 00:34	
Vinyl acetate	ug/L	ND	50.0	04/25/14 00:34	
Vinyl chloride	ug/L	ND	2.0	04/25/14 00:34	
Xylene (Total)	ug/L	ND	10.0	04/25/14 00:34	
4-Bromofluorobenzene (S)	%	103	80-114	04/25/14 00:34	
Dibromofluoromethane (S)	%	96	79-116	04/25/14 00:34	
Toluene-d8 (S)	%	98	81-110	04/25/14 00:34	

LABORATORY CONTROL SAMPLE: 1083806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	52.3	105	61-135	
1,1,1-Trichloroethane	ug/L	50	50.1	100	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	46.9	94	66-126	
1,1,2-Trichloroethane	ug/L	50	50.6	101	77-130	
1,1-Dichloroethane	ug/L	50	50.6	101	75-130	
1,1-Dichloroethene	ug/L	50	47.9	96	68-127	
1,1-Dichloropropene	ug/L	50	48.3	97	78-130	
1,2,3-Trichlorobenzene	ug/L	50	54.4	109	70-130	
1,2,3-Trichloropropane	ug/L	50	49.7	99	58-142	
1,2,4-Trichlorobenzene	ug/L	50	53.3	107	68-131	
1,2,4-Trimethylbenzene	ug/L	50	52.6	105	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	48.2	96	76-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

LABORATORY CONTROL SAMPLE: 1083806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	52.4	105	75-123	
1,2-Dichloroethane	ug/L	50	49.4	99	75-128	
1,2-Dichloropropane	ug/L	50	49.0	98	74-121	
1,3,5-Trimethylbenzene	ug/L	50	52.5	105	70-126	
1,3-Dichlorobenzene	ug/L	50	51.9	104	74-122	
1,3-Dichloropropane	ug/L	50	50.1	100	74-123	
1,4-Dichlorobenzene	ug/L	50	52.7	105	76-120	
2,2-Dichloropropane	ug/L	50	39.5	79	50-137	
2-Butanone (MEK)	ug/L	250	264	105	58-139	
2-Chlorotoluene	ug/L	50	51.5	103	74-122	
2-Hexanone	ug/L	250	260	104	54-140	
4-Chlorotoluene	ug/L	50	51.5	103	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	253	101	58-138	
Acetone	ug/L	250	290	116	49-150	
Acrolein	ug/L	1000	1100	110	41-200	
Acrylonitrile	ug/L	1000	1120	112	63-137	
Benzene	ug/L	50	48.4	97	74-122	
Bromobenzene	ug/L	50	49.0	98	72-127	
Bromochloromethane	ug/L	50	58.0	116	63-132	
Bromodichloromethane	ug/L	50	55.1	110	62-136	
Bromoform	ug/L	50	41.4	83	44-134	
Bromomethane	ug/L	50	83.3	167	22-181	
Carbon disulfide	ug/L	100	101	101	59-132	
Carbon tetrachloride	ug/L	50	54.5	109	56-137	
Chlorobenzene	ug/L	50	51.3	103	78-123	
Chloroethane	ug/L	50	44.7	89	60-144	
Chloroform	ug/L	50	50.3	101	78-126	
Chloromethane	ug/L	50	54.7	109	42-134	
cis-1,2-Dichloroethene	ug/L	50	48.3	97	75-122	
cis-1,3-Dichloropropene	ug/L	50	50.3	101	64-126	
Dibromochloromethane	ug/L	50	42.7	85	58-128	
Dibromomethane	ug/L	50	48.2	96	73-125	
Dichlorodifluoromethane	ug/L	50	51.3	103	35-181	
Ethyl methacrylate	ug/L	200	222	111	69-133	
Ethylbenzene	ug/L	50	51.9	104	66-133	
Hexachloro-1,3-butadiene	ug/L	50	55.1	110	59-145	
Iodomethane	ug/L	100	88.7	89	21-170	
Isopropylbenzene (Cumene)	ug/L	50	53.9	108	69-124	
Methyl-tert-butyl ether	ug/L	100	90.2	90	69-122	
Methylene Chloride	ug/L	50	47.6	95	68-132	
n-Butylbenzene	ug/L	50	49.3	99	70-126	
n-Propylbenzene	ug/L	50	54.0	108	71-122	
Naphthalene	ug/L	50	51.6	103	68-127	
p-Isopropyltoluene	ug/L	50	53.4	107	72-132	
sec-Butylbenzene	ug/L	50	54.1	108	70-128	
Styrene	ug/L	50	52.8	106	74-126	
tert-Butylbenzene	ug/L	50	39.9	80	51-118	
Tetrachloroethene	ug/L	50	49.1	98	69-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

LABORATORY CONTROL SAMPLE: 1083806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	53.0	106	72-122	
trans-1,2-Dichloroethene	ug/L	50	52.1	104	72-124	
trans-1,3-Dichloropropene	ug/L	50	41.2	82	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	167	83	56-133	
Trichloroethene	ug/L	50	54.8	110	76-126	
Trichlorofluoromethane	ug/L	50	54.7	109	76-149	
Vinyl acetate	ug/L	200	255	127	45-151	
Vinyl chloride	ug/L	50	48.2	96	59-126	
Xylene (Total)	ug/L	150	164	109	70-124	
4-Bromofluorobenzene (S)	%			101	80-114	
Dibromofluoromethane (S)	%			102	79-116	
Toluene-d8 (S)	%			96	81-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1083807 1083808

Parameter	Units	5096095007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	44.3	54.1	89	108	50-132	20	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	44.3	54.4	89	109	60-138	20	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	40.1	48.2	80	96	55-128	18	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	43.9	52.7	88	105	61-139	18	20	
1,1-Dichloroethane	ug/L	ND	50	50	47.2	56.3	94	113	57-147	18	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.1	57.8	96	116	55-145	18	20	
1,1-Dichloropropene	ug/L	ND	50	50	44.8	53.2	90	106	55-147	17	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	41.5	52.8	83	106	31-141	24	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	44.7	53.1	89	106	58-133	17	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	41.3	53.3	83	107	25-143	25	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	44.1	54.3	88	109	18-149	21	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	41.2	49.4	82	99	63-129	18	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	44.3	53.9	89	108	38-136	20	20	
1,2-Dichloroethane	ug/L	ND	50	50	43.7	50.9	87	102	62-138	15	20	
1,2-Dichloropropane	ug/L	ND	50	50	42.8	50.3	86	101	59-130	16	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	44.4	53.9	89	108	20-147	19	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	42.9	52.1	86	104	28-141	19	20	
1,3-Dichloropropane	ug/L	ND	50	50	43.2	52.0	86	104	62-127	19	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	42.2	53.4	84	107	30-139	23	20	
2,2-Dichloropropane	ug/L	ND	50	50	29.6	36.7	59	73	37-139	22	20	
2-Butanone (MEK)	ug/L	ND	250	250	235	270	94	108	37-156	14	20	
2-Chlorotoluene	ug/L	ND	50	50	44.3	53.5	89	107	27-142	19	20	
2-Hexanone	ug/L	ND	250	250	231	278	92	111	44-143	19	20	
4-Chlorotoluene	ug/L	ND	50	50	43.8	52.1	88	104	27-144	17	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	228	271	91	109	46-144	17	20	
Acetone	ug/L	ND	250	250	293	338	117	135	39-156	14	20	
Acrolein	ug/L	ND	1000	1000	1040	1220	104	122	33-200	16	20	
Acrylonitrile	ug/L	ND	1000	1000	1100	1250	110	125	48-149	13	20	
Benzene	ug/L	ND	50	50	44.0	51.0	87	101	62-129	15	20	
Bromobenzene	ug/L	ND	50	50	42.0	52.3	84	105	39-140	22	20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1083807 1083808											
Parameter	Units	5096095007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	52.3	57.9	105	116	49-142	10	20
Bromodichloromethane	ug/L	ND	50	50	47.6	57.0	95	114	50-142	18	20
Bromoform	ug/L	ND	50	50	34.6	41.7	69	83	36-125	19	20
Bromomethane	ug/L	ND	50	50	72.4	87.0	145	174	13-179	18	20
Carbon disulfide	ug/L	ND	100	100	103	123	103	122	45-142	17	20
Carbon tetrachloride	ug/L	ND	50	50	45.4	58.3	91	117	46-142	25	20
Chlorobenzene	ug/L	ND	50	50	44.4	53.4	89	107	49-136	19	20
Chloroethane	ug/L	ND	50	50	49.1	55.0	98	110	47-160	11	20
Chloroform	ug/L	ND	50	50	43.9	52.1	88	104	54-150	17	20
Chloromethane	ug/L	ND	50	50	49.5	59.1	99	118	30-148	18	20
cis-1,2-Dichloroethene	ug/L	ND	50	50	43.2	50.6	86	101	60-135	16	20
cis-1,3-Dichloropropene	ug/L	ND	50	50	40.8	51.3	82	103	52-123	23	20
Dibromochloromethane	ug/L	ND	50	50	36.3	44.4	73	89	48-125	20	20
Dibromomethane	ug/L	ND	50	50	42.6	49.7	85	99	59-134	15	20
Dichlorodifluoromethane	ug/L	ND	50	50	46.8	52.9	94	106	24-197	12	20
Ethyl methacrylate	ug/L	ND	200	200	193	235	97	117	55-139	20	20
Ethylbenzene	ug/L	ND	50	50	44.8	55.4	90	111	28-153	21	20
Hexachloro-1,3-butadiene	ug/L	ND	50	50	42.1	53.8	84	108	10-176	24	20
Iodomethane	ug/L	ND	100	100	73.2	114	73	114	17-157	43	20
Isopropylbenzene (Cumene)	ug/L	ND	50	50	47.8	57.3	96	115	18-152	18	20
Methyl-tert-butyl ether	ug/L	ND	100	100	82.7	99.2	83	99	63-130	18	20
Methylene Chloride	ug/L	ND	50	50	47.8	56.7	96	113	45-156	17	20
n-Butylbenzene	ug/L	ND	50	50	40.6	50.5	81	101	10-161	22	20
n-Propylbenzene	ug/L	ND	50	50	45.5	56.0	91	112	16-150	21	20
Naphthalene	ug/L	ND	50	50	41.5	50.8	80	99	39-140	20	20
p-Isopropyltoluene	ug/L	ND	50	50	44.3	54.4	89	109	10-163	20	20
sec-Butylbenzene	ug/L	ND	50	50	46.2	55.5	92	111	10-160	18	20
Styrene	ug/L	ND	50	50	45.2	56.4	90	113	36-139	22	20
tert-Butylbenzene	ug/L	ND	50	50	35.2	41.6	70	83	12-134	17	20
Tetrachloroethene	ug/L	ND	50	50	42.8	51.7	86	103	33-151	19	20
Toluene	ug/L	ND	50	50	46.3	56.0	93	112	50-132	19	20
trans-1,2-Dichloroethene	ug/L	ND	50	50	50.6	59.7	101	119	40-153	16	20
trans-1,3-Dichloropropene	ug/L	ND	50	50	33.1	41.5	66	83	48-122	22	20
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	142	172	71	86	32-139	19	20
Trichloroethene	ug/L	ND	50	50	49.0	57.1	98	114	50-143	15	20
Trichlorofluoromethane	ug/L	ND	50	50	56.0	66.6	112	133	60-175	17	20
Vinyl acetate	ug/L	ND	200	200	157	192	78	96	17-142	20	20
Vinyl chloride	ug/L	ND	50	50	47.6	52.9	95	106	44-145	11	20
Xylene (Total)	ug/L	ND	150	150	140	169	94	112	29-145	18	20
4-Bromofluorobenzene (S)	%						100	100	80-114		
Dibromofluoromethane (S)	%						104	103	79-116		1d
Toluene-d8 (S)	%						95	97	81-110		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

QC Batch: MSV/64010

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 5096097005, 5096097006, 5096097007, 5096097008, 5096097009, 5096097010

METHOD BLANK: 1083826

Matrix: Water

Associated Lab Samples: 5096097005, 5096097006, 5096097007, 5096097008, 5096097009, 5096097010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1-Dichloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1-Dichloroethene	ug/L	ND	5.0	04/25/14 03:35	
1,1-Dichloropropene	ug/L	ND	5.0	04/25/14 03:35	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/25/14 03:35	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/25/14 03:35	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/25/14 03:35	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
1,2-Dichloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,2-Dichloropropane	ug/L	ND	5.0	04/25/14 03:35	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/25/14 03:35	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
1,3-Dichloropropane	ug/L	ND	5.0	04/25/14 03:35	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
2,2-Dichloropropane	ug/L	ND	5.0	04/25/14 03:35	
2-Butanone (MEK)	ug/L	ND	25.0	04/25/14 03:35	
2-Chlorotoluene	ug/L	ND	5.0	04/25/14 03:35	
2-Hexanone	ug/L	ND	25.0	04/25/14 03:35	
4-Chlorotoluene	ug/L	ND	5.0	04/25/14 03:35	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/25/14 03:35	
Acetone	ug/L	ND	100	04/25/14 03:35	
Acrolein	ug/L	ND	50.0	04/25/14 03:35	
Acrylonitrile	ug/L	ND	100	04/25/14 03:35	
Benzene	ug/L	ND	5.0	04/25/14 03:35	
Bromobenzene	ug/L	ND	5.0	04/25/14 03:35	
Bromochloromethane	ug/L	ND	5.0	04/25/14 03:35	
Bromodichloromethane	ug/L	ND	5.0	04/25/14 03:35	
Bromoform	ug/L	ND	5.0	04/25/14 03:35	
Bromomethane	ug/L	ND	5.0	04/25/14 03:35	
Carbon disulfide	ug/L	ND	10.0	04/25/14 03:35	
Carbon tetrachloride	ug/L	ND	5.0	04/25/14 03:35	
Chlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
Chloroethane	ug/L	ND	5.0	04/25/14 03:35	
Chloroform	ug/L	ND	5.0	04/25/14 03:35	
Chloromethane	ug/L	ND	5.0	04/25/14 03:35	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/25/14 03:35	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/25/14 03:35	
Dibromochloromethane	ug/L	ND	5.0	04/25/14 03:35	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

METHOD BLANK: 1083826

Matrix: Water

Associated Lab Samples: 5096097005, 5096097006, 5096097007, 5096097008, 5096097009, 5096097010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	04/25/14 03:35	
Dichlorodifluoromethane	ug/L	ND	5.0	04/25/14 03:35	
Ethyl methacrylate	ug/L	ND	100	04/25/14 03:35	
Ethylbenzene	ug/L	ND	5.0	04/25/14 03:35	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/25/14 03:35	
Iodomethane	ug/L	ND	10.0	04/25/14 03:35	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/25/14 03:35	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/25/14 03:35	
Methylene Chloride	ug/L	ND	5.0	04/25/14 03:35	
n-Butylbenzene	ug/L	ND	5.0	04/25/14 03:35	
n-Propylbenzene	ug/L	ND	5.0	04/25/14 03:35	
Naphthalene	ug/L	ND	5.0	04/25/14 03:35	
p-Isopropyltoluene	ug/L	ND	5.0	04/25/14 03:35	
sec-Butylbenzene	ug/L	ND	5.0	04/25/14 03:35	
Styrene	ug/L	ND	5.0	04/25/14 03:35	
tert-Butylbenzene	ug/L	ND	5.0	04/25/14 03:35	
Tetrachloroethene	ug/L	ND	5.0	04/25/14 03:35	
Toluene	ug/L	ND	5.0	04/25/14 03:35	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/25/14 03:35	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/25/14 03:35	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/25/14 03:35	
Trichloroethene	ug/L	ND	5.0	04/25/14 03:35	
Trichlorofluoromethane	ug/L	ND	5.0	04/25/14 03:35	
Vinyl acetate	ug/L	ND	50.0	04/25/14 03:35	
Vinyl chloride	ug/L	ND	2.0	04/25/14 03:35	
Xylene (Total)	ug/L	ND	10.0	04/25/14 03:35	
4-Bromofluorobenzene (S)	%	99	80-114	04/25/14 03:35	
Dibromofluoromethane (S)	%	103	79-116	04/25/14 03:35	
Toluene-d8 (S)	%	97	81-110	04/25/14 03:35	

LABORATORY CONTROL SAMPLE: 1083827

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	55.2	110	61-135	
1,1,1-Trichloroethane	ug/L	50	54.1	108	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	45.5	91	66-126	
1,1,2-Trichloroethane	ug/L	50	47.9	96	77-130	
1,1-Dichloroethane	ug/L	50	50.1	100	75-130	
1,1-Dichloroethene	ug/L	50	53.8	108	68-127	
1,1-Dichloropropene	ug/L	50	49.1	98	78-130	
1,2,3-Trichlorobenzene	ug/L	50	53.3	107	70-130	
1,2,3-Trichloropropane	ug/L	50	48.4	97	58-142	
1,2,4-Trichlorobenzene	ug/L	50	54.2	108	68-131	
1,2,4-Trimethylbenzene	ug/L	50	48.8	98	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	49.8	100	76-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

LABORATORY CONTROL SAMPLE: 1083827

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	48.7	97	75-123	
1,2-Dichloroethane	ug/L	50	52.5	105	75-128	
1,2-Dichloropropane	ug/L	50	47.0	94	74-121	
1,3,5-Trimethylbenzene	ug/L	50	48.6	97	70-126	
1,3-Dichlorobenzene	ug/L	50	47.6	95	74-122	
1,3-Dichloropropane	ug/L	50	48.4	97	74-123	
1,4-Dichlorobenzene	ug/L	50	46.7	93	76-120	
2,2-Dichloropropane	ug/L	50	42.3	85	50-137	
2-Butanone (MEK)	ug/L	250	230	92	58-139	
2-Chlorotoluene	ug/L	50	45.9	92	74-122	
2-Hexanone	ug/L	250	245	98	54-140	
4-Chlorotoluene	ug/L	50	46.8	94	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	241	96	58-138	
Acetone	ug/L	250	263	105	49-150	
Acrolein	ug/L	1000	942	94	41-200	
Acrylonitrile	ug/L	1000	986	99	63-137	
Benzene	ug/L	50	48.1	96	74-122	
Bromobenzene	ug/L	50	46.4	93	72-127	
Bromochloromethane	ug/L	50	45.3	91	63-132	
Bromodichloromethane	ug/L	50	57.8	116	62-136	
Bromoform	ug/L	50	43.0	86	44-134	
Bromomethane	ug/L	50	89.4	179	22-181	
Carbon disulfide	ug/L	100	107	107	59-132	
Carbon tetrachloride	ug/L	50	48.9	98	56-137	
Chlorobenzene	ug/L	50	47.9	96	78-123	
Chloroethane	ug/L	50	60.3	121	60-144	
Chloroform	ug/L	50	55.0	110	78-126	
Chloromethane	ug/L	50	49.6	99	42-134	
cis-1,2-Dichloroethene	ug/L	50	45.6	91	75-122	
cis-1,3-Dichloropropene	ug/L	50	41.7	83	64-126	
Dibromochloromethane	ug/L	50	45.2	90	58-128	
Dibromomethane	ug/L	50	50.0	100	73-125	
Dichlorodifluoromethane	ug/L	50	58.4	117	35-181	
Ethyl methacrylate	ug/L	200	210	105	69-133	
Ethylbenzene	ug/L	50	49.6	99	66-133	
Hexachloro-1,3-butadiene	ug/L	50	51.4	103	59-145	
Iodomethane	ug/L	100	143	143	21-170	
Isopropylbenzene (Cumene)	ug/L	50	52.6	105	69-124	
Methyl-tert-butyl ether	ug/L	100	106	106	69-122	
Methylene Chloride	ug/L	50	54.0	108	68-132	
n-Butylbenzene	ug/L	50	50.0	100	70-126	
n-Propylbenzene	ug/L	50	46.4	93	71-122	
Naphthalene	ug/L	50	44.6	89	68-127	
p-Isopropyltoluene	ug/L	50	51.1	102	72-132	
sec-Butylbenzene	ug/L	50	48.8	98	70-128	
Styrene	ug/L	50	51.6	103	74-126	
tert-Butylbenzene	ug/L	50	45.5	91	51-118	
Tetrachloroethene	ug/L	50	50.0	100	69-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

LABORATORY CONTROL SAMPLE: 1083827

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	47.3	95	72-122	
trans-1,2-Dichloroethene	ug/L	50	52.8	106	72-124	
trans-1,3-Dichloropropene	ug/L	50	41.4	83	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	148	74	56-133	
Trichloroethene	ug/L	50	50.0	100	76-126	
Trichlorofluoromethane	ug/L	50	60.5	121	76-149	
Vinyl acetate	ug/L	200	211	105	45-151	
Vinyl chloride	ug/L	50	50.6	101	59-126	
Xylene (Total)	ug/L	150	150	100	70-124	
4-Bromofluorobenzene (S)	%			105	80-114	
Dibromofluoromethane (S)	%			107	79-116	
Toluene-d8 (S)	%			98	81-110	

MATRIX SPIKE SAMPLE: 1083829

Parameter	Units	5096097008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	44.4	89	50-132	
1,1,1-Trichloroethane	ug/L	8.8	50	56.2	95	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	37.6	75	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	39.7	79	61-139	
1,1-Dichloroethane	ug/L	ND	50	38.7	77	57-147	
1,1-Dichloroethene	ug/L	ND	50	47.8	96	55-145	
1,1-Dichloropropene	ug/L	ND	50	42.4	85	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	39.1	78	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	39.8	80	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	39.6	79	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	39.6	79	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	40.3	81	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	38.9	78	38-136	
1,2-Dichloroethane	ug/L	ND	50	45.5	91	62-138	
1,2-Dichloropropane	ug/L	ND	50	42.1	84	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	39.4	79	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	38.0	76	28-141	
1,3-Dichloropropane	ug/L	ND	50	41.0	82	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	36.7	73	30-139	
2,2-Dichloropropane	ug/L	ND	50	30.5	61	37-139	
2-Butanone (MEK)	ug/L	ND	250	180	72	37-156	
2-Chlorotoluene	ug/L	ND	50	38.4	77	27-142	
2-Hexanone	ug/L	ND	250	182	73	44-143	
4-Chlorotoluene	ug/L	ND	50	38.3	77	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	184	74	46-144	
Acetone	ug/L	ND	250	201	80	39-156	
Acrolein	ug/L	ND	1000	651	65	33-200	
Acrylonitrile	ug/L	ND	1000	781	78	48-149	
Benzene	ug/L	ND	50	42.4	85	62-129	
Bromobenzene	ug/L	ND	50	38.2	76	39-140	
Bromochloromethane	ug/L	ND	50	40.6	81	49-142	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

MATRIX SPIKE SAMPLE: 1083829		5096097008	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	47.2	94	50-142	
Bromoform	ug/L	ND	50	33.1	66	36-125	
Bromomethane	ug/L	ND	50	56.8	114	13-179	
Carbon disulfide	ug/L	ND	100	92.3	92	45-142	
Carbon tetrachloride	ug/L	ND	50	41.5	83	46-142	
Chlorobenzene	ug/L	ND	50	41.0	82	49-136	
Chloroethane	ug/L	ND	50	54.1	108	47-160	
Chloroform	ug/L	ND	50	47.0	94	54-150	
Chloromethane	ug/L	ND	50	47.3	95	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	40.1	80	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	32.9	66	52-123	
Dibromochloromethane	ug/L	ND	50	36.9	74	48-125	
Dibromomethane	ug/L	ND	50	41.9	84	59-134	
Dichlorodifluoromethane	ug/L	ND	50	50.6	101	24-197	
Ethyl methacrylate	ug/L	ND	200	167	83	55-139	
Ethylbenzene	ug/L	ND	50	41.2	82	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	37.6	75	10-176	
Iodomethane	ug/L	ND	100	82.7	83	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	43.8	88	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	85.0	85	63-130	
Methylene Chloride	ug/L	ND	50	45.3	91	45-156	
n-Butylbenzene	ug/L	ND	50	36.7	73	10-161	
n-Propylbenzene	ug/L	ND	50	38.3	77	16-150	
Naphthalene	ug/L	ND	50	32.6	65	39-140	
p-Isopropyltoluene	ug/L	ND	50	39.8	80	10-163	
sec-Butylbenzene	ug/L	ND	50	38.5	77	10-160	
Styrene	ug/L	ND	50	42.7	85	36-139	
tert-Butylbenzene	ug/L	ND	50	37.4	75	12-134	
Tetrachloroethene	ug/L	ND	50	42.3	82	33-151	
Toluene	ug/L	ND	50	41.6	83	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	46.8	94	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	32.0	64	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	102	51	32-139	
Trichloroethene	ug/L	ND	50	46.7	89	50-143	
Trichlorofluoromethane	ug/L	ND	50	53.2	106	60-175	
Vinyl acetate	ug/L	ND	200	97.4	49	17-142	
Vinyl chloride	ug/L	ND	50	45.8	92	44-145	
Xylene (Total)	ug/L	ND	150	126	84	29-145	
4-Bromofluorobenzene (S)	%				103	80-114	
Dibromofluoromethane (S)	%				104	79-116	
Toluene-d8 (S)	%				97	81-110	

SAMPLE DUPLICATE: 1083828

Parameter	Units	5096097007	Dup	RPD	Max	
		Result	Result		RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

SAMPLE DUPLICATE: 1083828

Parameter	Units	5096097007 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

SAMPLE DUPLICATE: 1083828

Parameter	Units	5096097007 Result	Dup Result	RPD	Max RPD	Qualifiers
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	1.5J		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%.	100	99	1		
Dibromofluoromethane (S)	%.	102	103	1		
Toluene-d8 (S)	%.	97	98	0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Amphenol

Pace Project No.: 5096097

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d Multiple compounds have a RPD greater than the RPD max refer to the LCS for system control. BJG 04-25-14.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol

Pace Project No.: 5096097

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5096097001	IT-2	EPA 8260	MSV/64001		
5096097002	IT-3	EPA 8260	MSV/64001		
5096097003	MW-12R	EPA 8260	MSV/64001		
5096097004	MW-20	EPA 8260	MSV/64001		
5096097005	MW-22	EPA 8260	MSV/64010		
5096097006	MW-28	EPA 8260	MSV/64010		
5096097007	MW-29	EPA 8260	MSV/64010		
5096097008	MW-30	EPA 8260	MSV/64010		
5096097009	DUPLICATE	EPA 8260	MSV/64010		
5096097010	TRIP BLANK	EPA 8260	MSV/64010		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	IWM Consulting	Report To:	Chris Newell	Attention:	Chris Newell
Address:	7428 Rockville Road Indianapolis, IN 46214	Copy To:		Company Name:	IWM Consulting
Email To:	chenell@iwmconsult.com	Purchase Order No.		Address:	7428 Rockville Road, Indianapolis, IN 46214
Phone:	347-1111	Client Project ID:	Amphenol	Place Quote Reference:	
Fax:		Container Order Number:		Pace Project Manager:	Hunt, Kenneth
Requested Due Date/TAT:	10 Day (Default)			Pace Profile #:	
				Regulatory Agency	
				RCRA - Resource Conservation and Recovery Act	
				Start / Location	
				End / Location	

[illegible]

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM

Project # 5096097

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other Foam

Thermometer Used 1 2 3 4 6 A B C D E

Type of Ice: Wet Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature 0.2°C

Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Comments:

Date and initials of person examining contents: CP 4-11-14

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	5.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
-Includes date/time/ID/Analysis		
All containers needing acid/base pres. have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
exceptions: VOA, coliform, TOC, O&G		
All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Project Manager Review		
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

Kenneth Hunt

Date:

4/11/14

Sample Container Count



CLIENT: Thm

DOC PAGE 1 of 1

DOC ID# _____

Project # 9096097

Sample Line

Item	DG9H	AG1U	WGFU	AG0U	R	4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SPST	pH <2	pH >12	Comments
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1 liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFU	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziptloc Bag

APPENDIX B

Laboratory Analytical Reports Groundwater Recovery and Treatment System Samples

February 25, 2014

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 5093555

Dear Mr. Newell:

Enclosed are the analytical results for sample(s) received by the laboratory on February 19, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Amphenol

Pace Project No.: 5093555

Indiana Certification IDs

7726 Moller Road, Indianapolis, IN 46268

Illinois Certification #: 200074

Indiana Certification #: C-49-06

Kansas Certification #: E-10247

Kentucky UST Certification #: 0042

Louisiana/NELAP Certification #: 04076

Ohio VAP Certification #: CL-0065

Pennsylvania Certification #: 68-04991

West Virginia Certification #: 330

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: Amphenol

Pace Project No.: 5093555

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5093555001	RW-1	Water	02/19/14 08:00	02/19/14 15:59
5093555002	RW-2	Water	02/19/14 08:00	02/19/14 15:59
5093555003	RW-3	Water	02/19/14 08:00	02/19/14 15:59
5093555004	RW-4	Water	02/19/14 08:00	02/19/14 15:59
5093555005	EFFLUENT	Water	02/19/14 08:00	02/19/14 15:59
5093555006	RW-5	Water	02/19/14 08:00	02/19/14 15:59

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Amphenol

Pace Project No.: 5093555

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5093555001	RW-1	EPA 8260	DAE	72
5093555002	RW-2	EPA 8260	DAE	72
5093555003	RW-3	EPA 8260	DAE	72
5093555004	RW-4	EPA 8260	DAE	72
5093555005	EFFLUENT	EPA 8260	DAE	72
5093555006	RW-5	EPA 8260	DAE	72

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-1		Lab ID: 5093555001		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 05:28	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 05:28	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 05:28	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 05:28	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 05:28	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 05:28	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 05:28	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 05:28	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 05:28	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 05:28	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 05:28	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 05:28	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 05:28	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 05:28	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 05:28	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 05:28	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 05:28	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 05:28	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 05:28	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 05:28	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 05:28	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 05:28	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		02/22/14 05:28	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 05:28	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 05:28	75-35-4		
cis-1,2-Dichloroethene	6.5	ug/L	5.0	1		02/22/14 05:28	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 05:28	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 05:28	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 05:28	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 05:28	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 05:28	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 05:28	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 05:28	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 05:28	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 05:28	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 05:28	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 05:28	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 05:28	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 05:28	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-1		Lab ID: 5093555001	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 05:28	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 05:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 05:28	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 05:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 05:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 05:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 05:28	79-34-5	
Tetrachloroethene	26.9	ug/L	5.0	1		02/22/14 05:28	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 05:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 05:28	120-82-1	
1,1,1-Trichloroethane	18.0	ug/L	5.0	1		02/22/14 05:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 05:28	79-00-5	
Trichloroethene	38.1	ug/L	5.0	1		02/22/14 05:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 05:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 05:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 05:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 05:28	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 05:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 05:28	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100 %		79-116	1		02/22/14 05:28	1868-53-7	
4-Bromofluorobenzene (S)	93 %		80-114	1		02/22/14 05:28	460-00-4	
Toluene-d8 (S)	99 %		81-110	1		02/22/14 05:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-2		Lab ID: 5093555002		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1			02/22/14 06:02	67-64-1	
Acrolein	ND	ug/L	50.0	1			02/22/14 06:02	107-02-8	
Acrylonitrile	ND	ug/L	100	1			02/22/14 06:02	107-13-1	
Benzene	ND	ug/L	5.0	1			02/22/14 06:02	71-43-2	
Bromobenzene	ND	ug/L	5.0	1			02/22/14 06:02	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1			02/22/14 06:02	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1			02/22/14 06:02	75-27-4	
Bromoform	ND	ug/L	5.0	1			02/22/14 06:02	75-25-2	
Bromomethane	ND	ug/L	5.0	1			02/22/14 06:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1			02/22/14 06:02	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1			02/22/14 06:02	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1			02/22/14 06:02	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1			02/22/14 06:02	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1			02/22/14 06:02	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1			02/22/14 06:02	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1			02/22/14 06:02	108-90-7	
Chloroethane	ND	ug/L	5.0	1			02/22/14 06:02	75-00-3	
Chloroform	ND	ug/L	5.0	1			02/22/14 06:02	67-66-3	
Chloromethane	ND	ug/L	5.0	1			02/22/14 06:02	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1			02/22/14 06:02	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1			02/22/14 06:02	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1			02/22/14 06:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1			02/22/14 06:02	106-93-4	
Dibromomethane	ND	ug/L	5.0	1			02/22/14 06:02	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1			02/22/14 06:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1			02/22/14 06:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1			02/22/14 06:02	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1			02/22/14 06:02	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1			02/22/14 06:02	75-71-8	
1,1-Dichloroethane	12.9	ug/L	5.0	1			02/22/14 06:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1			02/22/14 06:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1			02/22/14 06:02	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1			02/22/14 06:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1			02/22/14 06:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1			02/22/14 06:02	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1			02/22/14 06:02	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1			02/22/14 06:02	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1			02/22/14 06:02	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1			02/22/14 06:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1			02/22/14 06:02	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1			02/22/14 06:02	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1			02/22/14 06:02	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1			02/22/14 06:02	87-68-3	
2-Hexanone	ND	ug/L	25.0	1			02/22/14 06:02	591-78-6	
Iodomethane	ND	ug/L	10.0	1			02/22/14 06:02	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1			02/22/14 06:02	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1			02/22/14 06:02	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-2		Lab ID: 5093555002	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 06:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 06:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 06:02	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 06:02	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 06:02	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 06:02	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 06:02	79-34-5	
Tetrachloroethene	195	ug/L	5.0	1		02/22/14 06:02	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 06:02	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:02	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:02	120-82-1	
1,1,1-Trichloroethane	89.0	ug/L	5.0	1		02/22/14 06:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 06:02	79-00-5	
Trichloroethene	165	ug/L	5.0	1		02/22/14 06:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 06:02	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 06:02	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 06:02	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 06:02	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 06:02	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 06:02	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105 %		79-116	1		02/22/14 06:02	1868-53-7	
4-Bromofluorobenzene (S)	93 %		80-114	1		02/22/14 06:02	460-00-4	
Toluene-d8 (S)	97 %		81-110	1		02/22/14 06:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-3		Lab ID: 5093555003		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 06:35	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 06:35	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 06:35	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 06:35	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 06:35	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 06:35	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 06:35	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 06:35	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 06:35	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 06:35	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 06:35	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 06:35	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 06:35	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 06:35	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 06:35	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 06:35	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 06:35	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 06:35	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 06:35	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 06:35	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 06:35	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 06:35	75-71-8		
1,1-Dichloroethane	6.5	ug/L	5.0	1		02/22/14 06:35	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 06:35	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 06:35	75-35-4		
cis-1,2-Dichloroethene	21.8	ug/L	5.0	1		02/22/14 06:35	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 06:35	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:35	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:35	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 06:35	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:35	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:35	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 06:35	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 06:35	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 06:35	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 06:35	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 06:35	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 06:35	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 06:35	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-3		Lab ID: 5093555003	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 06:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 06:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 06:35	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 06:35	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 06:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 06:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 06:35	79-34-5	
Tetrachloroethene	144	ug/L	5.0	1		02/22/14 06:35	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 06:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 06:35	120-82-1	
1,1,1-Trichloroethane	62.6	ug/L	5.0	1		02/22/14 06:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 06:35	79-00-5	
Trichloroethene	58.1	ug/L	5.0	1		02/22/14 06:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 06:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 06:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 06:35	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 06:35	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 06:35	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 06:35	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	79-116	1		02/22/14 06:35	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	80-114	1		02/22/14 06:35	460-00-4	
Toluene-d8 (S)	98	%.	81-110	1		02/22/14 06:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-4		Lab ID: 5093555004		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 07:09	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 07:09	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 07:09	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 07:09	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 07:09	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 07:09	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 07:09	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 07:09	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 07:09	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 07:09	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 07:09	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 07:09	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 07:09	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 07:09	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 07:09	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 07:09	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 07:09	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 07:09	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 07:09	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 07:09	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 07:09	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 07:09	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		02/22/14 07:09	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 07:09	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 07:09	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 07:09	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 07:09	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 07:09	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 07:09	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 07:09	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 07:09	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 07:09	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 07:09	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 07:09	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 07:09	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 07:09	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 07:09	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 07:09	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 07:09	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-4		Lab ID: 5093555004	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 07:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 07:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 07:09	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 07:09	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 07:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 07:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 07:09	79-34-5	
Tetrachloroethene	10.3	ug/L	5.0	1		02/22/14 07:09	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 07:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 07:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		02/22/14 07:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 07:09	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		02/22/14 07:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 07:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 07:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 07:09	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 07:09	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 07:09	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 07:09	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	97 %		79-116	1		02/22/14 07:09	1868-53-7	
4-Bromofluorobenzene (S)	93 %		80-114	1		02/22/14 07:09	460-00-4	
Toluene-d8 (S)	97 %		81-110	1		02/22/14 07:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: EFFLUENT		Lab ID: 5093555005	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		02/22/14 07:43	67-64-1	
Acrolein	ND ug/L		50.0	1		02/22/14 07:43	107-02-8	
Acrylonitrile	ND ug/L		100	1		02/22/14 07:43	107-13-1	
Benzene	ND ug/L		5.0	1		02/22/14 07:43	71-43-2	
Bromobenzene	ND ug/L		5.0	1		02/22/14 07:43	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		02/22/14 07:43	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		02/22/14 07:43	75-27-4	
Bromoform	ND ug/L		5.0	1		02/22/14 07:43	75-25-2	
Bromomethane	ND ug/L		5.0	1		02/22/14 07:43	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		02/22/14 07:43	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		02/22/14 07:43	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		02/22/14 07:43	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		02/22/14 07:43	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		02/22/14 07:43	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		02/22/14 07:43	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	108-90-7	
Chloroethane	ND ug/L		5.0	1		02/22/14 07:43	75-00-3	
Chloroform	ND ug/L		5.0	1		02/22/14 07:43	67-66-3	
Chloromethane	ND ug/L		5.0	1		02/22/14 07:43	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		02/22/14 07:43	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		02/22/14 07:43	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		02/22/14 07:43	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		02/22/14 07:43	106-93-4	
Dibromomethane	ND ug/L		5.0	1		02/22/14 07:43	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		02/22/14 07:43	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		02/22/14 07:43	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		02/22/14 07:43	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		02/22/14 07:43	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		02/22/14 07:43	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		02/22/14 07:43	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		02/22/14 07:43	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		02/22/14 07:43	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		02/22/14 07:43	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		02/22/14 07:43	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		02/22/14 07:43	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		02/22/14 07:43	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		02/22/14 07:43	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		02/22/14 07:43	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		02/22/14 07:43	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		02/22/14 07:43	87-68-3	
2-Hexanone	ND ug/L		25.0	1		02/22/14 07:43	591-78-6	
Iodomethane	ND ug/L		10.0	1		02/22/14 07:43	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		02/22/14 07:43	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		02/22/14 07:43	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: EFFLUENT		Lab ID: 5093555005	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND ug/L		5.0	1		02/22/14 07:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		25.0	1		02/22/14 07:43	108-10-1	
Methyl-tert-butyl ether	ND ug/L		4.0	1		02/22/14 07:43	1634-04-4	
Naphthalene	ND ug/L		5.0	1		02/22/14 07:43	91-20-3	
n-Propylbenzene	ND ug/L		5.0	1		02/22/14 07:43	103-65-1	
Styrene	ND ug/L		5.0	1		02/22/14 07:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		5.0	1		02/22/14 07:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	1		02/22/14 07:43	79-34-5	
Tetrachloroethene	ND ug/L		5.0	1		02/22/14 07:43	127-18-4	
Toluene	ND ug/L		5.0	1		02/22/14 07:43	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1		02/22/14 07:43	120-82-1	
1,1,1-Trichloroethane	ND ug/L		5.0	1		02/22/14 07:43	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	1		02/22/14 07:43	79-00-5	
Trichloroethene	ND ug/L		5.0	1		02/22/14 07:43	79-01-6	
Trichlorofluoromethane	ND ug/L		5.0	1		02/22/14 07:43	75-69-4	
1,2,3-Trichloropropane	ND ug/L		5.0	1		02/22/14 07:43	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		5.0	1		02/22/14 07:43	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		5.0	1		02/22/14 07:43	108-67-8	
Vinyl acetate	ND ug/L		50.0	1		02/22/14 07:43	108-05-4	
Vinyl chloride	ND ug/L		2.0	1		02/22/14 07:43	75-01-4	
Xylene (Total)	ND ug/L		10.0	1		02/22/14 07:43	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98 %.		79-116	1		02/22/14 07:43	1868-53-7	
4-Bromofluorobenzene (S)	94 %.		80-114	1		02/22/14 07:43	460-00-4	
Toluene-d8 (S)	98 %.		81-110	1		02/22/14 07:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-5		Lab ID: 5093555006		Collected: 02/19/14 08:00		Received: 02/19/14 15:59		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		02/22/14 08:17	67-64-1		
Acrolein	ND	ug/L	50.0	1		02/22/14 08:17	107-02-8		
Acrylonitrile	ND	ug/L	100	1		02/22/14 08:17	107-13-1		
Benzene	ND	ug/L	5.0	1		02/22/14 08:17	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		02/22/14 08:17	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		02/22/14 08:17	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		02/22/14 08:17	75-27-4		
Bromoform	ND	ug/L	5.0	1		02/22/14 08:17	75-25-2		
Bromomethane	ND	ug/L	5.0	1		02/22/14 08:17	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		02/22/14 08:17	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		02/22/14 08:17	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		02/22/14 08:17	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	108-90-7		
Chloroethane	ND	ug/L	5.0	1		02/22/14 08:17	75-00-3		
Chloroform	ND	ug/L	5.0	1		02/22/14 08:17	67-66-3		
Chloromethane	ND	ug/L	5.0	1		02/22/14 08:17	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 08:17	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		02/22/14 08:17	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		02/22/14 08:17	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		02/22/14 08:17	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		02/22/14 08:17	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		02/22/14 08:17	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		02/22/14 08:17	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		02/22/14 08:17	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		02/22/14 08:17	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		02/22/14 08:17	75-35-4		
cis-1,2-Dichloroethene	202	ug/L	5.0	1		02/22/14 08:17	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		02/22/14 08:17	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 08:17	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		02/22/14 08:17	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		02/22/14 08:17	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		02/22/14 08:17	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 08:17	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		02/22/14 08:17	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		02/22/14 08:17	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		02/22/14 08:17	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		02/22/14 08:17	591-78-6		
Iodomethane	ND	ug/L	10.0	1		02/22/14 08:17	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		02/22/14 08:17	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		02/22/14 08:17	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5093555

Sample: RW-5		Lab ID: 5093555006	Collected: 02/19/14 08:00	Received: 02/19/14 15:59	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		02/22/14 08:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		02/22/14 08:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		02/22/14 08:17	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		02/22/14 08:17	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	103-65-1	
Styrene	ND	ug/L	5.0	1		02/22/14 08:17	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 08:17	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		02/22/14 08:17	79-34-5	
Tetrachloroethene	538	ug/L	50.0	10		02/22/14 08:51	127-18-4	
Toluene	ND	ug/L	5.0	1		02/22/14 08:17	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		02/22/14 08:17	120-82-1	
1,1,1-Trichloroethane	47.5	ug/L	5.0	1		02/22/14 08:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		02/22/14 08:17	79-00-5	
Trichloroethene	290	ug/L	50.0	10		02/22/14 08:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		02/22/14 08:17	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		02/22/14 08:17	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		02/22/14 08:17	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		02/22/14 08:17	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		02/22/14 08:17	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		02/22/14 08:17	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%	79-116	1		02/22/14 08:17	1868-53-7	
4-Bromofluorobenzene (S)	93	%	80-114	1		02/22/14 08:17	460-00-4	
Toluene-d8 (S)	95	%	81-110	1		02/22/14 08:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

QC Batch: MSV/61973

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 5093555001, 5093555002, 5093555003, 5093555004, 5093555005, 5093555006

METHOD BLANK: 1051628

Matrix: Water

Associated Lab Samples: 5093555001, 5093555002, 5093555003, 5093555004, 5093555005, 5093555006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1,1-Trichloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1,2-Trichloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1-Dichloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,1-Dichloroethene	ug/L	ND	5.0	02/22/14 01:31	
1,1-Dichloropropene	ug/L	ND	5.0	02/22/14 01:31	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
1,2,3-Trichloropropane	ug/L	ND	5.0	02/22/14 01:31	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	02/22/14 01:31	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	02/22/14 01:31	
1,2-Dichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
1,2-Dichloroethane	ug/L	ND	5.0	02/22/14 01:31	
1,2-Dichloropropane	ug/L	ND	5.0	02/22/14 01:31	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	02/22/14 01:31	
1,3-Dichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
1,3-Dichloropropane	ug/L	ND	5.0	02/22/14 01:31	
1,4-Dichlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
2,2-Dichloropropane	ug/L	ND	5.0	02/22/14 01:31	
2-Butanone (MEK)	ug/L	ND	25.0	02/22/14 01:31	
2-Chlorotoluene	ug/L	ND	5.0	02/22/14 01:31	
2-Hexanone	ug/L	ND	25.0	02/22/14 01:31	
4-Chlorotoluene	ug/L	ND	5.0	02/22/14 01:31	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	02/22/14 01:31	
Acetone	ug/L	ND	100	02/22/14 01:31	
Acrolein	ug/L	ND	50.0	02/22/14 01:31	
Acrylonitrile	ug/L	ND	100	02/22/14 01:31	
Benzene	ug/L	ND	5.0	02/22/14 01:31	
Bromobenzene	ug/L	ND	5.0	02/22/14 01:31	
Bromochloromethane	ug/L	ND	5.0	02/22/14 01:31	
Bromodichloromethane	ug/L	ND	5.0	02/22/14 01:31	
Bromoform	ug/L	ND	5.0	02/22/14 01:31	
Bromomethane	ug/L	ND	5.0	02/22/14 01:31	
Carbon disulfide	ug/L	ND	10.0	02/22/14 01:31	
Carbon tetrachloride	ug/L	ND	5.0	02/22/14 01:31	
Chlorobenzene	ug/L	ND	5.0	02/22/14 01:31	
Chloroethane	ug/L	ND	5.0	02/22/14 01:31	
Chloroform	ug/L	ND	5.0	02/22/14 01:31	
Chloromethane	ug/L	ND	5.0	02/22/14 01:31	
cis-1,2-Dichloroethene	ug/L	ND	5.0	02/22/14 01:31	
cis-1,3-Dichloropropene	ug/L	ND	5.0	02/22/14 01:31	
Dibromochloromethane	ug/L	ND	5.0	02/22/14 01:31	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

METHOD BLANK: 1051628

Matrix: Water

Associated Lab Samples: 5093555001, 5093555002, 5093555003, 5093555004, 5093555005, 5093555006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	02/22/14 01:31	
Dichlorodifluoromethane	ug/L	ND	5.0	02/22/14 01:31	
Ethyl methacrylate	ug/L	ND	100	02/22/14 01:31	
Ethylbenzene	ug/L	ND	5.0	02/22/14 01:31	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	02/22/14 01:31	
Iodomethane	ug/L	ND	10.0	02/22/14 01:31	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	02/22/14 01:31	
Methyl-tert-butyl ether	ug/L	ND	4.0	02/22/14 01:31	
Methylene Chloride	ug/L	ND	5.0	02/22/14 01:31	
n-Butylbenzene	ug/L	ND	5.0	02/22/14 01:31	
n-Propylbenzene	ug/L	ND	5.0	02/22/14 01:31	
Naphthalene	ug/L	ND	5.0	02/22/14 01:31	
p-Isopropyltoluene	ug/L	ND	5.0	02/22/14 01:31	
sec-Butylbenzene	ug/L	ND	5.0	02/22/14 01:31	
Styrene	ug/L	ND	5.0	02/22/14 01:31	
tert-Butylbenzene	ug/L	ND	5.0	02/22/14 01:31	
Tetrachloroethene	ug/L	ND	5.0	02/22/14 01:31	
Toluene	ug/L	ND	5.0	02/22/14 01:31	
trans-1,2-Dichloroethene	ug/L	ND	5.0	02/22/14 01:31	
trans-1,3-Dichloropropene	ug/L	ND	5.0	02/22/14 01:31	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	02/22/14 01:31	
Trichloroethene	ug/L	ND	5.0	02/22/14 01:31	
Trichlorofluoromethane	ug/L	ND	5.0	02/22/14 01:31	
Vinyl acetate	ug/L	ND	50.0	02/22/14 01:31	
Vinyl chloride	ug/L	ND	2.0	02/22/14 01:31	
Xylene (Total)	ug/L	ND	10.0	02/22/14 01:31	
4-Bromofluorobenzene (S)	%	95	80-114	02/22/14 01:31	
Dibromofluoromethane (S)	%	97	79-116	02/22/14 01:31	
Toluene-d8 (S)	%	101	81-110	02/22/14 01:31	

LABORATORY CONTROL SAMPLE: 1051629

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	45.0	90	61-135	
1,1,1-Trichloroethane	ug/L	50	57.4	115	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	59.9	120	66-126	
1,1,2-Trichloroethane	ug/L	50	56.3	113	77-130	
1,1-Dichloroethane	ug/L	50	54.5	109	75-130	
1,1-Dichloroethene	ug/L	50	47.0	94	68-127	
1,1-Dichloropropene	ug/L	50	53.5	107	78-130	
1,2,3-Trichlorobenzene	ug/L	50	59.4	119	70-130	
1,2,3-Trichloropropane	ug/L	50	61.6	123	58-142	
1,2,4-Trichlorobenzene	ug/L	50	53.5	107	68-131	
1,2,4-Trimethylbenzene	ug/L	50	54.5	109	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	62.8	126	76-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

LABORATORY CONTROL SAMPLE: 1051629

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	51.4	103	75-123	
1,2-Dichloroethane	ug/L	50	56.4	113	75-128	
1,2-Dichloropropane	ug/L	50	56.0	112	74-121	
1,3,5-Trimethylbenzene	ug/L	50	55.2	110	70-126	
1,3-Dichlorobenzene	ug/L	50	50.0	100	74-122	
1,3-Dichloropropane	ug/L	50	54.4	109	74-123	
1,4-Dichlorobenzene	ug/L	50	49.6	99	76-120	
2,2-Dichloropropane	ug/L	50	31.7	63	50-137	
2-Butanone (MEK)	ug/L	250	305	122	58-139	
2-Chlorotoluene	ug/L	50	54.3	109	74-122	
2-Hexanone	ug/L	250	283	113	54-140	
4-Chlorotoluene	ug/L	50	54.3	109	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	341	136	58-138	
Acetone	ug/L	250	303	121	49-150	
Acrolein	ug/L	1000	859	86	41-200	
Acrylonitrile	ug/L	1000	906	91	63-137	
Benzene	ug/L	50	50.5	101	74-122	
Bromobenzene	ug/L	50	53.3	107	72-127	
Bromochloromethane	ug/L	50	52.5	105	63-132	
Bromodichloromethane	ug/L	50	48.1	96	62-136	
Bromoform	ug/L	50	45.7	91	44-134	
Bromomethane	ug/L	50	69.3	139	22-181	
Carbon disulfide	ug/L	100	99.9	100	59-132	
Carbon tetrachloride	ug/L	50	44.8	90	56-137	
Chlorobenzene	ug/L	50	50.2	100	78-123	
Chloroethane	ug/L	50	39.6	79	60-144	
Chloroform	ug/L	50	55.3	111	78-126	
Chloromethane	ug/L	50	44.8	90	42-134	
cis-1,2-Dichloroethene	ug/L	50	54.0	108	75-122	
cis-1,3-Dichloropropene	ug/L	50	42.4	85	64-126	
Dibromochloromethane	ug/L	50	43.6	87	58-128	
Dibromomethane	ug/L	50	53.8	108	73-125	
Dichlorodifluoromethane	ug/L	50	61.0	122	35-181	
Ethyl methacrylate	ug/L	200	219	110	69-133	
Ethylbenzene	ug/L	50	53.3	107	66-133	
Hexachloro-1,3-butadiene	ug/L	50	47.7	95	59-145	
Iodomethane	ug/L	100	95.4	95	21-170	
Isopropylbenzene (Cumene)	ug/L	50	56.5	113	69-124	
Methyl-tert-butyl ether	ug/L	100	99.8	100	69-122	
Methylene Chloride	ug/L	50	49.4	99	68-132	
n-Butylbenzene	ug/L	50	55.5	111	70-126	
n-Propylbenzene	ug/L	50	54.9	110	71-122	
Naphthalene	ug/L	50	51.7	103	68-127	
p-Isopropyltoluene	ug/L	50	56.5	113	72-132	
sec-Butylbenzene	ug/L	50	55.1	110	70-128	
Styrene	ug/L	50	55.9	112	74-126	
tert-Butylbenzene	ug/L	50	49.9	100	51-118	
Tetrachloroethene	ug/L	50	49.6	99	69-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

LABORATORY CONTROL SAMPLE: 1051629

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	53.3	107	72-122	
trans-1,2-Dichloroethene	ug/L	50	47.8	96	72-124	
trans-1,3-Dichloropropene	ug/L	50	39.8	80	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	242	121	56-133	
Trichloroethene	ug/L	50	54.9	110	76-126	
Trichlorofluoromethane	ug/L	50	49.0	98	76-149	
Vinyl acetate	ug/L	200	197	99	45-151	
Vinyl chloride	ug/L	50	46.0	92	59-126	
Xylene (Total)	ug/L	150	163	109	70-124	
4-Bromofluorobenzene (S)	%			106	80-114	
Dibromofluoromethane (S)	%			100	79-116	
Toluene-d8 (S)	%			101	81-110	

MATRIX SPIKE SAMPLE: 1051630

Parameter	Units	5093639002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	44.1	88	50-132	
1,1,1-Trichloroethane	ug/L	ND	50	59.5	119	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	59.5	119	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	59.5	119	61-139	
1,1-Dichloroethane	ug/L	ND	50	59.0	118	57-147	
1,1-Dichloroethene	ug/L	ND	50	46.4	93	55-145	
1,1-Dichloropropene	ug/L	ND	50	51.0	102	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	55.1	110	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	60.2	120	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	48.9	98	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	49.1	98	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	64.2	128	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	49.7	99	38-136	
1,2-Dichloroethane	ug/L	ND	50	61.8	124	62-138	
1,2-Dichloropropane	ug/L	ND	50	58.4	117	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	48.6	97	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	46.9	94	28-141	
1,3-Dichloropropane	ug/L	ND	50	58.0	116	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	46.5	93	30-139	
2,2-Dichloropropane	ug/L	ND	50	27.0	54	37-139	
2-Butanone (MEK)	ug/L	ND	250	327	131	37-156	
2-Chlorotoluene	ug/L	ND	50	49.3	99	27-142	
2-Hexanone	ug/L	ND	250	297	119	44-143	
4-Chlorotoluene	ug/L	ND	50	48.0	96	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	359	144	46-144	
Acetone	ug/L	ND	250	336	134	39-156	
Acrolein	ug/L	ND	1000	896	90	33-200	
Acrylonitrile	ug/L	ND	1000	1230	123	48-149	
Benzene	ug/L	ND	50	54.5	109	62-129	
Bromobenzene	ug/L	ND	50	51.7	103	39-140	
Bromochloromethane	ug/L	ND	50	61.9	124	49-142	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5093555

MATRIX SPIKE SAMPLE:		1051630					
Parameter	Units	5093639002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	51.0	102	50-142	
Bromoform	ug/L	ND	50	45.1	90	36-125	
Bromomethane	ug/L	ND	50	68.5	137	13-179	
Carbon disulfide	ug/L	ND	100	98.2	98	45-142	
Carbon tetrachloride	ug/L	ND	50	44.3	89	46-142	
Chlorobenzene	ug/L	ND	50	49.3	99	49-136	
Chloroethane	ug/L	ND	50	43.8	88	47-160	
Chloroform	ug/L	ND	50	60.9	122	54-150	
Chloromethane	ug/L	ND	50	52.1	104	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	60.0	113	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	39.5	79	52-123	
Dibromochloromethane	ug/L	ND	50	45.8	92	48-125	
Dibromomethane	ug/L	ND	50	58.6	117	59-134	
Dichlorodifluoromethane	ug/L	ND	50	57.9	116	24-197	
Ethyl methacrylate	ug/L	ND	200	222	111	55-139	
Ethylbenzene	ug/L	ND	50	48.6	97	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	39.2	78	10-176	
Iodomethane	ug/L	ND	100	78.3	78	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	50.0	100	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	98.4	98	63-130	
Methylene Chloride	ug/L	ND	50	53.6	107	45-156	
n-Butylbenzene	ug/L	ND	50	47.3	95	10-161	
n-Propylbenzene	ug/L	ND	50	47.7	95	16-150	
Naphthalene	ug/L	ND	50	50.1	100	39-140	
p-Isopropyltoluene	ug/L	ND	50	48.8	98	10-163	
sec-Butylbenzene	ug/L	ND	50	47.6	95	10-160	
Styrene	ug/L	ND	50	52.7	105	36-139	
tert-Butylbenzene	ug/L	ND	50	42.9	86	12-134	
Tetrachloroethene	ug/L	ND	50	45.6	91	33-151	
Toluene	ug/L	ND	50	51.4	103	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	49.5	99	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	36.8	74	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	235	118	32-139	
Trichloroethene	ug/L	ND	50	56.4	107	50-143	
Trichlorofluoromethane	ug/L	ND	50	50.5	101	60-175	
Vinyl acetate	ug/L	ND	200	109	54	17-142	
Vinyl chloride	ug/L	ND	50	50.4	101	44-145	
Xylene (Total)	ug/L	ND	150	149	99	29-145	
4-Bromofluorobenzene (S)	%				106	80-114	
Dibromofluoromethane (S)	%				104	79-116	
Toluene-d8 (S)	%				101	81-110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Amphenol

Pace Project No.: 5093555

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol

Pace Project No.: 5093555

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5093555001	RW-1	EPA 8260	MSV/61973		
5093555002	RW-2	EPA 8260	MSV/61973		
5093555003	RW-3	EPA 8260	MSV/61973		
5093555004	RW-4	EPA 8260	MSV/61973		
5093555005	EFFLUENT	EPA 8260	MSV/61973		
5093555006	RW-5	EPA 8260	MSV/61973		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Sample Condition Upon Receipt



Client Name: ILM

Project # 5093555

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other _____

Thermometer Used 1 2 3 4 6 A B C D E

Type of Ice: Wet Blue None

☐ Samples on ice, cooling process has begun

Cooler Temperature 3°C

Ice Visible in Sample Containers: ☒ yes ☐ no

Temp should be above freezing to 6°C

Comments:

Date and initials of person examining contents: CAP 2-19-14

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	5.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
-Includes date/time/ID/Analysis		
All containers needing acid/base pres. have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	9.
exceptions: VOA, coliform, TOC, O&G		
All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Project Manager Review		
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review:

Kenneth Hunt

Date:

2/19/14

Sample Container Count



CLIENT: TWM
 COC PAGE 1 of 1
 COC ID# 5093555


Project # 5093555

Sample Line Item	DG9H	AG1U	WGfU	AG0U	R	4 / 6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	pH <2	pH >12	Comments
1																	
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	

Container Codes														
DG9H	40mL HCL	amber vial	AG0U	100mL unpreserved	amber gl	BP1N	1 liter HNO3	plastic	DG9P	40mL TSP	amber vial			
AG1U	1liter unpreserved	amber gla	AG1H	1 liter HCL	amber glass	BP1S	1 liter H2SO4	plastic	DG9S	40mL H2SO4	amber vial			
WGfU	4oz clear soil jar		AG1S	1 liter H2SO4	amber glass	BP1U	1 liter unpreserved	plastic	DG9T	40mL Na Thio	amber vial			
R	terra core kit		AG1T	1 liter Na Thiosulfate	amber gl	BP1Z	1 liter NaOH, Zn, Ac		DG9U	40mL unpreserved	amber vial			
BP2N	500mL HNO3	plastic	AG2N	500mL HNO3	amber glass	BP2A	500mL NaOH, Asc	Acid plastic	I	Wipe/Swab				
BP2U	500mL unpreserved	plastic	AG2S	500mL H2SO4	amber glass	BP2O	500mL NaOH	plastic	JGfU	4oz unpreserved	amber wide			
BP2S	500mL H2SO4	plastic	AG2U	500mL unpreserved	amber g	BP2Z	500mL NaOH, Zn	Ac	U	Summa Can				
BP3N	250mL HNO3	plastic	AG3U	250mL unpreserved	amber g	AF	Air Filter		VG9H	40mL HCL	clear vial			
BP3U	250mL unpreserved	plastic	BG1H	1 liter HCL	clear glass	BP3C	250mL NaOH	plastic	VG9T	40mL Na Thio.	clear vial			
BP3S	250mL H2SO4	plastic	BG1S	1 liter H2SO4	clear glass	BP3Z	250mL NaOH, Zn	Ac plastic	VG9U	40mL unpreserved	clear vial			
AG3S	250mL H2SO4	glass	amber	BG1T	1 liter Na Thiosulfate	clear gl	C	Air Cassettes	VSG	Headspace septa	vial & HCL			
AG1S	1 liter H2SO4	amber glass	BG1U	1 liter unpreserved	glass	DG9B	40mL Na Bisulfate	amber vial	WGFX	4oz wide jar w/hexane	wipe			
BP1U	1 liter unpreserved	plastic	BP1A	1 liter NaOH, Asc	Acid plastic	DG9M	40mL MeOH	clear vial	ZPLC	Ziploc	Bag			

APPENDIX C

Semi-Annual Groundwater Sampling Logs



YSI 556 Calibration Form

Date: 4/11/14
 Personnel: pew
 Project: amphenol

Parameter	Calibration Standard Value	Instrument Reading Before Calibration	Instrument Reading After Calibration	Calibration Accepted	Instrument Reading Post-Calibration
ORP	mV	235.2	240.3	<input checked="" type="radio"/> Y / <input type="radio"/> N	
pH	7.00 s.u. (+/-50 pH mV)	240 7.23	7.0	<input checked="" type="radio"/> Y / <input type="radio"/> N	
pH	4.00 s.u. (+165-180 pH mV)	133.6 / 3.82	3.97	<input checked="" type="radio"/> Y / <input type="radio"/> N	
Sp Conductance	4.49 mS/cm	4.436	4.490	<input checked="" type="radio"/> Y / <input type="radio"/> N	
Sp Conductance	1.413 mS/cm			<input type="radio"/> Y / <input type="radio"/> N	
DO	8.92 mg/L (Multi-solution) or 95-105%	112.9	97.4	<input checked="" type="radio"/> Y / <input type="radio"/> N	
pH	10.00 s.u. (-165-180 pH mV)	173.0 9.88	10.0	<input checked="" type="radio"/> Y / <input type="radio"/> N	

* Out of ranges need to be noted.

Notes: _____

ORP Measurements Reference Table

Temperature °F	Temperature °C	Potential in mV
32	0	237
41	5	232
50	10	230
59	15	237
68	20	223
77	25	220
86	30	226
95	35	213
104	40	219
113	45	205
122	50	201
131	55	197
140	60	193
149	65	189
158	70	185

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. IT-2 Project No. IN-AMP-12-06
Project Amphenol Site Name Amphenol, Franklin, IN
Sampling Purpose Semi-Annual GWS Sampling Personnel Mier/White
Date 4/11/14
Time In 11:07 Time Out 11:21

I. Well Information

Reference point on well casing (Y) N
Well Diameter ID 2 OD
Total Well Depth 17.30
Depth to Water 11.79
Slug Test Performed Y (N)
Redevelop Y (N)

II. Well Water Information

Length of water column (ft.) 5.51
Volume of water in well (gal.) 0.9
Volume of bailer (gal.) 0.33

III. Evacuation Information

Volume of water removed from well (gal.) 2.7
Did well go dry? Y (N)

Evacuation Method Bailer
Evacuation Rate (gpm) 0.66

IV. Well Sampling

Container 3x 40 ml VOA
Preservative HCl
Time Sampled 11:29
Analysis VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C) 11.46
Conductivity (uS/cm) 1943
pH (SU) 6.84
ORP (mV) -37.2
DO (mg/L) 6.3
Film Y (N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. <u>I4-3</u>	Project No. <u>IN-AMP-12-06</u>
Project <u>Amphenol</u>	Site Name <u>Amphenol, Franklin, IN</u>
Sampling Purpose <u>Semi-Annual GWS</u>	Sampling Personnel <u>Mier/White</u>
	Date <u>4/11/14</u>
	Time In <u>12:45</u> Time Out <u>12:59</u>

I. Well Information

Reference point on well casing		
Well Diameter	ID <u>2"</u>	OD <u>Y</u>
Total Well Depth	<u>13.70</u>	
Depth to Water	<u>10.29</u>	
Slug Test Performed	<u>Y</u>	<u>N</u>
Redevelop	<u>Y</u>	<u>N</u>

II. Well Water Information

Length of water column (ft.)	<u>3.41</u>
Volume of water in well (gal.)	<u>0.56</u>
Volume of bailer (gal.)	<u>0.33</u>

III. Evacuation Information

Volume of water removed from well (gal.)	<u>1.68</u>
Did well go dry ?	<u>Y</u> <u>N</u>

Evacuation Method	<u>Bailer</u>
Evacuation Rate (gpm)	<u>0.66</u>

IV. Well Sampling

Container	<u>3x 40 ml VOA</u>
Preservative	<u>HCl</u>
Time Sampled	<u>13:06</u>
Analysis	<u>VOCs EPA Method 8260B</u>

V. Groundwater Characteristics After Well Evacuation

Temperature (C)	<u>10.57</u>
Conductivity (uS/cm)	<u>1,047</u>
pH (SU)	<u>6.80</u>
ORP (mV)	<u>-61.2</u>
DO (mg/L)	<u>3.27</u>
Film	<u>Y</u> <u>N</u>

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical	via	<u>Hand delivery (IWM)</u>
Field Personnel	<u>RM</u>	

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. MW-12R Project No. IN-AMP-12-06
Project Amphenol Site Name Amphenol, Franklin, IN
Sampling Purpose Semi-Annual GWS Sampling Personnel Mier/White
Date 4/11/17
Time In 10:47 Time Out 11:04

I. Well Information

Reference point on well casing Y RM
Well Diameter ID 2" OD 2.520
Total Well Depth 16.21
Depth to Water 8.99
Slug Test Performed Y N
Redevelop Y N

II. Well Water Information

Length of water column (ft.) 8.99
Volume of water in well (gal.) 1.47
Volume of bailer (gal.) 0.33

III. Evacuation Information

Volume of water removed from well (gal.) 4.41
Did well go dry? Y N

Evacuation Method Bailer
Evacuation Rate (gpm) 0.66

IV. Well Sampling

Container 3x 40 ml VOA
Preservative HCl
Time Sampled 11:14
Analysis VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C) 12.59
Conductivity (uS/cm) 1938
pH (SU) 6.85
ORP (mV) 87.4
DO (mg/L) 2.27
Film Y N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. MW-20 Project No. IN-AMP-12-06
Project Amphenol Site Name Amphenol, Franklin, IN
Sampling Purpose Semi-Annual GWS Sampling Personnel Mier/White
Date 4/11/14
Time In 13:13 Time Out 13:30

I. Well Information

Reference point on well casing 2" (Y) N
Well Diameter ID 23.43 OD 8.39
Total Well Depth 8.39
Depth to Water Y (N)
Slug Test Performed Y (N)
Redevelop Y (N)

II. Well Water Information

Length of water column (ft.) 15.04
Volume of water in well (gal.) 2.45
Volume of bailer (gal.) 0.33

III. Evacuation Information

Volume of water removed from well (gal.) 7.35
Did well go dry? Y (N)

Evacuation Method Bailer
Evacuation Rate (gpm) -0.66

IV. Well Sampling

Container 3x 40 ml VOA
Preservative HCl
Time Sampled 13:41
Analysis VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C) 13.65
Conductivity (uS/cm) 1894
pH (SU) 6.79
ORP (mV) -70.3
DO (mg/L) 1.32
Film Y (N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. MW- 22

Project Amphenol

Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-12-06

Site Name Amphenol, Franklin, IN

Sampling Personnel Mier/White

Date 9/11/17

Time In 9:32 Time Out 9:45

I. Well Information

Reference point on well casing

Well Diameter ID 2" (Y) OD N

Total Well Depth 2400

Depth to Water 16.66

Slug Test Performed Y (N)

Redevelop Y (N)

II. Well Water Information

Length of water column (ft.) 7.34

Volume of water in well (gal.) 1.2

Volume of bailer (gal.) 0.33

III. Evacuation Information

Volume of water removed from well (gal.) 3.6

Did well go dry? Y (N)

Evacuation Method Bailer

Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container 3x 40 ml VOA

Preservative HCl

Time Sampled 10:22

Analysis VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C) 13.37

Conductivity (uS/cm) 1.120

pH (SU) 6.27

ORP (mV) 165.7

DO (mg/L) .70

Film Y (N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel RM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. <u>MW-28</u>	Project No. <u>IN-AMP-12-06</u>
Project <u>Amphenol</u>	Site Name <u>Amphenol, Franklin, IN</u>
Sampling Purpose <u>Semi-Annual GWS</u>	Sampling Personnel <u>Mier/White</u>
	Date <u>4/11/14</u>
	Time In <u>9:52</u> Time Out <u>10:11</u>

I. Well Information

Reference point on well casing	<u>Y</u>	<u>N</u>
Well Diameter ID <u>2"</u>	OD	
Total Well Depth	<u>25.25</u>	
Depth to Water	<u>16.13</u>	
Slug Test Performed	<u>Y</u>	<u>N</u>
Redevelop	<u>Y</u>	<u>N</u>

II. Well Water Information

Length of water column (ft.)	<u>9.12</u>
Volume of water in well (gal.)	<u>1.49</u>
Volume of bailer (gal.)	<u>0.33</u>

III. Evacuation Information

Volume of water removed from well (gal.)	<u>4.47</u>
Did well go dry ?	<u>Y</u> <u>N</u>

Evacuation Method	<u>Bailer</u>
Evacuation Rate (gpm)	<u>0.66</u>

IV. Well Sampling

Container	<u>3x 40 ml VOA</u>
Preservative	<u>HCl</u>
Time Sampled	<u>10:37</u>
Analysis	<u>VOCs EPA Method 8260B</u>

V. Groundwater Characteristics After Well Evacuation

Temperature (C)	<u>12.79</u>
Conductivity (uS/cm)	<u>1.051</u>
pH (SU)	<u>6.65</u>
ORP (mV)	<u>120.3</u>
DO (mg/L)	<u>4.26</u>
Film	<u>Y</u> <u>N</u>

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical	via	<u>Hand delivery (IWM)</u>
Field Personnel	<u>RM</u>	

ATTACHMENT 1 GROUNDWATER SAMPLING FIELD LOG

Well No.

Project

Sampling Purpose

MW-29

Amphenol

Semi-Annual GWS

Project No. IN-AMP-12-06

Site Name Amphenol, Franklin, IN

Sampling Personnel Mier/White

Date

Time In

10:18 Time Out 10:32

I. Well Information

Reference point on well casing

Well Diameter

Total Well Depth

Depth to Water

Slug Test Performed

Redevelop

ID 2 (Y) N
23.33 25.53 IN
16.61 Y (N)
Y (N)

II. Well Water Information

Length of water column (ft.)

Volume of water in well (gal.)

Volume of bailer (gal.)

9.52
1.55
0.33

III. Evacuation Information

Volume of water removed from well (gal.)

Did well go dry?

4.65
Y (N)

Evacuation Method Bailer

Evacuation Rate (gpm) -0.66

IV. Well Sampling

Container

Preservative

Time Sampled

Analysis

3x 40 ml VOA

HCl

10:57

VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)

Conductivity (uS/cm)

pH (SU)

ORP (mV)

DO (mg/L)

Film

12.35
949
675
102.6
54
Y (N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical

via

Hand delivery (IWM)

Field Personnel

LM

**ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG**

Well No. <u>MW-30</u>	Project No. <u>IN-AMP-12-06</u>
Project <u>Amphenol</u>	Site Name <u>Amphenol, Franklin, IN</u>
Sampling Purpose <u>Semi-Annual GWS</u>	Sampling Personnel <u>Mier/White</u>
	Date <u>4/11/14</u>
	Time In <u>11:23</u> Time Out <u>11:40</u>

I. Well Information

Reference point on well casing	<u>2"</u>	<u>(Y)</u>	<u>N</u>
Well Diameter	ID	OD	
Total Well Depth	<u>21.20</u>		
Depth to Water	<u>14.96</u>		
Slug Test Performed	<u>Y</u>	<u>(N)</u>	
Redevelop	<u>Y</u>	<u>(N)</u>	

II. Well Water Information

Length of water column (ft.)	<u>6.24</u>
Volume of water in well (gal.)	<u>1.02</u>
Volume of bailer (gal.)	<u>0.33</u>

III. Evacuation Information

Volume of water removed from well (gal.)	<u>3.06</u>
Did well go dry ?	<u>Y</u> <u>(N)</u>

Evacuation Method	<u>Bailer</u>
Evacuation Rate (gpm)	<u>- 0.66</u>

IV. Well Sampling

Container	<u>3x 40 ml VOA</u>
Preservative	<u>HCl</u>
Time Sampled	<u>11:51</u>
Analysis	<u>VOCs EPA Method 8260B</u>

V. Groundwater Characteristics After Well Evacuation

Temperature (C)	<u>11.53</u>
Conductivity (uS/cm)	<u>1.066</u>
pH (SU)	<u>6.83</u>
ORP (mV)	<u>9.6</u>
DO (mg/L)	<u>1.72</u>
Film	<u>Y</u> <u>(N)</u>

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical	via	<u>Hand delivery (IWM)</u>
-----------------	-----	----------------------------

Field Personnel	<u>RM</u>
-----------------	-----------

APPENDIX D

Laboratory Analytical Report Semi-Annual Groundwater Samples

April 28, 2014

Mr. Chris Newell
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 5096097

Dear Mr. Newell:

Enclosed are the analytical results for sample(s) received by the laboratory on April 11, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mick Mayse for
Kenneth Hunt
kenneth.hunt@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: Amphenol

Pace Project No.: 5096097

Indiana Certification IDs

7726 Moller Road, Indianapolis, IN 46268

Illinois Certification #: 200074

Indiana Certification #: C-49-06

Kansas Certification #: E-10247

Kentucky UST Certification #: 0042

Louisiana/NELAP Certification #: 04076

Ohio VAP Certification #: CL-0065

West Virginia Certification #: 330

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: Amphenol

Pace Project No.: 5096097

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5096097001	IT-2	Water	04/11/14 11:29	04/11/14 16:17
5096097002	IT-3	Water	04/11/14 13:06	04/11/14 16:17
5096097003	MW-12R	Water	04/11/14 11:14	04/11/14 16:17
5096097004	MW-20	Water	04/11/14 13:41	04/11/14 16:17
5096097005	MW-22	Water	04/11/14 10:22	04/11/14 16:17
5096097006	MW-28	Water	04/11/14 10:37	04/11/14 16:17
5096097007	MW-29	Water	04/11/14 10:57	04/11/14 16:17
5096097008	MW-30	Water	04/11/14 11:51	04/11/14 16:17
5096097009	DUPLICATE	Water	04/11/14 08:00	04/11/14 16:17
5096097010	TRIP BLANK	Water	04/11/14 08:00	04/11/14 16:17

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: Amphenol

Pace Project No.: 5096097

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5096097001	IT-2	EPA 8260	BJG	72
5096097002	IT-3	EPA 8260	BJG	72
5096097003	MW-12R	EPA 8260	AMV, BJB	72
5096097004	MW-20	EPA 8260	BJG	72
5096097005	MW-22	EPA 8260	AMV	72
5096097006	MW-28	EPA 8260	AMV	72
5096097007	MW-29	EPA 8260	AMV	72
5096097008	MW-30	EPA 8260	AMV	72
5096097009	DUPLICATE	EPA 8260	AMV	72
5096097010	TRIP BLANK	EPA 8260	AMV	72

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: IT-2		Lab ID: 5096097001	Collected: 04/11/14 11:29	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		04/25/14 06:28	67-64-1	
Acrolein	ND ug/L		50.0	1		04/25/14 06:28	107-02-8	
Acrylonitrile	ND ug/L		100	1		04/25/14 06:28	107-13-1	
Benzene	ND ug/L		5.0	1		04/25/14 06:28	71-43-2	
Bromobenzene	ND ug/L		5.0	1		04/25/14 06:28	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		04/25/14 06:28	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		04/25/14 06:28	75-27-4	
Bromoform	ND ug/L		5.0	1		04/25/14 06:28	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/25/14 06:28	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		04/25/14 06:28	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		04/25/14 06:28	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		04/25/14 06:28	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		04/25/14 06:28	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		04/25/14 06:28	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		04/25/14 06:28	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		04/25/14 06:28	108-90-7	
Chloroethane	ND ug/L		5.0	1		04/25/14 06:28	75-00-3	
Chloroform	ND ug/L		5.0	1		04/25/14 06:28	67-66-3	
Chloromethane	ND ug/L		5.0	1		04/25/14 06:28	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		04/25/14 06:28	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		04/25/14 06:28	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		04/25/14 06:28	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		04/25/14 06:28	106-93-4	
Dibromomethane	ND ug/L		5.0	1		04/25/14 06:28	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 06:28	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 06:28	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 06:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		04/25/14 06:28	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		04/25/14 06:28	75-71-8	
1,1-Dichloroethane	5.0 ug/L		5.0	1		04/25/14 06:28	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		04/25/14 06:28	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		04/25/14 06:28	75-35-4	
cis-1,2-Dichloroethene	15.0 ug/L		5.0	1		04/25/14 06:28	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 06:28	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 06:28	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		04/25/14 06:28	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 06:28	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		04/25/14 06:28	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 06:28	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 06:28	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		04/25/14 06:28	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		04/25/14 06:28	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		04/25/14 06:28	87-68-3	
2-Hexanone	ND ug/L		25.0	1		04/25/14 06:28	591-78-6	
Iodomethane	ND ug/L		10.0	1		04/25/14 06:28	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		04/25/14 06:28	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		04/25/14 06:28	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: IT-2		Lab ID: 5096097001	Collected: 04/11/14 11:29	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 06:28	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 06:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 06:28	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 06:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 06:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 06:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 06:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 06:28	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 06:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 06:28	120-82-1	
1,1,1-Trichloroethane	6.5	ug/L	5.0	1		04/25/14 06:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 06:28	79-00-5	
Trichloroethene	36.8	ug/L	5.0	1		04/25/14 06:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 06:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 06:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 06:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 06:28	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 06:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 06:28	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99 %		79-116	1		04/25/14 06:28	1868-53-7	
4-Bromofluorobenzene (S)	99 %		80-114	1		04/25/14 06:28	460-00-4	
Toluene-d8 (S)	98 %		81-110	1		04/25/14 06:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: IT-3		Lab ID: 5096097002	Collected: 04/11/14 13:06	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		04/25/14 06:55	67-64-1	
Acrolein	ND ug/L		50.0	1		04/25/14 06:55	107-02-8	
Acrylonitrile	ND ug/L		100	1		04/25/14 06:55	107-13-1	
Benzene	ND ug/L		5.0	1		04/25/14 06:55	71-43-2	
Bromobenzene	ND ug/L		5.0	1		04/25/14 06:55	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		04/25/14 06:55	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		04/25/14 06:55	75-27-4	
Bromoform	ND ug/L		5.0	1		04/25/14 06:55	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/25/14 06:55	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		04/25/14 06:55	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		04/25/14 06:55	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		04/25/14 06:55	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		04/25/14 06:55	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		04/25/14 06:55	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		04/25/14 06:55	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		04/25/14 06:55	108-90-7	
Chloroethane	ND ug/L		5.0	1		04/25/14 06:55	75-00-3	
Chloroform	ND ug/L		5.0	1		04/25/14 06:55	67-66-3	
Chloromethane	ND ug/L		5.0	1		04/25/14 06:55	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		04/25/14 06:55	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		04/25/14 06:55	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		04/25/14 06:55	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		04/25/14 06:55	106-93-4	
Dibromomethane	ND ug/L		5.0	1		04/25/14 06:55	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 06:55	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 06:55	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 06:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		04/25/14 06:55	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		04/25/14 06:55	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		04/25/14 06:55	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		04/25/14 06:55	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		04/25/14 06:55	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 06:55	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 06:55	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 06:55	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		04/25/14 06:55	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 06:55	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		04/25/14 06:55	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 06:55	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 06:55	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		04/25/14 06:55	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		04/25/14 06:55	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		04/25/14 06:55	87-68-3	
2-Hexanone	ND ug/L		25.0	1		04/25/14 06:55	591-78-6	
Iodomethane	ND ug/L		10.0	1		04/25/14 06:55	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		04/25/14 06:55	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		04/25/14 06:55	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: IT-3		Lab ID: 5096097002	Collected: 04/11/14 13:06	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND ug/L		5.0	1		04/25/14 06:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND ug/L		25.0	1		04/25/14 06:55	108-10-1	
Methyl-tert-butyl ether	ND ug/L		4.0	1		04/25/14 06:55	1634-04-4	
Naphthalene	ND ug/L		5.0	1		04/25/14 06:55	91-20-3	
n-Propylbenzene	ND ug/L		5.0	1		04/25/14 06:55	103-65-1	
Styrene	ND ug/L		5.0	1		04/25/14 06:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND ug/L		5.0	1		04/25/14 06:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND ug/L		5.0	1		04/25/14 06:55	79-34-5	
Tetrachloroethene	ND ug/L		5.0	1		04/25/14 06:55	127-18-4	
Toluene	ND ug/L		5.0	1		04/25/14 06:55	108-88-3	
1,2,3-Trichlorobenzene	ND ug/L		5.0	1		04/25/14 06:55	87-61-6	
1,2,4-Trichlorobenzene	ND ug/L		5.0	1		04/25/14 06:55	120-82-1	
1,1,1-Trichloroethane	ND ug/L		5.0	1		04/25/14 06:55	71-55-6	
1,1,2-Trichloroethane	ND ug/L		5.0	1		04/25/14 06:55	79-00-5	
Trichloroethene	ND ug/L		5.0	1		04/25/14 06:55	79-01-6	
Trichlorofluoromethane	ND ug/L		5.0	1		04/25/14 06:55	75-69-4	
1,2,3-Trichloropropane	ND ug/L		5.0	1		04/25/14 06:55	96-18-4	
1,2,4-Trimethylbenzene	ND ug/L		5.0	1		04/25/14 06:55	95-63-6	
1,3,5-Trimethylbenzene	ND ug/L		5.0	1		04/25/14 06:55	108-67-8	
Vinyl acetate	ND ug/L		50.0	1		04/25/14 06:55	108-05-4	
Vinyl chloride	ND ug/L		2.0	1		04/25/14 06:55	75-01-4	
Xylene (Total)	ND ug/L		10.0	1		04/25/14 06:55	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96 %.		79-116	1		04/25/14 06:55	1868-53-7	
4-Bromofluorobenzene (S)	100 %.		80-114	1		04/25/14 06:55	460-00-4	
Toluene-d8 (S)	98 %.		81-110	1		04/25/14 06:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-12R		Lab ID: 5096097003		Collected: 04/11/14 11:14		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 07:23	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 07:23	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 07:23	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 07:23	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 07:23	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 07:23	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 07:23	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 07:23	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 07:23	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 07:23	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 07:23	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 07:23	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 07:23	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 07:23	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 07:23	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 07:23	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 07:23	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 07:23	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 07:23	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 07:23	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 07:23	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 07:23	75-71-8		
1,1-Dichloroethane	5.0	ug/L	5.0	1		04/25/14 07:23	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 07:23	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 07:23	75-35-4		
cis-1,2-Dichloroethene	47.1	ug/L	5.0	1		04/25/14 07:23	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 07:23	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 07:23	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 07:23	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 07:23	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 07:23	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 07:23	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 07:23	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 07:23	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 07:23	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 07:23	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 07:23	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 07:23	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 07:23	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-12R		Lab ID: 5096097003		Collected: 04/11/14 11:14		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 07:23	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 07:23	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 07:23	1634-04-4		
Naphthalene	ND	ug/L	5.0	1		04/25/14 07:23	91-20-3		
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	103-65-1		
Styrene	ND	ug/L	5.0	1		04/25/14 07:23	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 07:23	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 07:23	79-34-5		
Tetrachloroethene	458	ug/L	50.0	10		04/25/14 17:39	127-18-4		
Toluene	ND	ug/L	5.0	1		04/25/14 07:23	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 07:23	120-82-1		
1,1,1-Trichloroethane	49.0	ug/L	5.0	1		04/25/14 07:23	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 07:23	79-00-5		
Trichloroethene	79.4	ug/L	5.0	1		04/25/14 07:23	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 07:23	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 07:23	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 07:23	108-67-8		
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 07:23	108-05-4		
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 07:23	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 07:23	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	100	%.	79-116	1		04/25/14 07:23	1868-53-7		
4-Bromofluorobenzene (S)	101	%.	80-114	1		04/25/14 07:23	460-00-4		
Toluene-d8 (S)	97	%.	81-110	1		04/25/14 07:23	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-20		Lab ID: 5096097004		Collected: 04/11/14 13:41		Received: 04/11/14 16:17		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND ug/L	100	1			04/25/14 08:17	67-64-1		
Acrolein	ND ug/L	50.0	1			04/25/14 08:17	107-02-8		
Acrylonitrile	ND ug/L	100	1			04/25/14 08:17	107-13-1		
Benzene	ND ug/L	5.0	1			04/25/14 08:17	71-43-2		
Bromobenzene	ND ug/L	5.0	1			04/25/14 08:17	108-86-1		
Bromochloromethane	ND ug/L	5.0	1			04/25/14 08:17	74-97-5		
Bromodichloromethane	ND ug/L	5.0	1			04/25/14 08:17	75-27-4		
Bromoform	ND ug/L	5.0	1			04/25/14 08:17	75-25-2		
Bromomethane	ND ug/L	5.0	1			04/25/14 08:17	74-83-9		
2-Butanone (MEK)	ND ug/L	25.0	1			04/25/14 08:17	78-93-3		
n-Butylbenzene	ND ug/L	5.0	1			04/25/14 08:17	104-51-8		
sec-Butylbenzene	ND ug/L	5.0	1			04/25/14 08:17	135-98-8		
tert-Butylbenzene	ND ug/L	5.0	1			04/25/14 08:17	98-06-6		
Carbon disulfide	ND ug/L	10.0	1			04/25/14 08:17	75-15-0		
Carbon tetrachloride	ND ug/L	5.0	1			04/25/14 08:17	56-23-5		
Chlorobenzene	ND ug/L	5.0	1			04/25/14 08:17	108-90-7		
Chloroethane	ND ug/L	5.0	1			04/25/14 08:17	75-00-3		
Chloroform	ND ug/L	5.0	1			04/25/14 08:17	67-66-3		
Chloromethane	ND ug/L	5.0	1			04/25/14 08:17	74-87-3		
2-Chlorotoluene	ND ug/L	5.0	1			04/25/14 08:17	95-49-8		
4-Chlorotoluene	ND ug/L	5.0	1			04/25/14 08:17	106-43-4		
Dibromochloromethane	ND ug/L	5.0	1			04/25/14 08:17	124-48-1		
1,2-Dibromoethane (EDB)	ND ug/L	5.0	1			04/25/14 08:17	106-93-4		
Dibromomethane	ND ug/L	5.0	1			04/25/14 08:17	74-95-3		
1,2-Dichlorobenzene	ND ug/L	5.0	1			04/25/14 08:17	95-50-1		
1,3-Dichlorobenzene	ND ug/L	5.0	1			04/25/14 08:17	541-73-1		
1,4-Dichlorobenzene	ND ug/L	5.0	1			04/25/14 08:17	106-46-7		
trans-1,4-Dichloro-2-butene	ND ug/L	100	1			04/25/14 08:17	110-57-6		
Dichlorodifluoromethane	ND ug/L	5.0	1			04/25/14 08:17	75-71-8		
1,1-Dichloroethane	ND ug/L	5.0	1			04/25/14 08:17	75-34-3		
1,2-Dichloroethane	ND ug/L	5.0	1			04/25/14 08:17	107-06-2		
1,1-Dichloroethene	ND ug/L	5.0	1			04/25/14 08:17	75-35-4		
cis-1,2-Dichloroethene	ND ug/L	5.0	1			04/25/14 08:17	156-59-2		
trans-1,2-Dichloroethene	ND ug/L	5.0	1			04/25/14 08:17	156-60-5		
1,2-Dichloropropane	ND ug/L	5.0	1			04/25/14 08:17	78-87-5		
1,3-Dichloropropane	ND ug/L	5.0	1			04/25/14 08:17	142-28-9		
2,2-Dichloropropane	ND ug/L	5.0	1			04/25/14 08:17	594-20-7		
1,1-Dichloropropene	ND ug/L	5.0	1			04/25/14 08:17	563-58-6		
cis-1,3-Dichloropropene	ND ug/L	5.0	1			04/25/14 08:17	10061-01-5		
trans-1,3-Dichloropropene	ND ug/L	5.0	1			04/25/14 08:17	10061-02-6		
Ethylbenzene	ND ug/L	5.0	1			04/25/14 08:17	100-41-4		
Ethyl methacrylate	ND ug/L	100	1			04/25/14 08:17	97-63-2		
Hexachloro-1,3-butadiene	ND ug/L	5.0	1			04/25/14 08:17	87-68-3		
2-Hexanone	ND ug/L	25.0	1			04/25/14 08:17	591-78-6		
Iodomethane	ND ug/L	10.0	1			04/25/14 08:17	74-88-4		
Isopropylbenzene (Cumene)	ND ug/L	5.0	1			04/25/14 08:17	98-82-8		
p-Isopropyltoluene	ND ug/L	5.0	1			04/25/14 08:17	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-20		Lab ID: 5096097004		Collected: 04/11/14 13:41		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 08:17	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 08:17	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 08:17	1634-04-4		
Naphthalene	ND	ug/L	5.0	1		04/25/14 08:17	91-20-3		
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 08:17	103-65-1		
Styrene	ND	ug/L	5.0	1		04/25/14 08:17	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 08:17	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 08:17	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 08:17	127-18-4		
Toluene	ND	ug/L	5.0	1		04/25/14 08:17	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:17	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:17	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/25/14 08:17	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 08:17	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		04/25/14 08:17	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 08:17	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 08:17	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 08:17	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 08:17	108-67-8		
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 08:17	108-05-4		
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 08:17	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 08:17	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	97 %		79-116	1		04/25/14 08:17	1868-53-7		
4-Bromofluorobenzene (S)	102 %		80-114	1		04/25/14 08:17	460-00-4		
Toluene-d8 (S)	99 %		81-110	1		04/25/14 08:17	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-22		Lab ID: 5096097005		Collected: 04/11/14 10:22		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 08:02	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 08:02	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 08:02	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 08:02	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 08:02	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 08:02	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 08:02	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 08:02	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 08:02	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 08:02	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 08:02	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 08:02	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 08:02	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 08:02	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 08:02	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 08:02	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 08:02	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 08:02	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 08:02	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 08:02	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 08:02	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 08:02	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/25/14 08:02	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 08:02	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 08:02	75-35-4		
cis-1,2-Dichloroethene	11.7	ug/L	5.0	1		04/25/14 08:02	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 08:02	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 08:02	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 08:02	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 08:02	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 08:02	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 08:02	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 08:02	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 08:02	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 08:02	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 08:02	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 08:02	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 08:02	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 08:02	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-22		Lab ID: 5096097005	Collected: 04/11/14 10:22	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 08:02	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 08:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 08:02	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 08:02	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 08:02	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 08:02	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 08:02	79-34-5	
Tetrachloroethene	744	ug/L	125	25		04/25/14 08:35	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 08:02	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 08:02	120-82-1	
1,1,1-Trichloroethane	9.2	ug/L	5.0	1		04/25/14 08:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 08:02	79-00-5	
Trichloroethene	65.2	ug/L	5.0	1		04/25/14 08:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 08:02	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 08:02	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 08:02	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 08:02	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 08:02	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 08:02	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	106	%.	79-116	1		04/25/14 08:02	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	80-114	1		04/25/14 08:02	460-00-4	
Toluene-d8 (S)	92	%.	81-110	1		04/25/14 08:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-28		Lab ID: 5096097006		Collected: 04/11/14 10:37		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 09:08	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 09:08	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 09:08	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 09:08	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 09:08	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 09:08	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 09:08	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 09:08	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 09:08	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 09:08	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 09:08	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 09:08	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 09:08	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 09:08	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 09:08	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 09:08	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 09:08	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 09:08	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 09:08	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 09:08	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 09:08	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 09:08	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/25/14 09:08	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 09:08	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 09:08	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 09:08	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 09:08	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 09:08	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 09:08	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 09:08	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 09:08	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 09:08	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 09:08	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 09:08	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 09:08	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 09:08	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 09:08	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 09:08	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 09:08	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-28		Lab ID: 5096097006	Collected: 04/11/14 10:37	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 09:08	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 09:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 09:08	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 09:08	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 09:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 09:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 09:08	79-34-5	
Tetrachloroethene	29.5	ug/L	5.0	1		04/25/14 09:08	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 09:08	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:08	120-82-1	
1,1,1-Trichloroethane	10.7	ug/L	5.0	1		04/25/14 09:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 09:08	79-00-5	
Trichloroethene	10.8	ug/L	5.0	1		04/25/14 09:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 09:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 09:08	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 09:08	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 09:08	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 09:08	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 09:08	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	79-116	1		04/25/14 09:08	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	80-114	1		04/25/14 09:08	460-00-4	
Toluene-d8 (S)	96	%.	81-110	1		04/25/14 09:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-29		Lab ID: 5096097007		Collected: 04/11/14 10:57		Received: 04/11/14 16:17		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND ug/L		100	1		04/25/14 09:41	67-64-1		
Acrolein	ND ug/L		50.0	1		04/25/14 09:41	107-02-8		
Acrylonitrile	ND ug/L		100	1		04/25/14 09:41	107-13-1		
Benzene	ND ug/L		5.0	1		04/25/14 09:41	71-43-2		
Bromobenzene	ND ug/L		5.0	1		04/25/14 09:41	108-86-1		
Bromochloromethane	ND ug/L		5.0	1		04/25/14 09:41	74-97-5		
Bromodichloromethane	ND ug/L		5.0	1		04/25/14 09:41	75-27-4		
Bromoform	ND ug/L		5.0	1		04/25/14 09:41	75-25-2		
Bromomethane	ND ug/L		5.0	1		04/25/14 09:41	74-83-9		
2-Butanone (MEK)	ND ug/L		25.0	1		04/25/14 09:41	78-93-3		
n-Butylbenzene	ND ug/L		5.0	1		04/25/14 09:41	104-51-8		
sec-Butylbenzene	ND ug/L		5.0	1		04/25/14 09:41	135-98-8		
tert-Butylbenzene	ND ug/L		5.0	1		04/25/14 09:41	98-06-6		
Carbon disulfide	ND ug/L		10.0	1		04/25/14 09:41	75-15-0		
Carbon tetrachloride	ND ug/L		5.0	1		04/25/14 09:41	56-23-5		
Chlorobenzene	ND ug/L		5.0	1		04/25/14 09:41	108-90-7		
Chloroethane	ND ug/L		5.0	1		04/25/14 09:41	75-00-3		
Chloroform	ND ug/L		5.0	1		04/25/14 09:41	67-66-3		
Chloromethane	ND ug/L		5.0	1		04/25/14 09:41	74-87-3		
2-Chlorotoluene	ND ug/L		5.0	1		04/25/14 09:41	95-49-8		
4-Chlorotoluene	ND ug/L		5.0	1		04/25/14 09:41	106-43-4		
Dibromochloromethane	ND ug/L		5.0	1		04/25/14 09:41	124-48-1		
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		04/25/14 09:41	106-93-4		
Dibromomethane	ND ug/L		5.0	1		04/25/14 09:41	74-95-3		
1,2-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 09:41	95-50-1		
1,3-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 09:41	541-73-1		
1,4-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 09:41	106-46-7		
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		04/25/14 09:41	110-57-6		
Dichlorodifluoromethane	ND ug/L		5.0	1		04/25/14 09:41	75-71-8		
1,1-Dichloroethane	ND ug/L		5.0	1		04/25/14 09:41	75-34-3		
1,2-Dichloroethane	ND ug/L		5.0	1		04/25/14 09:41	107-06-2		
1,1-Dichloroethene	ND ug/L		5.0	1		04/25/14 09:41	75-35-4		
cis-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 09:41	156-59-2		
trans-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 09:41	156-60-5		
1,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 09:41	78-87-5		
1,3-Dichloropropane	ND ug/L		5.0	1		04/25/14 09:41	142-28-9		
2,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 09:41	594-20-7		
1,1-Dichloropropene	ND ug/L		5.0	1		04/25/14 09:41	563-58-6		
cis-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 09:41	10061-01-5		
trans-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 09:41	10061-02-6		
Ethylbenzene	ND ug/L		5.0	1		04/25/14 09:41	100-41-4		
Ethyl methacrylate	ND ug/L		100	1		04/25/14 09:41	97-63-2		
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		04/25/14 09:41	87-68-3		
2-Hexanone	ND ug/L		25.0	1		04/25/14 09:41	591-78-6		
Iodomethane	ND ug/L		10.0	1		04/25/14 09:41	74-88-4		
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		04/25/14 09:41	98-82-8		
p-Isopropyltoluene	ND ug/L		5.0	1		04/25/14 09:41	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-29		Lab ID: 5096097007		Collected: 04/11/14 10:57		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 09:41	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 09:41	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 09:41	1634-04-4		
Naphthalene	ND	ug/L	5.0	1		04/25/14 09:41	91-20-3		
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 09:41	103-65-1		
Styrene	ND	ug/L	5.0	1		04/25/14 09:41	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 09:41	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 09:41	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 09:41	127-18-4		
Toluene	ND	ug/L	5.0	1		04/25/14 09:41	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:41	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 09:41	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/25/14 09:41	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 09:41	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		04/25/14 09:41	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 09:41	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 09:41	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 09:41	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 09:41	108-67-8		
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 09:41	108-05-4		
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 09:41	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 09:41	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	102 %		79-116	1		04/25/14 09:41	1868-53-7		
4-Bromofluorobenzene (S)	100 %		80-114	1		04/25/14 09:41	460-00-4		
Toluene-d8 (S)	97 %		81-110	1		04/25/14 09:41	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-30		Lab ID: 5096097008	Collected: 04/11/14 11:51	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Acetone	ND ug/L		100	1		04/25/14 12:27	67-64-1	
Acrolein	ND ug/L		50.0	1		04/25/14 12:27	107-02-8	
Acrylonitrile	ND ug/L		100	1		04/25/14 12:27	107-13-1	
Benzene	ND ug/L		5.0	1		04/25/14 12:27	71-43-2	
Bromobenzene	ND ug/L		5.0	1		04/25/14 12:27	108-86-1	
Bromochloromethane	ND ug/L		5.0	1		04/25/14 12:27	74-97-5	
Bromodichloromethane	ND ug/L		5.0	1		04/25/14 12:27	75-27-4	
Bromoform	ND ug/L		5.0	1		04/25/14 12:27	75-25-2	
Bromomethane	ND ug/L		5.0	1		04/25/14 12:27	74-83-9	
2-Butanone (MEK)	ND ug/L		25.0	1		04/25/14 12:27	78-93-3	
n-Butylbenzene	ND ug/L		5.0	1		04/25/14 12:27	104-51-8	
sec-Butylbenzene	ND ug/L		5.0	1		04/25/14 12:27	135-98-8	
tert-Butylbenzene	ND ug/L		5.0	1		04/25/14 12:27	98-06-6	
Carbon disulfide	ND ug/L		10.0	1		04/25/14 12:27	75-15-0	
Carbon tetrachloride	ND ug/L		5.0	1		04/25/14 12:27	56-23-5	
Chlorobenzene	ND ug/L		5.0	1		04/25/14 12:27	108-90-7	
Chloroethane	ND ug/L		5.0	1		04/25/14 12:27	75-00-3	
Chloroform	ND ug/L		5.0	1		04/25/14 12:27	67-66-3	
Chloromethane	ND ug/L		5.0	1		04/25/14 12:27	74-87-3	
2-Chlorotoluene	ND ug/L		5.0	1		04/25/14 12:27	95-49-8	
4-Chlorotoluene	ND ug/L		5.0	1		04/25/14 12:27	106-43-4	
Dibromochloromethane	ND ug/L		5.0	1		04/25/14 12:27	124-48-1	
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		04/25/14 12:27	106-93-4	
Dibromomethane	ND ug/L		5.0	1		04/25/14 12:27	74-95-3	
1,2-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 12:27	95-50-1	
1,3-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 12:27	541-73-1	
1,4-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 12:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		04/25/14 12:27	110-57-6	
Dichlorodifluoromethane	ND ug/L		5.0	1		04/25/14 12:27	75-71-8	
1,1-Dichloroethane	ND ug/L		5.0	1		04/25/14 12:27	75-34-3	
1,2-Dichloroethane	ND ug/L		5.0	1		04/25/14 12:27	107-06-2	
1,1-Dichloroethene	ND ug/L		5.0	1		04/25/14 12:27	75-35-4	
cis-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 12:27	156-59-2	
trans-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 12:27	156-60-5	
1,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 12:27	78-87-5	
1,3-Dichloropropane	ND ug/L		5.0	1		04/25/14 12:27	142-28-9	
2,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 12:27	594-20-7	
1,1-Dichloropropene	ND ug/L		5.0	1		04/25/14 12:27	563-58-6	
cis-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 12:27	10061-01-5	
trans-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 12:27	10061-02-6	
Ethylbenzene	ND ug/L		5.0	1		04/25/14 12:27	100-41-4	
Ethyl methacrylate	ND ug/L		100	1		04/25/14 12:27	97-63-2	
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		04/25/14 12:27	87-68-3	
2-Hexanone	ND ug/L		25.0	1		04/25/14 12:27	591-78-6	
Iodomethane	ND ug/L		10.0	1		04/25/14 12:27	74-88-4	
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		04/25/14 12:27	98-82-8	
p-Isopropyltoluene	ND ug/L		5.0	1		04/25/14 12:27	99-87-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: MW-30		Lab ID: 5096097008		Collected: 04/11/14 11:51		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 12:27	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 12:27	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 12:27	1634-04-4		
Naphthalene	ND	ug/L	5.0	1		04/25/14 12:27	91-20-3		
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 12:27	103-65-1		
Styrene	ND	ug/L	5.0	1		04/25/14 12:27	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 12:27	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 12:27	79-34-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 12:27	127-18-4		
Toluene	ND	ug/L	5.0	1		04/25/14 12:27	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 12:27	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 12:27	120-82-1		
1,1,1-Trichloroethane	8.8	ug/L	5.0	1		04/25/14 12:27	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 12:27	79-00-5		
Trichloroethene	ND	ug/L	5.0	1		04/25/14 12:27	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 12:27	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 12:27	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 12:27	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 12:27	108-67-8		
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 12:27	108-05-4		
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 12:27	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 12:27	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	105	%.	79-116	1		04/25/14 12:27	1868-53-7		
4-Bromofluorobenzene (S)	98	%.	80-114	1		04/25/14 12:27	460-00-4		
Toluene-d8 (S)	97	%.	81-110	1		04/25/14 12:27	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: DUPLICATE		Lab ID: 5096097009		Collected: 04/11/14 08:00		Received: 04/11/14 16:17		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/25/14 10:48	67-64-1		
Acrolein	ND	ug/L	50.0	1		04/25/14 10:48	107-02-8		
Acrylonitrile	ND	ug/L	100	1		04/25/14 10:48	107-13-1		
Benzene	ND	ug/L	5.0	1		04/25/14 10:48	71-43-2		
Bromobenzene	ND	ug/L	5.0	1		04/25/14 10:48	108-86-1		
Bromochloromethane	ND	ug/L	5.0	1		04/25/14 10:48	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/25/14 10:48	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/25/14 10:48	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/25/14 10:48	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	1		04/25/14 10:48	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	98-06-6		
Carbon disulfide	ND	ug/L	10.0	1		04/25/14 10:48	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/25/14 10:48	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	108-90-7		
Chloroethane	ND	ug/L	5.0	1		04/25/14 10:48	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/25/14 10:48	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/25/14 10:48	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 10:48	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	1		04/25/14 10:48	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	1		04/25/14 10:48	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/25/14 10:48	106-93-4		
Dibromomethane	ND	ug/L	5.0	1		04/25/14 10:48	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/25/14 10:48	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/25/14 10:48	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/25/14 10:48	75-34-3		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/25/14 10:48	107-06-2		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/25/14 10:48	75-35-4		
cis-1,2-Dichloroethene	50.8	ug/L	5.0	1		04/25/14 10:48	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/25/14 10:48	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 10:48	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	1		04/25/14 10:48	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	1		04/25/14 10:48	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	1		04/25/14 10:48	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 10:48	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/25/14 10:48	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	100-41-4		
Ethyl methacrylate	ND	ug/L	100	1		04/25/14 10:48	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/25/14 10:48	87-68-3		
2-Hexanone	ND	ug/L	25.0	1		04/25/14 10:48	591-78-6		
Iodomethane	ND	ug/L	10.0	1		04/25/14 10:48	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/25/14 10:48	98-82-8		
p-Isopropyltoluene	ND	ug/L	5.0	1		04/25/14 10:48	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: DUPLICATE		Lab ID: 5096097009		Collected: 04/11/14 08:00		Received: 04/11/14 16:17		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV		Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 10:48	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 10:48	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 10:48	1634-04-4		
Naphthalene	ND	ug/L	5.0	1		04/25/14 10:48	91-20-3		
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	103-65-1		
Styrene	ND	ug/L	5.0	1		04/25/14 10:48	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 10:48	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 10:48	79-34-5		
Tetrachloroethene	901	ug/L	100	20		04/25/14 11:21	127-18-4		
Toluene	ND	ug/L	5.0	1		04/25/14 10:48	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 10:48	120-82-1		
1,1,1-Trichloroethane	14.7	ug/L	5.0	1		04/25/14 10:48	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 10:48	79-00-5		
Trichloroethene	154	ug/L	5.0	1		04/25/14 10:48	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 10:48	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 10:48	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 10:48	108-67-8		
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 10:48	108-05-4		
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 10:48	75-01-4		
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 10:48	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	104	%.	79-116	1		04/25/14 10:48	1868-53-7		
4-Bromofluorobenzene (S)	96	%.	80-114	1		04/25/14 10:48	460-00-4		
Toluene-d8 (S)	93	%.	81-110	1		04/25/14 10:48	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: TRIP BLANK		Lab ID: 5096097010		Collected: 04/11/14 08:00		Received: 04/11/14 16:17		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Acetone	ND ug/L		100	1		04/25/14 11:54	67-64-1		
Acrolein	ND ug/L		50.0	1		04/25/14 11:54	107-02-8		
Acrylonitrile	ND ug/L		100	1		04/25/14 11:54	107-13-1		
Benzene	ND ug/L		5.0	1		04/25/14 11:54	71-43-2		
Bromobenzene	ND ug/L		5.0	1		04/25/14 11:54	108-86-1		
Bromochloromethane	ND ug/L		5.0	1		04/25/14 11:54	74-97-5		
Bromodichloromethane	ND ug/L		5.0	1		04/25/14 11:54	75-27-4		
Bromoform	ND ug/L		5.0	1		04/25/14 11:54	75-25-2		
Bromomethane	ND ug/L		5.0	1		04/25/14 11:54	74-83-9		
2-Butanone (MEK)	ND ug/L		25.0	1		04/25/14 11:54	78-93-3		
n-Butylbenzene	ND ug/L		5.0	1		04/25/14 11:54	104-51-8		
sec-Butylbenzene	ND ug/L		5.0	1		04/25/14 11:54	135-98-8		
tert-Butylbenzene	ND ug/L		5.0	1		04/25/14 11:54	98-06-6		
Carbon disulfide	ND ug/L		10.0	1		04/25/14 11:54	75-15-0		
Carbon tetrachloride	ND ug/L		5.0	1		04/25/14 11:54	56-23-5		
Chlorobenzene	ND ug/L		5.0	1		04/25/14 11:54	108-90-7		
Chloroethane	ND ug/L		5.0	1		04/25/14 11:54	75-00-3		
Chloroform	ND ug/L		5.0	1		04/25/14 11:54	67-66-3		
Chloromethane	ND ug/L		5.0	1		04/25/14 11:54	74-87-3		
2-Chlorotoluene	ND ug/L		5.0	1		04/25/14 11:54	95-49-8		
4-Chlorotoluene	ND ug/L		5.0	1		04/25/14 11:54	106-43-4		
Dibromochloromethane	ND ug/L		5.0	1		04/25/14 11:54	124-48-1		
1,2-Dibromoethane (EDB)	ND ug/L		5.0	1		04/25/14 11:54	106-93-4		
Dibromomethane	ND ug/L		5.0	1		04/25/14 11:54	74-95-3		
1,2-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 11:54	95-50-1		
1,3-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 11:54	541-73-1		
1,4-Dichlorobenzene	ND ug/L		5.0	1		04/25/14 11:54	106-46-7		
trans-1,4-Dichloro-2-butene	ND ug/L		100	1		04/25/14 11:54	110-57-6		
Dichlorodifluoromethane	ND ug/L		5.0	1		04/25/14 11:54	75-71-8		
1,1-Dichloroethane	ND ug/L		5.0	1		04/25/14 11:54	75-34-3		
1,2-Dichloroethane	ND ug/L		5.0	1		04/25/14 11:54	107-06-2		
1,1-Dichloroethene	ND ug/L		5.0	1		04/25/14 11:54	75-35-4		
cis-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 11:54	156-59-2		
trans-1,2-Dichloroethene	ND ug/L		5.0	1		04/25/14 11:54	156-60-5		
1,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 11:54	78-87-5		
1,3-Dichloropropane	ND ug/L		5.0	1		04/25/14 11:54	142-28-9		
2,2-Dichloropropane	ND ug/L		5.0	1		04/25/14 11:54	594-20-7		
1,1-Dichloropropene	ND ug/L		5.0	1		04/25/14 11:54	563-58-6		
cis-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 11:54	10061-01-5		
trans-1,3-Dichloropropene	ND ug/L		5.0	1		04/25/14 11:54	10061-02-6		
Ethylbenzene	ND ug/L		5.0	1		04/25/14 11:54	100-41-4		
Ethyl methacrylate	ND ug/L		100	1		04/25/14 11:54	97-63-2		
Hexachloro-1,3-butadiene	ND ug/L		5.0	1		04/25/14 11:54	87-68-3		
2-Hexanone	ND ug/L		25.0	1		04/25/14 11:54	591-78-6		
Iodomethane	ND ug/L		10.0	1		04/25/14 11:54	74-88-4		
Isopropylbenzene (Cumene)	ND ug/L		5.0	1		04/25/14 11:54	98-82-8		
p-Isopropyltoluene	ND ug/L		5.0	1		04/25/14 11:54	99-87-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: Amphenol

Pace Project No.: 5096097

Sample: TRIP BLANK		Lab ID: 5096097010	Collected: 04/11/14 08:00	Received: 04/11/14 16:17	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260						
Methylene Chloride	ND	ug/L	5.0	1		04/25/14 11:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/25/14 11:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/25/14 11:54	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/25/14 11:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	103-65-1	
Styrene	ND	ug/L	5.0	1		04/25/14 11:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 11:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/25/14 11:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/25/14 11:54	127-18-4	
Toluene	ND	ug/L	5.0	1		04/25/14 11:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 11:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/25/14 11:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/25/14 11:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/25/14 11:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/25/14 11:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/25/14 11:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/25/14 11:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/25/14 11:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/25/14 11:54	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/25/14 11:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/25/14 11:54	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101 %		79-116	1		04/25/14 11:54	1868-53-7	
4-Bromofluorobenzene (S)	98 %		80-114	1		04/25/14 11:54	460-00-4	
Toluene-d8 (S)	98 %		81-110	1		04/25/14 11:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

QC Batch: MSV/64001

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 5096097001, 5096097002, 5096097003, 5096097004

METHOD BLANK: 1083805

Matrix: Water

Associated Lab Samples: 5096097001, 5096097002, 5096097003, 5096097004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1-Dichloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,1-Dichloroethene	ug/L	ND	5.0	04/25/14 00:34	
1,1-Dichloropropene	ug/L	ND	5.0	04/25/14 00:34	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/25/14 00:34	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/25/14 00:34	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/25/14 00:34	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
1,2-Dichloroethane	ug/L	ND	5.0	04/25/14 00:34	
1,2-Dichloropropane	ug/L	ND	5.0	04/25/14 00:34	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/25/14 00:34	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
1,3-Dichloropropane	ug/L	ND	5.0	04/25/14 00:34	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
2,2-Dichloropropane	ug/L	ND	5.0	04/25/14 00:34	
2-Butanone (MEK)	ug/L	ND	25.0	04/25/14 00:34	
2-Chlorotoluene	ug/L	ND	5.0	04/25/14 00:34	
2-Hexanone	ug/L	ND	25.0	04/25/14 00:34	
4-Chlorotoluene	ug/L	ND	5.0	04/25/14 00:34	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/25/14 00:34	
Acetone	ug/L	ND	100	04/25/14 00:34	
Acrolein	ug/L	ND	50.0	04/25/14 00:34	
Acrylonitrile	ug/L	ND	100	04/25/14 00:34	
Benzene	ug/L	ND	5.0	04/25/14 00:34	
Bromobenzene	ug/L	ND	5.0	04/25/14 00:34	
Bromochloromethane	ug/L	ND	5.0	04/25/14 00:34	
Bromodichloromethane	ug/L	ND	5.0	04/25/14 00:34	
Bromoform	ug/L	ND	5.0	04/25/14 00:34	
Bromomethane	ug/L	ND	5.0	04/25/14 00:34	
Carbon disulfide	ug/L	ND	10.0	04/25/14 00:34	
Carbon tetrachloride	ug/L	ND	5.0	04/25/14 00:34	
Chlorobenzene	ug/L	ND	5.0	04/25/14 00:34	
Chloroethane	ug/L	ND	5.0	04/25/14 00:34	
Chloroform	ug/L	ND	5.0	04/25/14 00:34	
Chloromethane	ug/L	ND	5.0	04/25/14 00:34	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/25/14 00:34	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/25/14 00:34	
Dibromochloromethane	ug/L	ND	5.0	04/25/14 00:34	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

METHOD BLANK: 1083805

Matrix: Water

Associated Lab Samples: 5096097001, 5096097002, 5096097003, 5096097004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	04/25/14 00:34	
Dichlorodifluoromethane	ug/L	ND	5.0	04/25/14 00:34	
Ethyl methacrylate	ug/L	ND	100	04/25/14 00:34	
Ethylbenzene	ug/L	ND	5.0	04/25/14 00:34	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/25/14 00:34	
Iodomethane	ug/L	ND	10.0	04/25/14 00:34	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/25/14 00:34	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/25/14 00:34	
Methylene Chloride	ug/L	ND	5.0	04/25/14 00:34	
n-Butylbenzene	ug/L	ND	5.0	04/25/14 00:34	
n-Propylbenzene	ug/L	ND	5.0	04/25/14 00:34	
Naphthalene	ug/L	ND	5.0	04/25/14 00:34	
p-Isopropyltoluene	ug/L	ND	5.0	04/25/14 00:34	
sec-Butylbenzene	ug/L	ND	5.0	04/25/14 00:34	
Styrene	ug/L	ND	5.0	04/25/14 00:34	
tert-Butylbenzene	ug/L	ND	5.0	04/25/14 00:34	
Tetrachloroethene	ug/L	ND	5.0	04/25/14 00:34	
Toluene	ug/L	ND	5.0	04/25/14 00:34	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/25/14 00:34	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/25/14 00:34	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/25/14 00:34	
Trichloroethene	ug/L	ND	5.0	04/25/14 00:34	
Trichlorofluoromethane	ug/L	ND	5.0	04/25/14 00:34	
Vinyl acetate	ug/L	ND	50.0	04/25/14 00:34	
Vinyl chloride	ug/L	ND	2.0	04/25/14 00:34	
Xylene (Total)	ug/L	ND	10.0	04/25/14 00:34	
4-Bromofluorobenzene (S)	%	103	80-114	04/25/14 00:34	
Dibromofluoromethane (S)	%	96	79-116	04/25/14 00:34	
Toluene-d8 (S)	%	98	81-110	04/25/14 00:34	

LABORATORY CONTROL SAMPLE: 1083806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	52.3	105	61-135	
1,1,1-Trichloroethane	ug/L	50	50.1	100	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	46.9	94	66-126	
1,1,2-Trichloroethane	ug/L	50	50.6	101	77-130	
1,1-Dichloroethane	ug/L	50	50.6	101	75-130	
1,1-Dichloroethene	ug/L	50	47.9	96	68-127	
1,1-Dichloropropene	ug/L	50	48.3	97	78-130	
1,2,3-Trichlorobenzene	ug/L	50	54.4	109	70-130	
1,2,3-Trichloropropane	ug/L	50	49.7	99	58-142	
1,2,4-Trichlorobenzene	ug/L	50	53.3	107	68-131	
1,2,4-Trimethylbenzene	ug/L	50	52.6	105	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	48.2	96	76-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

LABORATORY CONTROL SAMPLE: 1083806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	52.4	105	75-123	
1,2-Dichloroethane	ug/L	50	49.4	99	75-128	
1,2-Dichloropropane	ug/L	50	49.0	98	74-121	
1,3,5-Trimethylbenzene	ug/L	50	52.5	105	70-126	
1,3-Dichlorobenzene	ug/L	50	51.9	104	74-122	
1,3-Dichloropropane	ug/L	50	50.1	100	74-123	
1,4-Dichlorobenzene	ug/L	50	52.7	105	76-120	
2,2-Dichloropropane	ug/L	50	39.5	79	50-137	
2-Butanone (MEK)	ug/L	250	264	105	58-139	
2-Chlorotoluene	ug/L	50	51.5	103	74-122	
2-Hexanone	ug/L	250	260	104	54-140	
4-Chlorotoluene	ug/L	50	51.5	103	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	253	101	58-138	
Acetone	ug/L	250	290	116	49-150	
Acrolein	ug/L	1000	1100	110	41-200	
Acrylonitrile	ug/L	1000	1120	112	63-137	
Benzene	ug/L	50	48.4	97	74-122	
Bromobenzene	ug/L	50	49.0	98	72-127	
Bromochloromethane	ug/L	50	58.0	116	63-132	
Bromodichloromethane	ug/L	50	55.1	110	62-136	
Bromoform	ug/L	50	41.4	83	44-134	
Bromomethane	ug/L	50	83.3	167	22-181	
Carbon disulfide	ug/L	100	101	101	59-132	
Carbon tetrachloride	ug/L	50	54.5	109	56-137	
Chlorobenzene	ug/L	50	51.3	103	78-123	
Chloroethane	ug/L	50	44.7	89	60-144	
Chloroform	ug/L	50	50.3	101	78-126	
Chloromethane	ug/L	50	54.7	109	42-134	
cis-1,2-Dichloroethene	ug/L	50	48.3	97	75-122	
cis-1,3-Dichloropropene	ug/L	50	50.3	101	64-126	
Dibromochloromethane	ug/L	50	42.7	85	58-128	
Dibromomethane	ug/L	50	48.2	96	73-125	
Dichlorodifluoromethane	ug/L	50	51.3	103	35-181	
Ethyl methacrylate	ug/L	200	222	111	69-133	
Ethylbenzene	ug/L	50	51.9	104	66-133	
Hexachloro-1,3-butadiene	ug/L	50	55.1	110	59-145	
Iodomethane	ug/L	100	88.7	89	21-170	
Isopropylbenzene (Cumene)	ug/L	50	53.9	108	69-124	
Methyl-tert-butyl ether	ug/L	100	90.2	90	69-122	
Methylene Chloride	ug/L	50	47.6	95	68-132	
n-Butylbenzene	ug/L	50	49.3	99	70-126	
n-Propylbenzene	ug/L	50	54.0	108	71-122	
Naphthalene	ug/L	50	51.6	103	68-127	
p-Isopropyltoluene	ug/L	50	53.4	107	72-132	
sec-Butylbenzene	ug/L	50	54.1	108	70-128	
Styrene	ug/L	50	52.8	106	74-126	
tert-Butylbenzene	ug/L	50	39.9	80	51-118	
Tetrachloroethene	ug/L	50	49.1	98	69-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

LABORATORY CONTROL SAMPLE: 1083806

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	53.0	106	72-122	
trans-1,2-Dichloroethene	ug/L	50	52.1	104	72-124	
trans-1,3-Dichloropropene	ug/L	50	41.2	82	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	167	83	56-133	
Trichloroethene	ug/L	50	54.8	110	76-126	
Trichlorofluoromethane	ug/L	50	54.7	109	76-149	
Vinyl acetate	ug/L	200	255	127	45-151	
Vinyl chloride	ug/L	50	48.2	96	59-126	
Xylene (Total)	ug/L	150	164	109	70-124	
4-Bromofluorobenzene (S)	%			101	80-114	
Dibromofluoromethane (S)	%			102	79-116	
Toluene-d8 (S)	%			96	81-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1083807 1083808

Parameter	Units	5096095007		MS	MSD	MS		MSD	% Rec		% Rec	Max	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD	RPD	
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	44.3	54.1	89	108	50-132	20	20		
1,1,1-Trichloroethane	ug/L	ND	50	50	44.3	54.4	89	109	60-138	20	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	40.1	48.2	80	96	55-128	18	20		
1,1,2-Trichloroethane	ug/L	ND	50	50	43.9	52.7	88	105	61-139	18	20		
1,1-Dichloroethane	ug/L	ND	50	50	47.2	56.3	94	113	57-147	18	20		
1,1-Dichloroethene	ug/L	ND	50	50	48.1	57.8	96	116	55-145	18	20		
1,1-Dichloropropene	ug/L	ND	50	50	44.8	53.2	90	106	55-147	17	20		
1,2,3-Trichlorobenzene	ug/L	ND	50	50	41.5	52.8	83	106	31-141	24	20		
1,2,3-Trichloropropane	ug/L	ND	50	50	44.7	53.1	89	106	58-133	17	20		
1,2,4-Trichlorobenzene	ug/L	ND	50	50	41.3	53.3	83	107	25-143	25	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	44.1	54.3	88	109	18-149	21	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	41.2	49.4	82	99	63-129	18	20		
1,2-Dichlorobenzene	ug/L	ND	50	50	44.3	53.9	89	108	38-136	20	20		
1,2-Dichloroethane	ug/L	ND	50	50	43.7	50.9	87	102	62-138	15	20		
1,2-Dichloropropane	ug/L	ND	50	50	42.8	50.3	86	101	59-130	16	20		
1,3,5-Trimethylbenzene	ug/L	ND	50	50	44.4	53.9	89	108	20-147	19	20		
1,3-Dichlorobenzene	ug/L	ND	50	50	42.9	52.1	86	104	28-141	19	20		
1,3-Dichloropropane	ug/L	ND	50	50	43.2	52.0	86	104	62-127	19	20		
1,4-Dichlorobenzene	ug/L	ND	50	50	42.2	53.4	84	107	30-139	23	20		
2,2-Dichloropropane	ug/L	ND	50	50	29.6	36.7	59	73	37-139	22	20		
2-Butanone (MEK)	ug/L	ND	250	250	235	270	94	108	37-156	14	20		
2-Chlorotoluene	ug/L	ND	50	50	44.3	53.5	89	107	27-142	19	20		
2-Hexanone	ug/L	ND	250	250	231	278	92	111	44-143	19	20		
4-Chlorotoluene	ug/L	ND	50	50	43.8	52.1	88	104	27-144	17	20		
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	228	271	91	109	46-144	17	20		
Acetone	ug/L	ND	250	250	293	338	117	135	39-156	14	20		
Acrolein	ug/L	ND	1000	1000	1040	1220	104	122	33-200	16	20		
Acrylonitrile	ug/L	ND	1000	1000	1100	1250	110	125	48-149	13	20		
Benzene	ug/L	ND	50	50	44.0	51.0	87	101	62-129	15	20		
Bromobenzene	ug/L	ND	50	50	42.0	52.3	84	105	39-140	22	20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1083807 1083808											
Parameter	Units	5096095007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	52.3	57.9	105	116	49-142	10	20
Bromodichloromethane	ug/L	ND	50	50	47.6	57.0	95	114	50-142	18	20
Bromoform	ug/L	ND	50	50	34.6	41.7	69	83	36-125	19	20
Bromomethane	ug/L	ND	50	50	72.4	87.0	145	174	13-179	18	20
Carbon disulfide	ug/L	ND	100	100	103	123	103	122	45-142	17	20
Carbon tetrachloride	ug/L	ND	50	50	45.4	58.3	91	117	46-142	25	20
Chlorobenzene	ug/L	ND	50	50	44.4	53.4	89	107	49-136	19	20
Chloroethane	ug/L	ND	50	50	49.1	55.0	98	110	47-160	11	20
Chloroform	ug/L	ND	50	50	43.9	52.1	88	104	54-150	17	20
Chloromethane	ug/L	ND	50	50	49.5	59.1	99	118	30-148	18	20
cis-1,2-Dichloroethene	ug/L	ND	50	50	43.2	50.6	86	101	60-135	16	20
cis-1,3-Dichloropropene	ug/L	ND	50	50	40.8	51.3	82	103	52-123	23	20
Dibromochloromethane	ug/L	ND	50	50	36.3	44.4	73	89	48-125	20	20
Dibromomethane	ug/L	ND	50	50	42.6	49.7	85	99	59-134	15	20
Dichlorodifluoromethane	ug/L	ND	50	50	46.8	52.9	94	106	24-197	12	20
Ethyl methacrylate	ug/L	ND	200	200	193	235	97	117	55-139	20	20
Ethylbenzene	ug/L	ND	50	50	44.8	55.4	90	111	28-153	21	20
Hexachloro-1,3-butadiene	ug/L	ND	50	50	42.1	53.8	84	108	10-176	24	20
Iodomethane	ug/L	ND	100	100	73.2	114	73	114	17-157	43	20
Isopropylbenzene (Cumene)	ug/L	ND	50	50	47.8	57.3	96	115	18-152	18	20
Methyl-tert-butyl ether	ug/L	ND	100	100	82.7	99.2	83	99	63-130	18	20
Methylene Chloride	ug/L	ND	50	50	47.8	56.7	96	113	45-156	17	20
n-Butylbenzene	ug/L	ND	50	50	40.6	50.5	81	101	10-161	22	20
n-Propylbenzene	ug/L	ND	50	50	45.5	56.0	91	112	16-150	21	20
Naphthalene	ug/L	ND	50	50	41.5	50.8	80	99	39-140	20	20
p-Isopropyltoluene	ug/L	ND	50	50	44.3	54.4	89	109	10-163	20	20
sec-Butylbenzene	ug/L	ND	50	50	46.2	55.5	92	111	10-160	18	20
Styrene	ug/L	ND	50	50	45.2	56.4	90	113	36-139	22	20
tert-Butylbenzene	ug/L	ND	50	50	35.2	41.6	70	83	12-134	17	20
Tetrachloroethene	ug/L	ND	50	50	42.8	51.7	86	103	33-151	19	20
Toluene	ug/L	ND	50	50	46.3	56.0	93	112	50-132	19	20
trans-1,2-Dichloroethene	ug/L	ND	50	50	50.6	59.7	101	119	40-153	16	20
trans-1,3-Dichloropropene	ug/L	ND	50	50	33.1	41.5	66	83	48-122	22	20
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	142	172	71	86	32-139	19	20
Trichloroethene	ug/L	ND	50	50	49.0	57.1	98	114	50-143	15	20
Trichlorofluoromethane	ug/L	ND	50	50	56.0	66.6	112	133	60-175	17	20
Vinyl acetate	ug/L	ND	200	200	157	192	78	96	17-142	20	20
Vinyl chloride	ug/L	ND	50	50	47.6	52.9	95	106	44-145	11	20
Xylene (Total)	ug/L	ND	150	150	140	169	94	112	29-145	18	20
4-Bromofluorobenzene (S)	%						100	100	80-114		
Dibromofluoromethane (S)	%						104	103	79-116		1d
Toluene-d8 (S)	%						95	97	81-110		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

QC Batch: MSV/64010

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 5096097005, 5096097006, 5096097007, 5096097008, 5096097009, 5096097010

METHOD BLANK: 1083826

Matrix: Water

Associated Lab Samples: 5096097005, 5096097006, 5096097007, 5096097008, 5096097009, 5096097010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1-Dichloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,1-Dichloroethene	ug/L	ND	5.0	04/25/14 03:35	
1,1-Dichloropropene	ug/L	ND	5.0	04/25/14 03:35	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/25/14 03:35	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/25/14 03:35	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/25/14 03:35	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
1,2-Dichloroethane	ug/L	ND	5.0	04/25/14 03:35	
1,2-Dichloropropane	ug/L	ND	5.0	04/25/14 03:35	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/25/14 03:35	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
1,3-Dichloropropane	ug/L	ND	5.0	04/25/14 03:35	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
2,2-Dichloropropane	ug/L	ND	5.0	04/25/14 03:35	
2-Butanone (MEK)	ug/L	ND	25.0	04/25/14 03:35	
2-Chlorotoluene	ug/L	ND	5.0	04/25/14 03:35	
2-Hexanone	ug/L	ND	25.0	04/25/14 03:35	
4-Chlorotoluene	ug/L	ND	5.0	04/25/14 03:35	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/25/14 03:35	
Acetone	ug/L	ND	100	04/25/14 03:35	
Acrolein	ug/L	ND	50.0	04/25/14 03:35	
Acrylonitrile	ug/L	ND	100	04/25/14 03:35	
Benzene	ug/L	ND	5.0	04/25/14 03:35	
Bromobenzene	ug/L	ND	5.0	04/25/14 03:35	
Bromochloromethane	ug/L	ND	5.0	04/25/14 03:35	
Bromodichloromethane	ug/L	ND	5.0	04/25/14 03:35	
Bromoform	ug/L	ND	5.0	04/25/14 03:35	
Bromomethane	ug/L	ND	5.0	04/25/14 03:35	
Carbon disulfide	ug/L	ND	10.0	04/25/14 03:35	
Carbon tetrachloride	ug/L	ND	5.0	04/25/14 03:35	
Chlorobenzene	ug/L	ND	5.0	04/25/14 03:35	
Chloroethane	ug/L	ND	5.0	04/25/14 03:35	
Chloroform	ug/L	ND	5.0	04/25/14 03:35	
Chloromethane	ug/L	ND	5.0	04/25/14 03:35	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/25/14 03:35	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/25/14 03:35	
Dibromochloromethane	ug/L	ND	5.0	04/25/14 03:35	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

METHOD BLANK: 1083826

Matrix: Water

Associated Lab Samples: 5096097005, 5096097006, 5096097007, 5096097008, 5096097009, 5096097010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	04/25/14 03:35	
Dichlorodifluoromethane	ug/L	ND	5.0	04/25/14 03:35	
Ethyl methacrylate	ug/L	ND	100	04/25/14 03:35	
Ethylbenzene	ug/L	ND	5.0	04/25/14 03:35	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/25/14 03:35	
Iodomethane	ug/L	ND	10.0	04/25/14 03:35	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/25/14 03:35	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/25/14 03:35	
Methylene Chloride	ug/L	ND	5.0	04/25/14 03:35	
n-Butylbenzene	ug/L	ND	5.0	04/25/14 03:35	
n-Propylbenzene	ug/L	ND	5.0	04/25/14 03:35	
Naphthalene	ug/L	ND	5.0	04/25/14 03:35	
p-Isopropyltoluene	ug/L	ND	5.0	04/25/14 03:35	
sec-Butylbenzene	ug/L	ND	5.0	04/25/14 03:35	
Styrene	ug/L	ND	5.0	04/25/14 03:35	
tert-Butylbenzene	ug/L	ND	5.0	04/25/14 03:35	
Tetrachloroethene	ug/L	ND	5.0	04/25/14 03:35	
Toluene	ug/L	ND	5.0	04/25/14 03:35	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/25/14 03:35	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/25/14 03:35	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/25/14 03:35	
Trichloroethene	ug/L	ND	5.0	04/25/14 03:35	
Trichlorofluoromethane	ug/L	ND	5.0	04/25/14 03:35	
Vinyl acetate	ug/L	ND	50.0	04/25/14 03:35	
Vinyl chloride	ug/L	ND	2.0	04/25/14 03:35	
Xylene (Total)	ug/L	ND	10.0	04/25/14 03:35	
4-Bromofluorobenzene (S)	%	99	80-114	04/25/14 03:35	
Dibromofluoromethane (S)	%	103	79-116	04/25/14 03:35	
Toluene-d8 (S)	%	97	81-110	04/25/14 03:35	

LABORATORY CONTROL SAMPLE: 1083827

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	55.2	110	61-135	
1,1,1-Trichloroethane	ug/L	50	54.1	108	71-129	
1,1,2,2-Tetrachloroethane	ug/L	50	45.5	91	66-126	
1,1,2-Trichloroethane	ug/L	50	47.9	96	77-130	
1,1-Dichloroethane	ug/L	50	50.1	100	75-130	
1,1-Dichloroethene	ug/L	50	53.8	108	68-127	
1,1-Dichloropropene	ug/L	50	49.1	98	78-130	
1,2,3-Trichlorobenzene	ug/L	50	53.3	107	70-130	
1,2,3-Trichloropropane	ug/L	50	48.4	97	58-142	
1,2,4-Trichlorobenzene	ug/L	50	54.2	108	68-131	
1,2,4-Trimethylbenzene	ug/L	50	48.8	98	69-127	
1,2-Dibromoethane (EDB)	ug/L	50	49.8	100	76-125	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

LABORATORY CONTROL SAMPLE: 1083827

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	48.7	97	75-123	
1,2-Dichloroethane	ug/L	50	52.5	105	75-128	
1,2-Dichloropropane	ug/L	50	47.0	94	74-121	
1,3,5-Trimethylbenzene	ug/L	50	48.6	97	70-126	
1,3-Dichlorobenzene	ug/L	50	47.6	95	74-122	
1,3-Dichloropropane	ug/L	50	48.4	97	74-123	
1,4-Dichlorobenzene	ug/L	50	46.7	93	76-120	
2,2-Dichloropropane	ug/L	50	42.3	85	50-137	
2-Butanone (MEK)	ug/L	250	230	92	58-139	
2-Chlorotoluene	ug/L	50	45.9	92	74-122	
2-Hexanone	ug/L	250	245	98	54-140	
4-Chlorotoluene	ug/L	50	46.8	94	77-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	241	96	58-138	
Acetone	ug/L	250	263	105	49-150	
Acrolein	ug/L	1000	942	94	41-200	
Acrylonitrile	ug/L	1000	986	99	63-137	
Benzene	ug/L	50	48.1	96	74-122	
Bromobenzene	ug/L	50	46.4	93	72-127	
Bromochloromethane	ug/L	50	45.3	91	63-132	
Bromodichloromethane	ug/L	50	57.8	116	62-136	
Bromoform	ug/L	50	43.0	86	44-134	
Bromomethane	ug/L	50	89.4	179	22-181	
Carbon disulfide	ug/L	100	107	107	59-132	
Carbon tetrachloride	ug/L	50	48.9	98	56-137	
Chlorobenzene	ug/L	50	47.9	96	78-123	
Chloroethane	ug/L	50	60.3	121	60-144	
Chloroform	ug/L	50	55.0	110	78-126	
Chloromethane	ug/L	50	49.6	99	42-134	
cis-1,2-Dichloroethene	ug/L	50	45.6	91	75-122	
cis-1,3-Dichloropropene	ug/L	50	41.7	83	64-126	
Dibromochloromethane	ug/L	50	45.2	90	58-128	
Dibromomethane	ug/L	50	50.0	100	73-125	
Dichlorodifluoromethane	ug/L	50	58.4	117	35-181	
Ethyl methacrylate	ug/L	200	210	105	69-133	
Ethylbenzene	ug/L	50	49.6	99	66-133	
Hexachloro-1,3-butadiene	ug/L	50	51.4	103	59-145	
Iodomethane	ug/L	100	143	143	21-170	
Isopropylbenzene (Cumene)	ug/L	50	52.6	105	69-124	
Methyl-tert-butyl ether	ug/L	100	106	106	69-122	
Methylene Chloride	ug/L	50	54.0	108	68-132	
n-Butylbenzene	ug/L	50	50.0	100	70-126	
n-Propylbenzene	ug/L	50	46.4	93	71-122	
Naphthalene	ug/L	50	44.6	89	68-127	
p-Isopropyltoluene	ug/L	50	51.1	102	72-132	
sec-Butylbenzene	ug/L	50	48.8	98	70-128	
Styrene	ug/L	50	51.6	103	74-126	
tert-Butylbenzene	ug/L	50	45.5	91	51-118	
Tetrachloroethene	ug/L	50	50.0	100	69-130	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

LABORATORY CONTROL SAMPLE: 1083827

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	47.3	95	72-122	
trans-1,2-Dichloroethene	ug/L	50	52.8	106	72-124	
trans-1,3-Dichloropropene	ug/L	50	41.4	83	64-121	
trans-1,4-Dichloro-2-butene	ug/L	200	148	74	56-133	
Trichloroethene	ug/L	50	50.0	100	76-126	
Trichlorofluoromethane	ug/L	50	60.5	121	76-149	
Vinyl acetate	ug/L	200	211	105	45-151	
Vinyl chloride	ug/L	50	50.6	101	59-126	
Xylene (Total)	ug/L	150	150	100	70-124	
4-Bromofluorobenzene (S)	%			105	80-114	
Dibromofluoromethane (S)	%			107	79-116	
Toluene-d8 (S)	%			98	81-110	

MATRIX SPIKE SAMPLE: 1083829

Parameter	Units	5096097008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	44.4	89	50-132	
1,1,1-Trichloroethane	ug/L	8.8	50	56.2	95	60-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	37.6	75	55-128	
1,1,2-Trichloroethane	ug/L	ND	50	39.7	79	61-139	
1,1-Dichloroethane	ug/L	ND	50	38.7	77	57-147	
1,1-Dichloroethene	ug/L	ND	50	47.8	96	55-145	
1,1-Dichloropropene	ug/L	ND	50	42.4	85	55-147	
1,2,3-Trichlorobenzene	ug/L	ND	50	39.1	78	31-141	
1,2,3-Trichloropropane	ug/L	ND	50	39.8	80	58-133	
1,2,4-Trichlorobenzene	ug/L	ND	50	39.6	79	25-143	
1,2,4-Trimethylbenzene	ug/L	ND	50	39.6	79	18-149	
1,2-Dibromoethane (EDB)	ug/L	ND	50	40.3	81	63-129	
1,2-Dichlorobenzene	ug/L	ND	50	38.9	78	38-136	
1,2-Dichloroethane	ug/L	ND	50	45.5	91	62-138	
1,2-Dichloropropane	ug/L	ND	50	42.1	84	59-130	
1,3,5-Trimethylbenzene	ug/L	ND	50	39.4	79	20-147	
1,3-Dichlorobenzene	ug/L	ND	50	38.0	76	28-141	
1,3-Dichloropropane	ug/L	ND	50	41.0	82	62-127	
1,4-Dichlorobenzene	ug/L	ND	50	36.7	73	30-139	
2,2-Dichloropropane	ug/L	ND	50	30.5	61	37-139	
2-Butanone (MEK)	ug/L	ND	250	180	72	37-156	
2-Chlorotoluene	ug/L	ND	50	38.4	77	27-142	
2-Hexanone	ug/L	ND	250	182	73	44-143	
4-Chlorotoluene	ug/L	ND	50	38.3	77	27-144	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	184	74	46-144	
Acetone	ug/L	ND	250	201	80	39-156	
Acrolein	ug/L	ND	1000	651	65	33-200	
Acrylonitrile	ug/L	ND	1000	781	78	48-149	
Benzene	ug/L	ND	50	42.4	85	62-129	
Bromobenzene	ug/L	ND	50	38.2	76	39-140	
Bromochloromethane	ug/L	ND	50	40.6	81	49-142	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

MATRIX SPIKE SAMPLE: 1083829		5096097008	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	47.2	94	50-142	
Bromoform	ug/L	ND	50	33.1	66	36-125	
Bromomethane	ug/L	ND	50	56.8	114	13-179	
Carbon disulfide	ug/L	ND	100	92.3	92	45-142	
Carbon tetrachloride	ug/L	ND	50	41.5	83	46-142	
Chlorobenzene	ug/L	ND	50	41.0	82	49-136	
Chloroethane	ug/L	ND	50	54.1	108	47-160	
Chloroform	ug/L	ND	50	47.0	94	54-150	
Chloromethane	ug/L	ND	50	47.3	95	30-148	
cis-1,2-Dichloroethene	ug/L	ND	50	40.1	80	60-135	
cis-1,3-Dichloropropene	ug/L	ND	50	32.9	66	52-123	
Dibromochloromethane	ug/L	ND	50	36.9	74	48-125	
Dibromomethane	ug/L	ND	50	41.9	84	59-134	
Dichlorodifluoromethane	ug/L	ND	50	50.6	101	24-197	
Ethyl methacrylate	ug/L	ND	200	167	83	55-139	
Ethylbenzene	ug/L	ND	50	41.2	82	28-153	
Hexachloro-1,3-butadiene	ug/L	ND	50	37.6	75	10-176	
Iodomethane	ug/L	ND	100	82.7	83	17-157	
Isopropylbenzene (Cumene)	ug/L	ND	50	43.8	88	18-152	
Methyl-tert-butyl ether	ug/L	ND	100	85.0	85	63-130	
Methylene Chloride	ug/L	ND	50	45.3	91	45-156	
n-Butylbenzene	ug/L	ND	50	36.7	73	10-161	
n-Propylbenzene	ug/L	ND	50	38.3	77	16-150	
Naphthalene	ug/L	ND	50	32.6	65	39-140	
p-Isopropyltoluene	ug/L	ND	50	39.8	80	10-163	
sec-Butylbenzene	ug/L	ND	50	38.5	77	10-160	
Styrene	ug/L	ND	50	42.7	85	36-139	
tert-Butylbenzene	ug/L	ND	50	37.4	75	12-134	
Tetrachloroethene	ug/L	ND	50	42.3	82	33-151	
Toluene	ug/L	ND	50	41.6	83	50-132	
trans-1,2-Dichloroethene	ug/L	ND	50	46.8	94	40-153	
trans-1,3-Dichloropropene	ug/L	ND	50	32.0	64	48-122	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	102	51	32-139	
Trichloroethene	ug/L	ND	50	46.7	89	50-143	
Trichlorofluoromethane	ug/L	ND	50	53.2	106	60-175	
Vinyl acetate	ug/L	ND	200	97.4	49	17-142	
Vinyl chloride	ug/L	ND	50	45.8	92	44-145	
Xylene (Total)	ug/L	ND	150	126	84	29-145	
4-Bromofluorobenzene (S)	%				103	80-114	
Dibromofluoromethane (S)	%				104	79-116	
Toluene-d8 (S)	%				97	81-110	

SAMPLE DUPLICATE: 1083828

Parameter	Units	5096097007	Dup	RPD	Max	Qualifiers
		Result	Result		RPD	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

SAMPLE DUPLICATE: 1083828

Parameter	Units	5096097007 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: Amphenol

Pace Project No.: 5096097

SAMPLE DUPLICATE: 1083828

Parameter	Units	5096097007 Result	Dup Result	RPD	Max RPD	Qualifiers
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	1.5J		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%.	100	99	1		
Dibromofluoromethane (S)	%.	102	103	1		
Toluene-d8 (S)	%.	97	98	0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: Amphenol

Pace Project No.: 5096097

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d Multiple compounds have a RPD greater than the RPD max refer to the LCS for system control. BJG 04-25-14.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol

Pace Project No.: 5096097

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5096097001	IT-2	EPA 8260	MSV/64001		
5096097002	IT-3	EPA 8260	MSV/64001		
5096097003	MW-12R	EPA 8260	MSV/64001		
5096097004	MW-20	EPA 8260	MSV/64001		
5096097005	MW-22	EPA 8260	MSV/64010		
5096097006	MW-28	EPA 8260	MSV/64010		
5096097007	MW-29	EPA 8260	MSV/64010		
5096097008	MW-30	EPA 8260	MSV/64010		
5096097009	DUPLICATE	EPA 8260	MSV/64010		
5096097010	TRIP BLANK	EPA 8260	MSV/64010		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	IWM Consulting	Report To:	Chris Newell	Attention:	Chris Newell
Address:	7428 Rockville Road Indianapolis, IN 46214	Copy To:		Company Name:	IWM Consulting
Email to:	chenewell@iwmconsult.com	Purchase Order No.		Address:	7428 Rockville Road, Indianapolis, IN 46214
Phone:	347-1111	Client Project ID:	Amphenol	Pace Quote Reference:	
Fax:		Container Order Number:		Pace Project Manager:	Hunt, Kenneth
Requested Due Date/TAT:	10 Day (Default)			Pace Profile #:	
				Regulatory Agency	
				RCRA - Resource Conservation and Recovery Act	
				Start / Location	
				End / Location	

ITEM#	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G-RAB C-COMP)	MATRIX CODE (see valid codes to left)	SAMPLE TEMP AT COLLECTION		PRESERVATIVES		Y/N	VOC 8260 WT	Residual Chlorine (Y/N)	50916097																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			START	END			DATE	TIME	DATE	TIME					DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1	Drinking Water	DW			WT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

Sample Condition Upon Receipt

Pace Analytical

Client Name:

IWM

Project #

5096097

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ noDate/Time 5035A kits
placed in freezerPacking Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other

Foam

Thermometer Used 1 2 3 4 6 A B C D E

Type of Ice: ☒ Wet ☐ Blue ☐ None☐ Samples on ice, cooling process has begun

Cooler Temperature

0.2°C

Ice Visible in Sample Containers:

☐ yes ☒ no

Temp should be above freezing to 6°C

Comments:

Date and initials of person examining
contents: CP 4-11-14Chain of Custody Present: ☒ Yes ☐ No ☐ N/A

1.

Chain of Custody Filled Out: ☒ Yes ☐ No ☐ N/A

2.

Chain of Custody Relinquished: ☒ Yes ☐ No ☐ N/A

3.

Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A

4.

Short Hold Time Analysis (<72hr): ☐ Yes ☒ No ☐ N/A

5.

Rush Turn Around Time Requested: ☐ Yes ☒ No ☐ N/A

6.

Containers Intact: ☒ Yes ☐ No ☐ N/A

7.

Sample Labels match COC: ☒ Yes ☐ No ☐ N/A

8.

-Includes date/time/ID/Analysis

All containers needing acid/base pres. have been checked?

☐ Yes ☐ No ☒ N/A

9.

(Circle) HNO₃ H₂SO₄ NaOH HCl

exceptions: VOA, coliform, TOC, O&G

All containers needing preservation are found to be in compliance with EPA recommendation (<2, >9, >12) unless otherwise noted.

Headspace in VOA Vials (>6mm): ☐ Yes ☒ No ☐ N/A

10.

Trip Blank Present: ☒ Yes ☐ No ☐ N/A

11.

Trip Blank Custody Seals Present ☒ Yes ☐ No ☐ N/A

Project Manager Review

Samples Arrived within Hold Time: ☒ Yes ☐ No ☐ N/A

12.

Sufficient Volume: ☒ Yes ☐ No ☐ N/A

13.

Correct Containers Used: ☒ Yes ☐ No ☐ N/A

14.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

Project Manager Review:

Kenneth Hunt

Date:

4/11/14

Sample Container Count



CLIENT: Thm

OC PAGE 1 of 1

OC ID# _____

Project # 9096097

Sample Line

Item	DG9H	AG1U	WGFU	AG0U	R	4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	BP3C	BP1U	SPST	pH <2	pH >12	Comments
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				

Container Codes

DG9H	40mL HCL amber vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1 liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber glass	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber glass	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber glass	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear glass	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFU	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag